## **NumPy Exercises**

Now that we've learned about NumPy let's test your knowledge. We'll start off with a few simple tasks, and then you'll be asked some more complicated questions.

```
Import NumPy as np
import numpy as np
from numpy import random
Create an array of 10 zeros
l = [0] * 10
n1=np.array(l)
print(n1)
temp=np.zeros(10,dtype='i')
temp
[0 \ 0 \ 0 \ 0 \ 0 \ 0 \ 0 \ 0]
array([0, 0, 0, 0, 0, 0, 0, 0, 0], dtype=int32)
Create an array of 10 ones
n2=np.array([1]*10)
print(n2)
temp2=np.ones(10,dtype='i')
temp2
[1 1 1 1 1 1 1 1 1 1]
array([1, 1, 1, 1, 1, 1, 1, 1, 1], dtype=int32)
Create an array of 10 fives
n3=np.array([5]*10)
print(n3)
[5 5 5 5 5 5 5 5 5 5]
Create an array of the integers from 10 to 50
n4=np.array([i for i in range(10,51)])
print(n4)
[10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32
33
34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 501
Create an array of all the even integers from 10 to 50
n5=np.array([i for i in range(10,51) if i%2==0])
print(n5)
[10 12 14 16 18 20 22 24 26 28 30 32 34 36 38 40 42 44 46 48 50]
```

```
Create a 3x3 matrix with values ranging from 0 to 8
n6=np.array(([i for i in range(0,3)],[i for i in range(3,6)],[i for i
in range(6,9)]))
print(n6)
[[0 1 2]
 [3 4 5]
 [6 7 8]]
Create a 3x3 identity matrix
n7=np.array(([1,1,1],[1,1,1],[1,1,1]))
print(n7)
[[1 \ 1 \ 1]]
 [1\ 1\ 1]
 [1 \ 1 \ 1]]
Use NumPy to generate a random number between 0 and 1
num1=random.randint(2)
print(num)
0
Use NumPy to generate an array of 25 random numbers sampled from a standard normal
distribution
num2=random.normal(size=(25))
print(num2)
[0.09099512 \quad 0.02887234 \quad -0.87967982 \quad 0.46168592 \quad 1.56670732
1.71762905
 -0.01398321 1.761686
                             0.15975327 -0.37146545 -1.47486585
0.08403768
 -0.65082683 -0.83869608 0.36944858 -0.02574624 1.46946835
0.21377204
 -1.2996857 -1.17219777 2.03676817 1.04852882 0.89772161 -
0.03670877
 -0.103517891
Create the following matrix:
Create an array of 20 linearly spaced points between 0 and 1:
num3 = np.linspace(0,1,20)
print(num3)
             0.05263158 0.10526316 0.15789474 0.21052632 0.26315789
[0.
 0.31578947 0.36842105 0.42105263 0.47368421 0.52631579 0.57894737
 0.63157895 \ 0.68421053 \ 0.73684211 \ 0.78947368 \ 0.84210526 \ 0.89473684
 0.94736842 1.
                        ]
```

## **Numpy Indexing and Selection**

Now you will be given a few matrices, and be asked to replicate the resulting matrix outputs:

```
mat = np.arange(1,26).reshape(5,5)
mat
                3,
array([[ 1,
            2,
                    4,
                         51,
               8, 9, 10],
       [6, 7,
       [11, 12, 13, 14, 15],
       [16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
num1=np.array(([i for i in range(1,6)],[i for i in range(6,11)],[i for
i in range(11,16)],[i for i in range(16,21)],[i for i in
range(21,26)]))
num1
array([[ 1,
            2,
                3, 4, 5],
       [ 6, 7, 8,
                    9, 10],
       [11, 12, 13, 14, 15],
       [16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
num2=np.array(([1,2,3,4,5],[6,7,8,9,10],[11,12,13,14,15],
[16,17,18,19,20],[21,22,23,24,25]))
num2
array([[ 1,
            2, 3, 4, 5],
       [6, 7, 8,
                    9, 10],
       [11, 12, 13, 14, 15],
       [16, 17, 18, 19, 20],
       [21, 22, 23, 24, 25]])
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

```
# WRITE CODE HERE THAT REPRODUCES THE OUTPUT OF THE CELL BELOW
# BE CAREFUL NOT TO RUN THE CELL BELOW, OTHERWISE YOU WON'T
# BE ABLE TO SEE THE OUTPUT ANY MORE
```

## Now do the following

```
Get the sum of all the values in mat
s=0
for i in mat:
    for j in i:
         s=s+j
S
325
Get the standard deviation of the values in mat
sd=np.std(mat)
sd
7.211102550927978
Get the sum of all the columns in mat
for i in mat:
    s=0
    for j in i:
         s+=j
    print(s)
15
40
65
90
115
```