# APEX SPECIALIST SUPER BADGE CODES

## **APEX TRIGGERS**

### AccountAddressTrigger.apxt:-

```
trigger AccountAddressTrigger on Account (before insert,before update) {
for(Account a:Trigger.New){
    if(a.Match_Billing_Address__c==true){
        a.ShippingPostalCode=a.BillingPostalCode;
    }
}
```

## ClosedOpportunityTrigger.apxt:-

```
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {
   List<Task> taskList = new List <task>();

   for(Opportunity opp : Trigger.New){
      if(opp.StageName == 'Closed Won'){
        taskList.add(new Task(Subject = 'Follow Up Test Task', WhatId = opp.Id));
    }
   }
   if(taskList.size()>0){
      insert taskList;
   }
}
```

# **Apex Testing**

# VerifyDate.apxc:-

```
public class VerifyDate {
public static Date CheckDates(Date date1, Date date2) {
```

```
if(DateWithin30Days(date1,date2)) {
           return date2;
          }
else {
           return SetEndOfMonthDate(date1);
          }
         }
         private static Boolean DateWithin30Days(Date date1, Date date2) {
             if( date2 < date1) { return false; }</pre>
             Date date30Days = date1.addDays(30);
          if( date2 >= date30Days ) { return false; }
          else { return true; }
         private static Date SetEndOfMonthDate(Date date1) {
          Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
          Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);
          return lastDay;
         }
        }
        TestVerifyDate.apxc
        @isTest
        public class TestVerifyDate
          static testMethod void testMethod1()
            Date d = VerifyDate.CheckDates(System.today(),System.today()+1);
            Date d1 = VerifyDate.CheckDates(System.today(),System.today()+60);
          }
        }
```

#### RestrictContactByName.apxt

trigger RestrictContactByName on Contact (before insert, before update) {

public class RandomContactFactory {

```
for (Contact c : Trigger.New) {
                        if(c.LastName == 'INVALIDNAME') {
                        c.AddError('The Last Name "'+c.LastName+'" is not allowed for DML');
         }
}
        @isTest
        private class TestRestrictContactByName {
               static testMethod void metodoTest() {
                    List<Contact> listContact= new List<Contact>();
                    Contact c1 = new Contact(FirstName='Francesco', LastName='Riggio',
               email='Test@test.com');
                    Contact c2 = new Contact(FirstName='Francesco1', LastName =
                'INVALIDNAME',email='Test@test.com');
                    listContact.add(c1);
                    listContact.add(c2);
                    Test.startTest();
                      try{
                        insert listContact;
                      catch(Exception ee){}
                    Test.stopTest();
                  }
        }
        RandomContactFactory.apxc:
```

```
public static List<Contact> generateRandomContacts(Integer numContactsToGenerate, String
FName) {
    List<Contact> contactList = new List<Contact>();
    for(Integer i=0;i<numContactsToGenerate;i++) {
        Contact c = new Contact(FirstName=FName + ' ' + i, LastName = 'Contact '+i);
        contactList.add(c);
        System.debug(c);
    }
    System.debug(contactList.size());
    return contactList;
}</pre>
```

# **Asynchronous Apex**

## AccountProcessor.apxc

```
public class AccountProcessor {
    @future

public static void countContacts(List<Id> accountIds){
    List<Account> accounts = [Select Id, Name from Account Where Id IN : accountIds];
    List<Account> updatedAccounts = new List<Account>();
    for(Account account : accounts){
        account.Number_of_Contacts__c = [Select count() from Contact Where AccountId =: account.Id];
        System.debug('No Of Contacts = ' + account.Number_of_Contacts__c);
updatedAccounts.add(account);
}
```

```
update updatedAccounts;
     }
   }
   AccountProcessorTest.apxc
   @isTest
   public class AccountProcessorTest {
   @isTest
     public static void testNoOfContacts(){
Account a = new Account();
   a.Name = 'Test Account';
       Insert a;
       Contact c = new Contact();
       c.FirstName = 'Bob';
       c.LastName = 'Willie';
       c.AccountId = a.Id;
       Contact c2 = new Contact();
       c2.FirstName = 'Tom';
       c2.LastName = 'Cruise';
       c2.AccountId = a.Id;
       List<Id> acctIds = new List<Id>();
       acctlds.add(a.ld);
       Test.startTest();
       AccountProcessor.countContacts(acctIds);
       Test.stopTest();
```

```
}
   }
   LeadProcessor.apxc: public class LeadProcessor implements
   Database.Batchable<sObject> {
      public Database.QueryLocator start(Database.BatchableContext bc) {
        return Database.getQueryLocator([Select LeadSource From Lead ]);
     }
     public void execute(Database.BatchableContext bc, List<Lead> leads){
         for (Lead Lead : leads) {
            lead.LeadSource = 'Dreamforce';
         }
update leads;
   }
     public void finish(Database.BatchableContext bc){
      }
   }
   LeadProcessorTest.apxc
   @isTest
   public class LeadProcessorTest {
        @testSetup
     static void setup() {
       List<Lead> leads = new List<Lead>();
       for(Integer counter=0 ;counter < 200;counter++){</pre>
         Lead lead = new Lead();
         lead.FirstName ='FirstName';
```

```
lead.LastName ='LastName'+counter;
      lead.Company ='demo'+counter;
      leads.add(lead);
    insert leads;
  }
  @isTest static void test() {
    Test.startTest();
    LeadProcessor leadProcessor = new LeadProcessor();
    Id batchId = Database.executeBatch(leadProcessor);
    Test.stopTest();
  }
}
AddPrimaryContact.apxc
public class AddPrimaryContact implements Queueable
  private Contact c;
  private String state;
  public AddPrimaryContact(Contact c, String state)
  {
    this.c = c;
    this.state = state;
  }
  public void execute(QueueableContext context)
```

```
List<Account > ListAccount = [SELECT ID, Name ,(Select id,FirstName,LastName from
contacts ) FROM ACCOUNT WHERE BillingState = :state LIMIT 200];
     List<Contact> IstContact = new List<Contact>();
     for (Account acc:ListAccount)
     {
         Contact cont = c.clone(false,false,false,false);
         cont.AccountId = acc.id;
         IstContact.add( cont );
     }
     if(IstContact.size() >0 )
       insert lstContact;
}
AddPrimaryContactTest.apxc
@isTest public class
AddPrimaryContactTest
{
   @isTest static void TestList()
     List<Account> Teste = new List <Account>();
     for(Integer i=0;i<50;i++)
     {
       Teste.add(new Account(BillingState = 'CA', name = 'Test'+i));
```

```
}
    for(Integer j=0; j<50; j++)
    {
       Teste.add(new Account(BillingState = 'NY', name = 'Test'+j));
     }
    insert Teste;
    Contact co = new Contact();
    co.FirstName='demo';
    co.LastName ='demo';
    insert co;
     String state = 'CA';
     AddPrimaryContact apc = new AddPrimaryContact(co, state);
     Test.startTest();
      System.enqueueJob(apc);
     Test.stopTest();
   }
}
DailyLeadProcessor.apxc
public class DailyLeadProcessor implements Schedulable {
  Public void execute(SchedulableContext SC){
   List<Lead> LeadObj=[SELECT Id from Lead where LeadSource=null limit 200];
    for(Lead I:LeadObj){
      I.LeadSource='Dreamforce';
      update I;
```

```
}
}
DailyLeadProcessorTest.apxc
@isTest
private class DailyLeadProcessorTest {
        static testMethod void testDailyLeadProcessor() {
                 String CRON_EXP = '0 0 1 * * ?';
                List<Lead> |List = new List<Lead>();
          for (Integer i = 0; i < 200; i++) {
                         IList.add(new Lead(LastName='Dreamforce'+i, Company='Test1 Inc.',
Status='Open - Not Contacted'));
                }
                insert lList;
                 Test.startTest();
                 String jobId = System.schedule('DailyLeadProcessor', CRON_EXP, new
DailyLeadProcessor());
        }
}
```

## **AnimalLocator.apxc:**

```
public class AnimalLocator{
   public static String getAnimalNameById(Integer x){
    Http http = new Http();
    HttpRequest req = new HttpRequest();
```

```
req.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/' + x);
req.setMethod('GET');
    Map<String, Object> animal= new Map<String, Object>();
    HttpResponse res = http.send(req);
      if (res.getStatusCode() == 200) {
    Map<String, Object> results = (Map<String,
Object>)JSON.deserializeUntyped(res.getBody());
   animal = (Map<String, Object>) results.get('animal');
    }
return (String)animal.get('name');
  }
}
AnimalLocatorTest.apxc
@isTest
private class AnimalLocatorTest{
  @isTest static void AnimalLocatorMock1() {
    Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());
string result = AnimalLocator.getAnimalNameById(3);
    String expectedResult = 'chicken';
    System.assertEquals(result,expectedResult );
  }
}
AnimalLocatorMock.apxc
@isTest
```

```
global class AnimalLocatorMock implements HttpCalloutMock {
  // Implement this interface method
  global HTTPResponse respond(HTTPRequest request) {
    // Create a fake response
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
    response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear", "chicken",
"mighty moose"]}');
    response.setStatusCode(200);
    return response;
  }
}
ParkLocator.apxc
public class ParkLocator {
  public static string[] country(string theCountry) {
    ParkService.ParksImplPort parkSvc = new ParkService.ParksImplPort(); // remove space
return parkSvc.byCountry(theCountry);
 }
}
```

# ParkLocatorTest.apxc

```
@isTest
private class ParkLocatorTest {
    @isTest static void testCallout() {
```

```
Test.setMock(WebServiceMock.class, new ParkServiceMock ());
           String country = 'United States';
           List<String> result = ParkLocator.country(country);
           List<String> parks = new List<String>{'Yellowstone', 'Mackinac National Park',
'Yosemite'};
            System.assertEquals(parks, result);
         }
       }
       ParkServiceMock.apxc
       @isTest
       global class ParkServiceMock implements WebServiceMock {
         global void doInvoke(
             Object stub,
             Object request,
             Map<String, Object> response,
             String endpoint,
             String soapAction,
             String requestName,
             String responseNS,
             String responseName,
             String responseType) {
           // start - specify the response you want to send
           ParkService.byCountryResponse response_x = new ParkService.byCountryResponse();
           response_x.return_x = new List<String>{'Yellowstone', 'Mackinac National Park',
           'Yosemite'};
           // end
```

```
response.put('response_x', response_x);
 }
}
AccountManager.apxc
@RestResource(urlMapping='/Accounts/*/contacts')
global with sharing class AccountManager {
  @HttpGet
  global static Account getAccount(){
    RestRequest request=RestContext.request;
    string accountId=request.requestURI.substringBetween('Accounts/','/contacts');
    Account result=[SELECT Id,Name,(Select Id,Name from Contacts) from Account where
Id=:accountId Limit 1];
    return result;
  }
}
AccountManagerTest.apxc
@IsTest
private class AccountManagerTest {
  @isTest static void testGetContactsByAccountId(){
    Id recordId=createTestRecord();
    RestRequest request=new RestRequest();
    request.requestUri='https://yourInstance.my.salesforce.com/services/apexrest/Accounts/'+
recordId+'/contacts';
    request.httpMethod='GET';
    RestContext.request=request;
    Account thisAccount=AccountManager.getAccount();
```

```
System.assert(thisAccount != null);
System.assertEquals('Test record',thisAccount.Name);
}
static Id createTestRecord(){
    Account accountTest=new Account(
    Name='Test record'
    );
    insert accountTest;
    Contact contactTest=new Contact(
    FirstName='John',LastName='Doe',AccountId=accountTest.Id);
    insert contactTest;
    return accountTest.Id;
}
```

# **APEX SPECIALIST SUPER BADGE**

# **Challenge 1:**

#### MaintenanceRequestHelper.apxc

For (Case c : updWorkOrders){

```
public with sharing class MaintenanceRequestHelper {
    public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
```

```
if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                  validIds.add(c.Id);
                }
             }
           }
           if (!validIds.isEmpty()){
             List<Case> newCases = new List<Case>();
             Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                                     FROM Case WHERE Id IN :validIds]);
             Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
             AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment_r.Maintenance_Cycle_c)cycle FROM Equipment_Maintenance_Item_c WHERE
Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
           for (AggregateResult ar : results){
             maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
           }
             for(Case cc : closedCasesM.values()){
                Case nc = new Case (
                  ParentId = cc.Id,
                Status = 'New',
                  Subject = 'Routine Maintenance',
```

```
Type = 'Routine Maintenance',
                 Vehicle__c = cc.Vehicle__c,
                 Equipment__c =cc.Equipment__c,
                 Origin = 'Web',
                 Date_Reported__c = Date.Today()
               );
               If (maintenanceCycles.containskey(cc.Id)){
                 nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
               }
               newCases.add(nc);
             }
             insert newCases;
             List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
             for (Case nc : newCases){
               for (Equipment_Maintenance_Item__c wp:
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
                 Equipment_Maintenance_Item__c wpClone = wp.clone();
                 wpClone.Maintenance_Request__c = nc.ld;
                 ClonedWPs.add(wpClone);
```

```
}
             }
             insert ClonedWPs;
         }
       MaintenanceRequest.apxt
       trigger MaintenanceRequest on Case (before update, after update) {
         if(Trigger.isUpdate && Trigger.isAfter){
           MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
         }
       }
       Challenge-2:
       WarehouseCalloutService.apxc public with sharing class
       WarehouseCalloutService implements Queueable {
         private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
         @future(callout=true)
         public static void runWarehouseEquipmentSync(){
           Http http = new Http();
```

```
HttpRequest request = new HttpRequest();
           request.setEndpoint(WAREHOUSE_URL);
           request.setMethod('GET');
           HttpResponse response = http.send(request);
           List<Product2> warehouseEq = new List<Product2>();
            if (response.getStatusCode() == 200){
              List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
       System.debug(response.getBody());
             for (Object eq : jsonResponse){
                Map<String,Object> mapJson = (Map<String,Object>)eq;
                Product2 myEq = new Product2();
                myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
                myEq.Name = (String) mapJson.get('name');
                myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
                myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
                myEq.Cost__c = (Integer) mapJson.get('cost');
                myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
                myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
```

```
myEq.ProductCode = (String) mapJson.get('_id');
warehouseEq.add(myEq);
      }
      if (warehouseEq.size() > 0){
        upsert warehouseEq;
        System.debug('Your equipment was synced with the ware
      }
    }
  }
  public static void execute (QueueableContext context){
    runWarehouseEquipmentSync();
  }
}
```

# Challenge-3:

#### WarehouseSyncSchedule.apxc

```
global class WarehouseSyncSchedule implements Schedulable {
   global void execute(SchedulableContext ctx) {
     WarehouseCalloutService.runWarehouseEquipmentSync();
   }
```

}

# Challenge-4:

#### MaintenanceRequestHelperTest.apxc

```
@istest
public with sharing class MaintenanceRequestHelperTest {
  private static final string STATUS_NEW = 'New';
  private static final string WORKING = 'Working';
  private static final string CLOSED = 'Closed';
  private static final string REPAIR = 'Repair';
  private static final string REQUEST_ORIGIN = 'Web';
  private static final string REQUEST_TYPE = 'Routine Maintenance';
  private static final string REQUEST_SUBJECT = 'Testing subject';
  PRIVATE STATIC Vehicle_c createVehicle(){
    Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
    return Vehicle;
  }
  PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name = 'SuperEquipment',
                      lifespan_months__C = 10,
                      maintenance_cycle__C = 10,
                      replacement_part__c = true);
    return equipment;
```

```
}
         PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
           case cs = new case(Type=REPAIR,
                     Status=STATUS_NEW,
                     Origin=REQUEST_ORIGIN,
                     Subject=REQUEST_SUBJECT,
                     Equipment__c=equipmentId,
                     Vehicle__c=vehicleId);
           return cs;
         }
         PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id
requestId){
           Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
                                               Maintenance_Request__c = requestId);
           return wp;
         }
         @istest
         private static void testMaintenanceRequestPositive(){
           Vehicle__c vehicle = createVehicle();
           insert vehicle;
           id vehicleId = vehicle.Id;
```

```
Product2 equipment = createEq();
           insert equipment;
           id equipmentId = equipment.Id;
           case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
       insert somethingToUpdate;
           Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
           insert workP;
           test.startTest();
           somethingToUpdate.status = CLOSED;
           update somethingToUpdate;
           test.stopTest();
              Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c, Vehicle__c,
Date_Due__c
                  from case
                  where status =:STATUS_NEW];
           Equipment_Maintenance_Item__c workPart = [select id
                                from Equipment_Maintenance_Item__c
                                where Maintenance_Request__c =:newReq.Id];
           system.assert(workPart != null);
```

```
system.assert(newReq.Subject != null);
  system.assertEquals(newReq.Type, REQUEST_TYPE);
  SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
  SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
 SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
}
@istest
private static void testMaintenanceRequestNegative(){
 Vehicle__C vehicle = createVehicle();
 insert vehicle;
 id vehicleId = vehicle.Id;
  product2 equipment = createEq();
 insert equipment;
  id equipmentId = equipment.Id;
  case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
  insert emptyReq;
  Equipment Maintenance Item c workP = createWorkPart(equipmentId, emptyReg.Id);
 insert workP;
  test.startTest();
  emptyReq.Status = WORKING;
  update emptyReq;
```

```
test.stopTest();
            list<case> allRequest = [select id
                          from case];
            Equipment_Maintenance_Item__c workPart = [select id
                                   from Equipment_Maintenance_Item__c
                                   where Maintenance_Request__c = :emptyReq.Id];
            system.assert(workPart != null);
            system.assert(allRequest.size() == 1);
          }
          @istest
          private static void testMaintenanceRequestBulk(){
            list<Vehicle__C> vehicleList = new list<Vehicle__C>();
            list<Product2> equipmentList = new list<Product2>();
            list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
            list<case> requestList = new list<case>();
            list<id> oldRequestIds = new list<id>();
            for(integer i = 0; i < 300; i++){
             vehicleList.add(createVehicle());
              equipmentList.add(createEq());
            }
            insert vehicleList;
```

insert equipmentList;

```
for(integer i = 0; i < 300; i++){
              requestList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
            insert requestList;
            for(integer i = 0; i < 300; i++){
              workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
            }
            insert workPartList;
            test.startTest();
        for(case req : requestList){
                req.Status = CLOSED;
              oldRequestIds.add(req.Id);
        update requestList;
        test.stopTest();
        list<case> allRequests = [select id
        from case
           where status =: STATUS_NEW];
     list<Equipment_Maintenance_Item__c> workParts= [select id
                                 from Equipment_Maintenance_Item__c
                                where Maintenance_Request__c in: oldRequestIds];
     system.assert(allRequests.size() == 300);
}
```

### MaintenanceRequestHelper.apxc

```
public with sharingclass MaintenanceRequestHelper {
public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
Set<Id> validIds= new Set<Id>();
For (Case c : updWorkOrders){
       if (nonUpdCaseMap.get(c.Id).Status!= 'Closed' && c.Status == 'Closed'){
         if (c.Type== 'Repair' || c.Type == 'Routine Maintenance'){
           validIds.add(c.Id);
               }
             }
           }
           if (!validIds.isEmpty()){
             List<Case> newCases = new List<Case>();
              Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
       Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c
       FROM Equipment_Maintenance_Items__r)
                                     FROM Case WHERE Id IN :validIds]);
              Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
              AggregateResult[] results = [SELECT Maintenance Request c,
       MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c
       WHERE Maintenance Request c IN: ValidIds GROUP BY Maintenance Request c];
           for (AggregateResult ar : results){
             maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
           }
             for(Case cc : closedCasesM.values()){
                Case nc = new Case (
                  ParentId = cc.Id.
                Status = 'New'.
```

```
Subject = 'Routine Maintenance',
          Type = 'Routine Maintenance',
          Vehicle__c = cc.Vehicle__c,
          Equipment__c =cc.Equipment__c,
          Origin = 'Web',
          Date_Reported__c = Date.Today()
        );
        If (maintenanceCycles.containskey(cc.Id)){
          nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
        }
        newCases.add(nc);
     }
     insert newCases;
     List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
     for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c wp:
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
          Equipment_Maintenance_Item__c wpClone = wp.clone();
          wpClone.Maintenance_Request__c = nc.ld;
          ClonedWPs.add(wpClone);
        }
      insert ClonedWPs;
   }
 }
MaintenanceRequest.apxt
```

trigger MaintenanceRequest on Case (before

```
update, after update) {
              if(Trigger.isUpdate
                                  &&
 Trigger.isAfter){
 MaintenanceRequestHelper.updateWorkOrders(Trigger.Ne
 w, Trigger.OldMap);
   }
 }
Challenge-5:
 WarehouseCalloutService.apxc
public with sharing class WarehouseCalloutService {
   private static final String WAREHOUSE_URL = 'https://th-
 superbadgeapex.herokuapp.com/equipment';
   //@future(callout=true)
   public static void runWarehouseEquipmentSync(){
 Http http = new Http();
     HttpRequest request = new HttpRequest();
     request.setEndpoint(WAREHOUSE_URL);
     request.setMethod('GET');
     HttpResponse response = http.send(request);
```

```
List<Product2> warehouseEq = new List<Product2>();
    if (response.getStatusCode() == 200){
      List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
System.debug(response.getBody());
      for (Object eq : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)eq;
        Product2 myEq = new Product2();
        myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
        myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        myEq.Cost__c = (Decimal) mapJson.get('lifespan');
        myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
        myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
warehouseEq.add(myEq);
      }
      if (warehouseEq.size() > 0){
        upsert warehouseEq;
        System.debug('Your equipment was synced with the warehouse one');
```

```
System.debug(warehouseEq);
      }
    }
  }
}
WarehouseCalloutServiceTest.apxc
@isTest private class
WarehouseCalloutServiceTest {
  @isTest
  static void testWareHouseCallout(){
    Test.startTest();
    // implement mock callout test here
    Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
    WarehouseCalloutService.runWarehouseEquipmentSync();
    Test.stopTest();
    System.assertEquals(1, [SELECT count() FROM Product2]);
  }
}
WarehouseCalloutServiceMock.apxc
@isTest global class WarehouseCalloutServiceMock implements
HttpCalloutMock {
```

```
global static HttpResponse respond(HttpRequest request){
    System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
    System.assertEquals('GET', request.getMethod());
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"na
me
":"Generator 1000 kW", "maintenanceperiod":365, "lifespan":120, "cost":5000, "sku":"100003"}]');
    response.setStatusCode(200);
    return response;
  }
}
Challenge-6:
WarehouseSyncSchedule.apxc
global class WarehouseSyncSchedule implements Schedulable {
  global void execute(SchedulableContext ctx) {
    WarehouseCalloutService.runWarehouseEquipmentSync();
  }
}
WarehouseSyncScheduleTest.apxc
@isTest public class
```

```
WarehouseSyncScheduleTest {

@isTest static void WarehousescheduleTest(){

String scheduleTime = '00 00 01 * * ?';

Test.startTest();

Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());

String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime, new WarehouseSyncSchedule());

Test.stopTest();

CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];

System.assertEquals(jobID, a.Id,'Schedule ');

}
```

