Name:Koppula Sriya

APEX TRIGGERS

•GET STARTED WITH APEX TRIGGERS:

1.AccountAddressTrigger.apxt

```
trigger AccountAddressTrigger on Account (before insert, before update) {
for(Account a: Trigger.New){        if(a.Match_Billing_Address__c == true
&& a.BillingPostalCode!= null){
a.ShippingPostalCode=a.BillingPostalCode;
      }
   }


}
```

•BULK APEX TRIGGERS:

1.ClosedOpportunityTrigger.apxt

```
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {
   List<Task> taskList = new List<Task>();
   for(Opportunity opp : [SELECT Id, StageName FROM Opportunity WHERE
StageName='Closed Won' AND Id IN : Trigger.New]){        taskList.add(new
Task(Subject='Follow Up Test Task', WhatId = opp.Id));
   }
   if(taskList.size()>0){
insert tasklist;
   }
}
```

APEX TESTING

•GET STARTED WITH APEX UNIT TEST:

1.VerifyDate.apxc

```
public class VerifyDate {
  public static Date CheckDates(Date date1, Date date2) {
        //if date2 is within the next 30 days of date1, use date2.  Otherwise use the end of the
month if(DateWithin30Days(date1,date2)) { return date2;
        } else {
                return SetEndOfMonthDate(date1);
        }
  }
  private static Boolean DateWithin30Days(Date date1, Date date2) {
        Date date30Days = date1.addDays(30); //create a date 30 days away from date1 if(
        date2 > date30Days ) { return false; }
        else { return true; }
  }
  private static Date SetEndOfMonthDate(Date date1) {
        Integer totalDays = Date.daysInMonth(date1.year(), date1.month()); Date
        lastDay = Date.newInstance(date1.year(), date1.month(), totalDays); return
        lastDay;
  }

}
```

2.TestVerifyDate.apxc

```
@isTest  private class
TestVerifyDate {

   @isTest static void testCheckDates() {
      Date now = Date.today();
      Date lastOfTheMonth = Date.newInstance(now.year(), now.month(),
Date.daysInMonth(now.year(), now.month()));
      Date plus60 = Date.today().addDays(60);

        Date d1 = VerifyDate.CheckDates(now, now);
```

```
        System.assertEquals(now, d1);

        Date d2 = VerifyDate.CheckDates(now, plus60);
        System.assertEquals(lastOfTheMonth, d2);
    }
}
```

•TEST APEX TRIGGERS:

1.RestrictContactByName.apxt

```
trigger RestrictContactByName on Contact (before insert) {      For (Contact
c : Trigger.New) { if(c.LastName == 'INVALIDNAME') {
            //invalidname is invalid
                    c.AddError('The Last Name "'+c.LastName+'" is not allowed for DML');
            }
    }
}
```

•CREATE TEST DATA FOR APEX TESTS:

1.RandomContactFactory.apxc

```
public class RandomContactFactory {

    public static List<Contact> generateRandomContacts(Integer num, String lastName) {
List<Contact> contacts = new List<Contact>();          for (Integer i = 0; i < num; i++) {
          Contact c = new Contact(FirstName=i.format(), LastName=lastName);
contacts.add(c);
        }
        return contacts;
    }
}
```

ASYNCHRONOUS APEX

•USE FUTURE METHODS:

1.AccountProcessor.apxc

```
public without sharing class AccountProcessor {
//Add annotation to declare a future method
   @future(callout=false)      public static void countContacts(List<Id>
accountIds){
   //Query all accounts in the list of Ids passed
      Map<Id, Account> accountMap = new Map<Id, Account>([SELECT Id, (SELECT Id FROM
Contacts) FROM Account WHERE Id IN:accountIds]);


      List<Account> listName = new List<Account>();


      //Loop through list of accounts         for(Account
a: accountMap.values()){
         //Assign field to number of contact
         a.Number_of_Contacts__c=accountMap.get(a.Id).Contacts.size();
      }
     //Update Accounts
      update accountMap.values();


   }
}
```

2.AccountProcessorTest.apxc

```
@isTest   public class
AccountProcessorTest {
   @isTest
   public static void testNoOfContacts(){
Account a = new Account();         a.Name
= 'Test Account';
```

```
        Insert a;

        Contact c = new Contact();          c.FirstName
= 'Bob';
        c.LastName =  'Willie';
        c.AccountId = a.Id;

        Contact c2 = new Contact();
c2.FirstName = 'Tom';          c2.LastName
= 'Cruise';          c2.AccountId = a.Id;

        List<Id> acctIds = new List<Id>();          acctIds.add(a.Id);

        Test.startTest();
        AccountProcessor.countContacts(acctIds);
        Test.stopTest();
    }
}
```

- USE BATCH APEX:

1.LeadProcessor.apxc

```
global class LeadProcessor implements  Database.Batchable<sObject>,
Database.Stateful {     // instance member to retain state across transactions
global Integer recordsProcessed = 0;


    global Database.QueryLocator start(Database.BatchableContext bc) {          return
Database.getQueryLocator('SELECT Id, LeadSource FROM Lead');
    }


    global void execute(Database.BatchableContext bc, List<Lead> scope){
        // process each batch of records
List<Lead> leads = new List<Lead>();          for
(Lead lead : scope) {
```

```
            lead.LeadSource = 'Dreamforce';                //
increment the instance member counter
recordsProcessed = recordsProcessed + 1;

      }
      update leads;
   }
   global void finish(Database.BatchableContext bc){
      System.debug(recordsProcessed + ' records processed. Shazam!');

   }
}
```

2.LeadProcessorTest.apxc

```
@isTest  public class
LeadProcessorTest {
 @testSetup      static
void setup() {
      List<Lead> leads = new List<Lead>();
      // insert 200 leads         for (Integer i=0;i<200;i++) {
leads.add(new Lead(LastName='Lead '+i,
Company='Lead', Status='Open - Not Contacted'));
      }
      insert leads;
   }

   static testmethod void test() {
      Test.startTest();
      LeadProcessor lp = new LeadProcessor();
      Id batchId = Database.executeBatch(lp, 200);
      Test.stopTest();
```

```
    // after the testing stops, assert records were updated properly
System.assertEquals(200, [select count() from lead where LeadSource =
'Dreamforce']);
  }  }
```

•CONTROL PROCESSES WITH QUEUEABLE APEX:

1.AddPrimaryContact.apxc

```
public class AddPrimaryContact implements Queueable {

  private Contact contactObj;
private String state_code;

  public AddPrimaryContact(Contact c, String s) {
this.contactObj = c;        this.state_code = s;
  }
  public void execute(QueueableContext context) {
    List<Account> accounts = [SELECT Id
                              FROM Account
                              WHERE BillingState = :this.state_code
                              LIMIT 200];
List<Contact> contacts = new  List<Contact>();
    for (Account a : accounts) {
      Contact c = this.contactObj.clone(false, false, false, false);          c.AccountId
= a.Id;          contacts.add(c);
    }

    if (contacts.size() > 0) {
insert contacts;
    }
  }
}
```

2.AddPrimaryContactTest.apxc

```
@isTest  public class
AddPrimaryContactTest{
   @testSetup      static
void setup(){
      List<Account> lstOfAcc = new List<Account>();         for(Integer
i = 1; i <= 100; i++){            if(i <= 50)
            lstOfAcc.add(new Account(name='AC'+i, BillingState = 'NY'));
else
            lstOfAcc.add(new Account(name='AC'+i, BillingState = 'CA'));
      }

      INSERT lstOfAcc;
   }
   static testmethod void testAddPrimaryContact(){         Contact
con = new Contact(LastName = 'TestCont');
      AddPrimaryContact addPCIns = new AddPrimaryContact(CON ,'CA');

      Test.startTest();
      System.enqueueJob(addPCIns);
      Test.stopTest();

      System.assertEquals(50, [select count() from Contact]);
   }
}
```

•SCHEDULE JOBS USING APEX SCHEDULER:

1.DailyLeadProcessor.apxc

```
public class DailyLeadProcessor implements Schedulable  {
   Public void execute(SchedulableContext SC){
     List<Lead> LeadObj=[SELECT Id from Lead where LeadSource=null limit 200];
for(Lead l:LeadObj){
         l.LeadSource='Dreamforce';
```

```
        update l;
      }
   }
}
```

2.DailyLeadProcessorTest.apxc

```
@isTest  private class
DailyLeadProcessorTest { static   testMethod
  void   testDailyLeadProcessor()  {       String
  CRON_EXP = '0 0 1 * * ?';
        List<Lead> lList = new List<Lead>();     for (Integer i = 0; i < 200; i++) {
lList.add(new Lead(LastName='Dreamforce'+i, Company='Test1 Inc.', Status='Open
- Not Contacted'));
        }
        insert lList;

        Test.startTest();
        String jobId = System.schedule('DailyLeadProcessor', CRON_EXP, new
DailyLeadProcessor());
  }
}
```

APEX INTEGRATION SERVICES

•APEX REST CALLOUTS:

1.AnimalLocator.apxc

```
public class AnimalLocator {
  public static String getAnimalNameById(Integer animalId) {
      String animalName;
      Http http = new Http();
```

```
    HttpRequest request = new HttpRequest();
request.setEndpoint('https://thapexhttpcallout.herokuapp.com/animals/'+animalId)
;       request.setMethod('GET');
    HttpResponse response = http.send(request);
    // If the request is successful, parse the JSON response.
if(response.getStatusCode() == 200) {
        Map<String, Object> r = (Map<String, Object>)
          JSON.deserializeUntyped(response.getBody());
        Map<String, Object> animal = (Map<String, Object>)r.get('animal');          animalName
= string.valueOf(animal.get('name'));
    }
    return animalName;
  }
}
```

2.AnimalLocatorMock.apxc

```
@isTest  global class AnimalLocatorMock implements
HttpCalloutMock {    global HTTPResponse respond(HTTPRequest
request) {
    HttpResponse response = new HttpResponse();        response.setHeader('Content-
Type', 'application/json');
response.setBody('{"animal":{"id":1,"name":"chicken","eats":"chicken
food","says":"cluck cluck"}}');
    response.setStatusCode(200);
return response;
  }
}
```

3.AnimalLocatorTest.apxc

```
@isTest  private class AnimalLocatorTest {  @isTest
static void getAnimalNameById()
{
  // Set mock callout class
  Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());
  // This causes a fake response to be sent
```

```
   // from the class that implements HttpCalloutMock.
   String response = AnimalLocator.getAnimalNameById(1);
   // Verify that the response received contains fake values       System.assertEquals('chicken',
response);
}
}
```

•APEX SOAP CALLOUTS:

1.ParkLocator.apxc

```
public class ParkLocator {
   public static String [] country (String x) {
      String parks = x; // {'Yellowstone','Kanha','Mount Fuji'};
      ParkService.ParksImplPort findCountries = new ParkService.ParksImplPort ();         return
findCountries.byCountry (parks);
   }
}
```

2.ParkLocatorTest.apxc

```
@isTest  public class
ParkLocatorTest {
   @isTest static void testCallout () {
      // This causes a fake response to be generated
      Test.setMock (WebServiceMock.class, new ParkServiceMock ());
      String x ='Yellowstone';
      List <String> result = ParkLocator.country(x);

      string resultstring = string.join (result,',');         System.assertEquals
('USA', resultstring);
   }
}
```

3.ParkServiceMock

```
@isTest  global class ParkServiceMock implements
```

```
WebServiceMock {    global void doInvoke (        Object stub,
      Object request,
      Map <String,Object> response,
      String endpoint,
      String soapAction,
      String requestName,
      String responseNS,
      String responseName,
      String responseType) {
       ParkService.byCountryResponse response_x =new ParkService.byCountryResponse
();
            response_x.return_x = new List <String> {'USA'};
response.put ('response_x', response_x);
   }
}
```

•APEX WEB SERVICES:

1.AccountManager.apxc

```
@RestResource(urlMapping='/Accounts/*/contacts') global with sharing class
AccountManager{
   @HttpGet
   global static Account getAccount(){        RestRequest
req = RestContext.request;
      String accId = req.requestURI.substringBetween('Accounts/', '/contacts');
      Account acc = [SELECT Id, Name, (SELECT Id, Name FROM Contacts)
                  FROM Account WHERE Id = :accId];

      return acc;
   }
}
```

2.AccountManagerTest.apxc

```
@IsTest  private class AccountManagerTest{
@isTest static void testAccountManager(){
      Id recordId = getTestAccountId();
      // Set up a test request
      RestRequest request = new RestRequest();         request.requestUri
=
         'https://ap5.salesforce.com/services/apexrest/Accounts/'+ recordId +'/contacts';
request.httpMethod = 'GET';
      RestContext.request = request;

      // Call the method to test
      Account  acc = AccountManager.getAccount();

      // Verify results
      System.assert(acc != null);
   }

   private static Id getTestAccountId(){
      Account acc = new Account(Name = 'TestAcc2');
      Insert acc;

      Contact con = new Contact(LastName = 'TestCont2', AccountId = acc.Id);
      Insert con;

      return acc.Id;
   }
}
```

APEX SPECIALIST SUPERBADGE

•AUTOMATE RECORD CREATION:

1.MaintenanceRequest.apxt

```
trigger MaintenanceRequest on Case (before update, after update) {     //
ToDo: Call MaintenanceRequestHelper.updateWorkOrders
if(Trigger.isUpdate && Trigger.isAfter){

    MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);

  }
}
```

2.MaintenanceRequestHelper.apxc

```
public with sharing class MaintenanceRequestHelper {      public static void
updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>  nonUpdCaseMap)
{
    Set<Id> validIds = new Set<Id>();


    For (Case c : updWorkOrders){           if (nonUpdCaseMap.get(c.Id).Status
!= 'Closed' && c.Status == 'Closed'){               if (c.Type == 'Repair' || c.Type ==
'Routine Maintenance'){                 validIds.add(c.Id);



          }
        }
    }

    if (!validIds.isEmpty()){
      List<Case> newCases = new List<Case>();
      Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT
Id,Equipment__c,Quantity__c FROM Equipment_Maintenance_Items__r)
```

```
                                    FROM Case WHERE Id IN :validIds]);
        Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
        AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM   Equipment_Maintenance_Item__c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];

    for (AggregateResult ar : results){            maintenanceCycles.put((Id)
ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
    }

        for(Case cc : closedCasesM.values()){
            Case nc = new Case (
                ParentId = cc.Id,
            Status = 'New',
                Subject = 'Routine Maintenance',
                Type = 'Routine Maintenance',
                Vehicle__c = cc.Vehicle__c,
                Equipment__c =cc.Equipment__c,
                Origin = 'Web',
                Date_Reported__c = Date.Today()

            );

            If (maintenanceCycles.containskey(cc.Id)){                nc.Date_Due__c
= Date.today().addDays((Integer)  maintenanceCycles.get(cc.Id));
            }

            newCases.add(nc);
        }

       insert newCases;

       List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();          for (Case nc :
newCases){              for
```

```
(Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
Equipment_Maintenance_Item__c wpClone = wp.clone();
wpClone.Maintenance_Request__c = nc.Id;
                ClonedWPs.add(wpClone);

            }
          }
          insert ClonedWPs;
      }
   }
}
```

•SYNCHRONIZATION SALESFORCE DATA WITH AN EXTERNAL SYSTEM:

1.WarehouseCalloutService.apxc

```
public with sharing class WarehouseCalloutService implements Queueable {     private  static
final String WAREHOUSE_URL = 'https://thsuperbadgeapex.herokuapp.com/equipment';

   //class that makes a REST callout to an external warehouse system to get a list of equipment
that needs to be updated.
   //The callout's JSON response returns the equipment records that you upsert in Salesforce.

   @future(callout=true)
   public static void runWarehouseEquipmentSync(){
      Http http = new Http();
      HttpRequest request = new HttpRequest();

      request.setEndpoint(WAREHOUSE_URL);         request.setMethod('GET');
      HttpResponse response = http.send(request);

      List<Product2> warehouseEq = new List<Product2>();

      if (response.getStatusCode() == 200){
```

```
        List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
        System.debug(response.getBody());

        //class maps the following fields: replacement part (always true), cost, current
inventory, lifespan, maintenance cycle, and warehouse SKU
        //warehouse SKU will be external ID for identifying which equipment records to update
within Salesforce
        for (Object eq : jsonResponse){
          Map<String,Object> mapJson = (Map<String,Object>)eq;
          Product2 myEq = new Product2();              myEq.Replacement_Part__c =
(Boolean) mapJson.get('replacement');              myEq.Name = (String) mapJson.get('name');
myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');              myEq.Cost__c =
(Integer) mapJson.get('cost');              myEq.Warehouse_SKU__c = (String)
mapJson.get('sku');              myEq.Current_Inventory__c = (Double)
mapJson.get('quantity');              myEq.ProductCode = (String) mapJson.get('_id');
warehouseEq.add(myEq);
        }

        if (warehouseEq.size() > 0){              upsert
warehouseEq;
          System.debug('Your equipment was synced with the warehouse one');
        }
      }
    }

    public static void execute (QueueableContext context){
runWarehouseEquipmentSync();
    }   }
```

•SCHEDULE SYNCHRONIZATION USING APEX CODE:

1.WarehouseSyncSchedule.apxc

```
global class WarehouseSyncSchedule implements Schedulable {
```

```
global void execute(SchedulableContext ctx) {

    System.enqueueJob(new WarehouseCalloutService());
  }
}
```

- TEST AUTOMATION LOGIC:

1.MaintenanceRequestHelperTest.apxc

```
public with sharing class MaintenanceRequestHelper {    public static void
updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
    Set<Id> validIds = new Set<Id>();



    For (Case c : updWorkOrders){          if (nonUpdCaseMap.get(c.Id).Status
!= 'Closed' && c.Status == 'Closed'){              if (c.Type == 'Repair' || c.Type ==
'Routine Maintenance'){                validIds.add(c.Id);



        }
      }
    }

    if (!validIds.isEmpty()){
      List<Case> newCases = new List<Case>();
      Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT
Id,Equipment__c,Quantity__c FROM Equipment_Maintenance_Items__r)
                                    FROM Case WHERE Id IN :validIds]);
      Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM   Equipment_Maintenance_Item__c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
```

```
    for (AggregateResult ar : results){            maintenanceCycles.put((Id)
ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));        }

        for(Case cc : closedCasesM.values()){
            Case nc = new Case (
                ParentId = cc.Id,
            Status = 'New',
                Subject = 'Routine Maintenance',
                Type = 'Routine Maintenance',
                Vehicle__c = cc.Vehicle__c,
                Equipment__c =cc.Equipment__c,
                Origin = 'Web',
                Date_Reported__c = Date.Today()

            );

            If (maintenanceCycles.containskey(cc.Id)){                nc.Date_Due__c
= Date.today().addDays((Integer)  maintenanceCycles.get(cc.Id));
            }

            newCases.add(nc);
        }

        insert newCases;

        List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();          for (Case nc :
newCases){              for
(Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
Equipment_Maintenance_Item__c wpClone = wp.clone();
wpClone.Maintenance_Request__c = nc.Id;
                ClonedWPs.add(wpClone);
```

```
            }
        }
        insert ClonedWPs;
    }
  }
}
```

2.MaintenanceRequestHelper.apxc

```
@istest  public with sharing class
MaintenanceRequestHelperTest {

   private static final string STATUS_NEW = 'New';      private static
final string WORKING = 'Working';      private static final string
CLOSED = 'Closed';      private static final string REPAIR = 'Repair';
private static final string REQUEST_ORIGIN = 'Web';      private static
final string REQUEST_TYPE = 'Routine Maintenance';      private static
final string REQUEST_SUBJECT = 'Testing subject';


   PRIVATE STATIC Vehicle__c createVehicle(){
      Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');         return
Vehicle;
   }
   PRIVATE STATIC Product2 createEq(){         product2 equipment = new
product2(name = 'SuperEquipment',
                                lifespan_months__C = 10,
maintenance_cycle__C = 10,                                  replacement_part__c
= true);         return equipment;
   }

   PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
case cs = new case(Type=REPAIR,
                      Status=STATUS_NEW,
                      Origin=REQUEST_ORIGIN,
                      Subject=REQUEST_SUBJECT,
                      Equipment__c=equipmentId,
```

```
Vehicle__c=vehicleId);        return cs;
  }

  PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id
requestId){
    Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
                                        Maintenance_Request__c = requestId);        return
wp;
  }


  @istest
  private static void testMaintenanceRequestPositive(){
Vehicle__c vehicle = createVehicle();        insert vehicle;
    id vehicleId = vehicle.Id;

    Product2 equipment = createEq();        insert
equipment;
    id equipmentId = equipment.Id;

    case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
insert somethingToUpdate;

    Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);        insert
workP;

    test.startTest();
    somethingToUpdate.status = CLOSED;
update somethingToUpdate;
test.stopTest();

    Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c,  Vehicle__c,
Date_Due__c
```

```
                from case                   where status
=:STATUS_NEW];

    Equipment_Maintenance_Item__c workPart = [select id
                                from Equipment_Maintenance_Item__c
where Maintenance_Request__c =:newReq.Id];

    system.assert(workPart != null);
system.assert(newReq.Subject != null);      system.assertEquals(newReq.Type,
REQUEST_TYPE);
    SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
    SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
  }

  @istest
  private static void testMaintenanceRequestNegative(){
Vehicle__C vehicle = createVehicle();       insert vehicle;
id vehicleId = vehicle.Id;

    product2 equipment = createEq();
insert equipment;       id equipmentId
= equipment.Id;

    case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
insert emptyReq;

    Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);
insert workP;

    test.startTest();
emptyReq.Status = WORKING;
update emptyReq;       test.stopTest();

    list<case> allRequest = [select id
```

```
                    from case];
    Equipment_Maintenance_Item__c workPart = [select id
                                from Equipment_Maintenance_Item__c
where Maintenance_Request__c = :emptyReq.Id];

    system.assert(workPart != null);
system.assert(allRequest.size() == 1);
  }

  @istest    private static void testMaintenanceRequestBulk(){
list<Vehicle__C> vehicleList = new list<Vehicle__C>();
list<Product2> equipmentList = new list<Product2>();
list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();      list<case> requestList
= new list<case>();       list<id> oldRequestIds
= new list<id>();

    for(integer i = 0; i < 300; i++){
vehicleList.add(createVehicle());          equipmentList.add(createEq());
    }
    insert vehicleList;       insert
equipmentList;

    for(integer i = 0; i < 300; i++){
requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
    }
    insert requestList;

    for(integer i = 0; i < 300; i++){
workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
    }
    insert workPartList;

    test.startTest();
```

```
for(case req : requestList){            req.Status
= CLOSED;
oldRequestIds.add(req.Id);
      }
      update requestList;
test.stopTest();

      list<case> allRequests = [select id
                        from case                        where
status =: STATUS_NEW];

      list<Equipment_Maintenance_Item__c> workParts = [select id
                                    from Equipment_Maintenance_Item__c
                                    where Maintenance_Request__c in: oldRequestIds];

      system.assert(allRequests.size() == 300);
   }
}
```

3.MaintenanceRequest.apxt

```
trigger MaintenanceRequest on Case (before update, after update) {      //
ToDo: Call MaintenanceRequestHelper.updateWorkOrders
if(Trigger.isUpdate && Trigger.isAfter){
MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);

   }
}
```

•TEST CALLOUT LOGIC:

1.WarehouseCalloutService.apxc

```
public with sharing class WarehouseCalloutService implements Queueable {     private  static
final String WAREHOUSE_URL = 'https://thsuperbadgeapex.herokuapp.com/equipment';
```

```
  //class that makes a REST callout to an external warehouse system to get a list of equipment that needs to be updated.
  //The callout's JSON response returns the equipment records that you upsert in Salesforce.

  @future(callout=true)
  public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();

    request.setEndpoint(WAREHOUSE_URL);        request.setMethod('GET');
    HttpResponse response = http.send(request);

    List<Product2> warehouseEq = new List<Product2>();

    if (response.getStatusCode() == 200){
      List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
      System.debug(response.getBody());

      //class maps the following fields: replacement part (always true), cost, current inventory, lifespan, maintenance cycle, and warehouse SKU
      //warehouse SKU will be external ID for identifying which equipment records to update within Salesforce
      for (Object eq : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)eq;              Product2 myEq
= new Product2();              myEq.Replacement_Part__c = (Boolean)
mapJson.get('replacement');              myEq.Name = (String) mapJson.get('name');
myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
myEq.Cost__c = (Integer) mapJson.get('cost');              myEq.Warehouse_SKU__c = (String)
mapJson.get('sku');              myEq.Current_Inventory__c = (Double)
mapJson.get('quantity');              myEq.ProductCode = (String) mapJson.get('_id');
warehouseEq.add(myEq);
      }
```

```
        if (warehouseEq.size() > 0){                upsert
warehouseEq;
            System.debug('Your equipment was synced with the warehouse one');
        }
      }
   }

   public static void execute (QueueableContext context){
runWarehouseEquipmentSync();
   }
}
```

2.WarehouseCalloutServiceTest.apxc

```
@isTest

private class WarehouseCalloutServiceTest {
   @isTest
   static void testWareHouseCallout(){
      Test.startTest();
      // implement mock callout test here
      Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
      WarehouseCalloutService.runWarehouseEquipmentSync();
      Test.stopTest();
      System.assertEquals(1, [SELECT count() FROM Product2]);
   }
}
```

3.WarehouseCalloutServiceMock.apxc

```
@isTest  global class WarehouseCalloutServiceMock implements HttpCalloutMock
{
   // implement http mock callout      global static HttpResponse
respond(HttpRequest request){
```

```
        System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
        System.assertEquals('GET', request.getMethod());

        // Create a fake response
        HttpResponse response = new HttpResponse();         response.setHeader('Content-Type',
'application/json');

response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5
,"name":"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
        response.setStatusCode(200);
return response;
    }
}
```

- TEST SCHEDULING LOGIC:

1.WarehouseSyncSchedule.apxc

```
global class WarehouseSyncSchedule implements Schedulable {
global void execute(SchedulableContext ctx) {

        System.enqueueJob(new WarehouseCalloutService());
    }
}
```

2.WarehouseSyncScheduleTest.apxc

```
@isTest  public class
WarehouseSyncScheduleTest {

    @isTest static void WarehousescheduleTest(){
        String scheduleTime = '00 00 01 * * ?';
        Test.startTest();
```

```
        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());        String
jobID=System.schedule('Warehouse Time To Schedule to Test',
scheduleTime, new WarehouseSyncSchedule());
        Test.stopTest();
        //Contains schedule information for a scheduled job. CronTrigger is similar to a cron job on
UNIX systems.
        // This object is available in API version 17.0 and later.
        CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
        System.assertEquals(jobID, a.Id,'Schedule ');


    }
}
```