Project Document

Apex Triggers

```
Get started with Apex Triggers:
AccountAddressTigger:
```

```
trigger AccountAddressTrigger on Account (before insert,before update) {
  for(Account account:Trigger.New){
    if(account.Match_Billing_Address__c==True){
      account.ShippingPostalCode=account.BillingPostalCode;
    }
  }
}
```

Bulk Apex Triggers:

```
ClosedOpportunityTigger:
```

```
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {
    List<Task> tasklist =new List<Task>();
    for(Opportunity opp:Trigger.New){
        if(opp.StageName=='Closed Won'){
            tasklist.add(new Task(Subject='Follow Up Test Task',WhatId=opp.Id));
        }
    }
    if(tasklist.size()>0){
        insert tasklist;
    }
}
```

Apex Testing

Get Started with Apex Unit Tests:

```
VerifyDate
public class VerifyDate {
```

```
public static Date CheckDates(Date date1, Date date2) {
              if(DateWithin30Days(date1,date2)) {
                      return date2;
              } else {
                      return SetEndOfMonthDate(date1);
              }
       }
       @TestVisible private static Boolean DateWithin30Days(Date date1, Date date2) {
       if( date2 < date1) { return false; }
       Date date30Days = date1.addDays(30);
              if( date2 >= date30Days ) { return false; }
              else { return true; }
       }
       @TestVisible private static Date SetEndOfMonthDate(Date date1) {
              Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
              Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);
              return lastDay;
       }
}
TestVerifyDate
@isTest
private class TestVerifyDate {
       @isTest static void Test_CheckDates_case1()
  {
    Date D=VerifyDate.CheckDates(date.parse('01/01/2020'), date.parse('01/05/2020'));
              System.assertEquals(date.parse('01/05/2020'),D);
  @isTest static void Test_CheckDates_case2()
    Date D=VerifyDate.CheckDates(date.parse('01/01/2020'), date.parse('05/05/2020'));
              System.assertEquals(date.parse('01/31/2020'),D);
  }
  @isTest static void Test_DateWithin30Days_case1()
    Boolean
flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('12/30/2019'));
    System.assertEquals(false, flag);
  @isTest static void Test_DateWithin30Days_case2()
```

```
{
    Boolean
flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('02/02/2020'));
    System.assertEquals(false, flag);
  @isTest static void Test_DateWithin30Days_case3()
    Boolean
flag=VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('01/15/2020'));
    System.assertEquals(true, flag);
  @isTest static void Test_SetEndOfMonthDate(){
    Date returndate=VerifyDate.SetEndOfMonthDate(date.parse('01/01/2022'));
  }
}
Test Apex Triggers
RestrictContactByName
trigger RestrictContactByName on Contact (before insert, before update) {
       For (Contact c : Trigger.New) {
              if(c.LastName == 'INVALIDNAME') {
                     c.AddError('The Last Name "+c.LastName+" is not allowed for DML');
              }
       }
}
TestRestrictContactByName
@isTest
public class TestRestrictContactByName {
       @isTest static void Test_insertupdateContact()
  {
    Contact cnt= new Contact();
    cnt.LastName='INVALIDNAME';
    Test.startTest();
    Database.SaveResult result=Database.insert(cnt,false);
    Test.stopTest();
    System.assert(!result.isSuccess());
    System.assert(result.getErrors().size()>0);
```

```
System.assertEquals('The Last Name "INVALIDNAME" is not allowed for
DML',result.getErrors()[0].getMessage());
       }
Create Test Data for Apex Testes
RandomContactFactory
public class RandomContactFactory {
  public static List<Contact> generateRandomContacts(Integer numcnt,string lastname){
    List <Contact> contacts= new List<Contact>();
    for(Integer i=0;i<numcnt;i++){</pre>
      Contact cnt=new Contact(FirstName='Test'+i,LastName=lastname);
      contacts.add(cnt);
    }
    return contacts;
}
Asynchronous Apex
Use Future Methods
AccountProcessor
public class AccountProcessor {
@future
  public static void countContacts(List<Id> accountIds){
    List<Account> accountToUpdate = new List<Account>();
    List<Account> accounts=[Select Id, Name,(Select Id from Contacts) from Account where Id
in :accountIds];
    for(Account acc:accounts){
      List<Contact> contactList=acc.Contacts;
      acc.Number_Of_Contacts__c=contactList.size();
      accountToUpdate.add(acc);
    Update accountToUpdate;
```

}

```
AccountProcessorTest
```

```
@isTest
public class AccountProcessorTest {
@isTest
  private static void testCountContacts(){
    Account newAccount=new Account(Name='Test Account');
    insert newAccount;
    Contact newContact1=new
Contact(FirstName='John',LastName='Doe',AccountId=newAccount.Id);
    insert newContact1;
    Contact newContact2=new
Contact(FirstName='Jane',LastName='Doe',AccountId=newAccount.Id);
    insert newContact2:
    List<Id> accountIds=new List<Id>();
    accountIds.add(newAccount.Id);
    Test.startTest();
    AccountProcessor.countContacts(accountIds);
    Test.stopTest();
 }
}
Use Batch Apex
LeadProcessor
global class LeadProcessor implements Database.Batchable<sObject> {
global Integer count = 0;
  global Database.QueryLocator start(Database.BatchableContext bc){
    return Database.getQueryLocator('SELECT ID, LeadSource From Lead');
  global void execute(Database.BatchableContext bc,List<Lead> L_list){
    List<lead> L_list_new=new List<lead>();
    for(lead L:L_list){
      L.leadsource='Dreamforce';
      L_list_new.add(L);
      count+=1;
    }
    update L_list_new;
```

```
global void finish(Database.BatchableContext bc){
    System.debug('count = '+count);
  }
LeadProcessorTest
@isTest
public class LeadProcessorTest {
@isTest
  public static void testit(){
    List<lead>L_list = new List<lead>();
    for(Integer i=0;i<200;i++){
      Lead L=new lead();
      L.LastName='name'+i;
      L.Company='Company';
      L.Status='Random Status';
      L_list.add(L);
    }
    insert L_list;
    Test.startTest();
    LeadProcessor lp=new LeadProcessor();
    Id batchId=Database.executeBatch(lp);
    Test.stopTest();
 }
}
```

Control Processes with Queueable Apex

```
AddPrimaryContact

public class AddPrimaryContact implements Queueable{
private Contact con;
  private String state;
  public AddPrimaryContact(Contact con, String state){
    this.con=con;
    this.state=state;
  }
  public void execute(QueueableContext context){
    List<Account> accounts= [Select Id,Name,(Select FirstName,LastName,Id from contacts)
```

```
from Account where BillingState = :state Limit 200];
    List<Contact> primaryContacts=new List<Contact>();
    for(Account acc:accounts){
      Contact c=con.clone();
      c.AccountId=acc.Id;
      primaryContacts.add(c);
    }
    if(primaryContacts.size()>0){
      insert primaryContacts;
    }
 }
}
AddPrimaryContactTest
@isTest
public class AddPrimaryContactTest {
  static testmethod void testQueueable(){
    List<Account> testAccounts=new List<Account>();
    for(Integer i=0;i<50;i++){
      testAccounts.add(new Account(Name='Account'+i,BillingState='CA'));
    }
    for(Integer j=0;j<50;j++){
      testAccounts.add(new Account(Name='Account'+j,BillingState='NY'));
    }
    insert testAccounts;
    Contact testContact = new Contact(FirstName='John',LastName='Doe');
    insert testContact;
    AddPrimaryContact addit= new addPrimaryContact(testContact,'CA');
    Test.startTest();
    system.enqueueJob(addit);
    Test.stopTest();
    System.assertEquals(50,[Select count() from Contact where accounted in (Select Id from
Account where BillingState='CA')]);
  }
}
```

Schedule jobs Using the Apex Scheduler

```
DailyLeadProcessor
global class DailyLeadProcessor implements Schedulable {
  global void execute(SchedulableContext ctx){
    List<lead> leadstoupdate=new List<lead>();
    List <Lead> leads=[Select id from Lead where LeadSource=NULL Limit 200];
    for(Lead I:leads){
      I.LeadSource='Dreamforce';
      leadstoupdate.add(I);
    }
  update leadstoupdate;
}
DailyLeadProcessorTest
@isTest
public class DailyLeadProcessorTest {
  static testMethod void testMethod1(){
    Test.startTest();
    List<Lead> lstLead = new List<Lead>();
    for(Integer i = 0; i<200;i++){}
      Lead led = new Lead();
      led.FirstName ='FirstName';
      led.LastName ='LastName'+i;
      led.Company ='demo'+i;
      lstLead.add(led);
    insert lstLead;
    DailyLeadProcessor ab = new DailyLeadProcessor();
    String jobId = System.schedule('jobName', '0 5 * * * ?',ab);
    Test.stopTest();
  }
}
```

Apex Integration Services

Apex REST Callouts

```
AnimalLocator
public class AnimalLocator{
  public static String getAnimalNameById(Integer x){
    Http http = new Http();
    HttpRequest req = new HttpRequest();
    req.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/' + x);
    req.setMethod('GET');
    Map<String, Object> animal= new Map<String, Object>();
    HttpResponse res = http.send(reg);
      if (res.getStatusCode() == 200) {
    Map<String, Object> results = (Map<String,
Object>)JSON.deserializeUntyped(res.getBody());
   animal = (Map<String, Object>) results.get('animal');
    }
return (String)animal.get('name');
  }
}
AnimalLocatorTest
@isTest
private class AnimalLocatorTest{
  @isTest static void AnimalLocatorMock1() {
    Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());
    string result = AnimalLocator.getAnimalNameById(3);
    String expectedResult = 'chicken';
    System.assertEquals(result,expectedResult);
 }
}
AnimalLocatorMock
@isTest
global class AnimalLocatorMock implements HttpCalloutMock {
  global HTTPResponse respond(HTTPRequest request) {
```

```
HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
    response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear", "chicken",
"mighty moose"]}');
    response.setStatusCode(200);
    return response;
 }
}
Apex Web Services
AccountManager
@RestResource(urlMapping='/Accounts/*/contacts')
global class AccountManager {
  @HttpGet
  global static Account getAccount() {
    RestRequest req = RestContext.request;
    String accld = req.requestURI.substringBetween('Accounts/', '/contacts');
    Account acc = [SELECT Id, Name, (SELECT Id, Name FROM Contacts)
            FROM Account WHERE Id = :accld];
    return acc;
  }
}
AccountManagerTest
@isTest
private class AccountManagerTest {
  private static testMethod void getAccountTest1() {
    Id recordId = createTestRecord();
    RestRequest request = new RestRequest();
    request.requestUri = 'https://na1.salesforce.com/services/apexrest/Accounts/'+ recordId
+'/contacts';
    request.httpMethod = 'GET';
    RestContext.request = request;
    Account thisAccount = AccountManager.getAccount();
```

```
System.assert(thisAccount != null);
System.assertEquals('Test record', thisAccount.Name);

}

static Id createTestRecord() {
    Account TestAcc = new Account(
        Name='Test record');
    insert TestAcc;
    Contact TestCon= new Contact(
        LastName='Test',
        AccountId = TestAcc.id);
    return TestAcc.Id;
}
```

Apex Specialist Superbadge

```
MaintenanceRequest
trigger MaintenanceRequest on Case (before update, after update) {
  if(Trigger.isUpdate && Trigger.isAfter){
    MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
 }
}
MaintenanceRequestHelper
public with sharing class MaintenanceRequestHelper {
  public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
    Set<Id> validIds = new Set<Id>();
    For (Case c : updWorkOrders){
      if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
        if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
          validIds.add(c.Id);
     }
    }
```

```
if (!validIds.isEmpty()){
      List<Case> newCases = new List<Case>();
      Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment_c, Equipment_r.Maintenance_Cycle_c,(SELECT Id,Equipment_c,Quantity_c
FROM Equipment_Maintenance_Items__r)
                             FROM Case WHERE Id IN :validIds]);
      Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment_r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
    for (AggregateResult ar : results){
      maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
   }
      for(Case cc : closedCasesM.values()){
        Case nc = new Case (
          ParentId = cc.Id,
        Status = 'New',
          Subject = 'Routine Maintenance',
          Type = 'Routine Maintenance',
          Vehicle_c = cc.Vehicle_c,
          Equipment_c = cc. Equipment_c,
          Origin = 'Web',
          Date_Reported__c = Date.Today()
        );
        If (maintenanceCycles.containskey(cc.ld)){
          nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.ld));
        }
        newCases.add(nc);
      }
     insert newCases;
     List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
     for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c wp:
```

```
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
          Equipment_Maintenance_Item__c wpClone = wp.clone();
          wpClone.Maintenance_Request__c = nc.ld;
          ClonedWPs.add(wpClone);
        }
      insert ClonedWPs;
   }
 }
MaintenanceRequestHelperTest
@istest
public with sharing class MaintenanceRequestHelperTest {
  private static final string STATUS_NEW = 'New';
  private static final string WORKING = 'Working';
  private static final string CLOSED = 'Closed';
  private static final string REPAIR = 'Repair';
  private static final string REQUEST_ORIGIN = 'Web';
  private static final string REQUEST_TYPE = 'Routine Maintenance';
  private static final string REQUEST_SUBJECT = 'Testing subject';
  PRIVATE STATIC Vehicle_c createVehicle(){
    Vehicle_c Vehicle = new Vehicle_C(name = 'SuperTruck');
    return Vehicle:
  }
  PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name = 'SuperEquipment',
                      lifespan_months__C = 10,
                      maintenance_cycle__C = 10,
                      replacement_part__c = true);
    return equipment;
  }
  PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
              Status=STATUS_NEW,
              Origin=REQUEST_ORIGIN,
```

```
Subject=REQUEST_SUBJECT,
             Equipment_c=equipmentId,
             Vehicle_c=vehicleId);
    return cs;
  }
  PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id
requestId){
    Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
                                        Maintenance_Request__c = requestId);
    return wp;
  }
  @istest
  private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle:
    id vehicleId = vehicle.Id;
    Product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;
    case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
    insert somethingToUpdate;
    Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
    insert workP;
    test.startTest();
    somethingToUpdate.status = CLOSED;
    update somethingToUpdate;
    test.stopTest();
    Case newReq = [Select id, subject, type, Equipment_c, Date_Reported_c, Vehicle_c,
Date_Due__c
           from case
           where status =:STATUS_NEW];
```

```
Equipment_Maintenance_Item_c workPart = [select id
                       from Equipment_Maintenance_Item__c
                       where Maintenance_Request__c =:newReq.Id];
  system.assert(workPart != null);
  system.assert(newReg.Subject != null);
  system.assertEquals(newReg.Type, REQUEST_TYPE);
  SYSTEM.assertEquals(newReq.Equipment_c, equipmentId);
  SYSTEM.assertEquals(newReq.Vehicle_c, vehicleId);
  SYSTEM.assertEquals(newReq.Date_Reported_c, system.today());
}
@istest
private static void testMaintenanceRequestNegative(){
  Vehicle__C vehicle = createVehicle();
  insert vehicle;
  id vehicleId = vehicle.Id;
  product2 equipment = createEq();
  insert equipment;
  id equipmentId = equipment.Id;
  case emptyReg = createMaintenanceReguest(vehicleId,eguipmentId);
  insert emptyReq;
  Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);
  insert workP;
  test.startTest();
  emptyReq.Status = WORKING;
  update emptyReg;
  test.stopTest();
  list<case> allRequest = [select id
               from casel;
  Equipment_Maintenance_Item__c workPart = [select id
                        from Equipment_Maintenance_Item__c
                        where Maintenance_Request__c = :emptyReq.Id];
```

```
system.assert(workPart != null);
    system.assert(allRequest.size() == 1);
  }
  @istest
  private static void testMaintenanceRequestBulk(){
    list<Vehicle_C> vehicleList = new list<Vehicle_C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
    list<case> requestList = new list<case>();
    list<id> oldRequestIds = new list<id>();
    for(integer i = 0; i < 300; i++){
      vehicleList.add(createVehicle());
      equipmentList.add(createEq());
    }
    insert vehicleList;
    insert equipmentList;
    for(integer i = 0; i < 300; i++){
      requestList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
    insert requestList;
    for(integer i = 0; i < 300; i++){
      workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
    }
    insert workPartList;
    test.startTest();
    for(case req : requestList){
      req.Status = CLOSED;
      oldRequestIds.add(req.Id);
    }
    update requestList;
    test.stopTest();
    list<case> allRequests = [select id
                  from case
                  where status =: STATUS_NEW];
```

```
list<Equipment_Maintenance_Item__c> workParts = [select id
                             from Equipment_Maintenance_Item__c
                             where Maintenance_Request__c in: oldRequestIds];
    system.assert(allRequests.size() == 300);
 }
}
WarehouseCalloutService
public with sharing class WarehouseCalloutService {
  private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
  //@future(callout=true)
  public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();
    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> warehouseEq = new List<Product2>();
    if (response.getStatusCode() == 200){
      List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
      System.debug(response.getBody());
      for (Object eq : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)eq;
        Product2 myEq = new Product2();
        myEq.Replacement_Part_c = (Boolean) mapJson.get('replacement');
        myEq.Name = (String) mapJson.get('name');
```

```
myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        myEq.Cost_c = (Decimal) mapJson.get('lifespan');
        myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
        myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
        warehouseEq.add(myEq);
      }
      if (warehouseEq.size() > 0){
        upsert warehouseEq;
        System.debug('Your equipment was synced with the warehouse one');
        System.debug(warehouseEq);
      }
    }
 }
WarehouseCalloutServiceMock
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
  global static HttpResponse respond(HttpRequest request){
    System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
    System.assertEquals('GET', request.getMethod());
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":
"Generator 1000 kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
    response.setStatusCode(200);
    return response;
 }
}
WarehouseCalloutServiceTest
@isTest
```

```
private class WarehouseCalloutServiceTest {
  @isTest
  static void testWareHouseCallout(){
    Test.startTest();
    Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
    WarehouseCalloutService.runWarehouseEquipmentSync();
    Test.stopTest();
    System.assertEquals(1, [SELECT count() FROM Product2]);
}
WarehouseSyncSchedule
global class WarehouseSyncSchedule implements Schedulable {
  global void execute(SchedulableContext ctx) {
    WarehouseCalloutService.runWarehouseEquipmentSync();
 }
}
WarehouseSyncScheduleTest
@isTest
public class WarehouseSyncScheduleTest {
  @isTest static void WarehousescheduleTest(){
    String scheduleTime = '00 00 01 * * ?';
    Test.startTest();
    Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
    String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime, new
WarehouseSyncSchedule());
    Test.stopTest();
    CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
    System.assertEquals(jobID, a.Id,'Schedule');
  }
}
```