APEX TRIGGERS

<u>AccountAddressTrigger.axpt:</u>

```
trigger AccountAddressTrigger on Account (before insert,before update) {
  for(Account account:Trigger.New){
    if(account.Match_Billing_Address__c == True){
      account.ShippingPostalCode = account.BillingPostalCode;
    }
   }
                                  <u>ClosedOpportunityTrigger.axpt:</u>
   trigger ClosedOpportunityTrigger on Opportunity (after insert,after update) {
  List<Task> tasklist = new List<Task>();
  for(Opportunity opp: Trigger.New){
    if(opp.StageName == 'Closed Won'){
      tasklist.add(new Task(Subject = 'Follow Up Test Task', WhatId = opp.Id));
    }
  }
  if(tasklist.size() > 0){
    insert tasklist;
  }
}
                                        APEX TESTING
                                         VerifyData.apxc:
 public class VerifyDate {
         public static Date CheckDates(Date date1, Date date2) {
                 if(DateWithin30Days(date1,date2)) {
                        return date2;
                } else {
                        return SetEndOfMonthDate(date1);
                }
         @TestVisible private static Boolean DateWithin30Days(Date date1, Date date2) {
                //check for date2 being in the past
         if( date2 < date1) { return false; }</pre>
```

```
//check that date2 is within (>=) 30 days of date1
           Date date30Days = date1.addDays(30); //create a date 30 days away from date1
                  if( date2 >= date30Days ) { return false; }
                  else { return true; }
          }
           //method to return the end of the month of a given date
           @TestVisible private static Date SetEndOfMonthDate(Date date1) {
                  Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
                  Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);
                  return lastDay;
          }
}
                                      <u>TestVerifyData.apxc:</u>
@isTest
private class TestVerifyDate {
  @isTest static void Test_CheckDates_case1(){
    Date D = VerifyDate.CheckDates(date.parse('01/01/2022'),date.parse('01/05/2022'));
    System.assertEquals(date.parse('01/05/2022'), D);
  @isTest static void Test_CheckDates_case2(){
    Date D = VerifyDate.CheckDates(date.parse('01/01/2022'), date.parse('05/05/2022'));
    System.assertEquals(date.parse('01/31/2022'), D);
  @isTest static void Test_Within30Days_case1(){
    Boolean flag = VerifyDate.DateWithin30Days(date.parse('01/01/2022'),
date.parse('12/30/2021'));
    System.assertEquals(false, flag);
@isTest static void Test_Within30Days_case2(){
    Boolean flag = VerifyDate.DateWithin30Days(date.parse('01/01/2022'),
date.parse('02/02/2021'));
    System.assertEquals(false, flag);
@isTest static void Test_Within30Days_case3(){
```

```
Boolean flag = VerifyDate.DateWithin30Days(date.parse('01/01/2022'),
date.parse('01/15/2022'));
    System.assertEquals(true, flag);
  @isTest static void Test_SetEndOfMonthDate(){
    Date returndate = VerifyDate.SetEndOfMonthDate(date.parse('01/01/2022'));
                                 RestrictContactByName.apxt:
trigger RestrictContactByName on Contact (before insert, before update) {
          //check contacts prior to insert or update for invalid data
           For (Contact c : Trigger.New) {
                  if(c.LastName == 'INVALIDNAME') { //invalidname is invalid
                         c.AddError('The Last Name "+c.LastName+" is not allowed for DML');
                  }
          }
                               <u>TestRestrictContactByName.apxc:</u>
@isTest
private class TestRestrictContactByName {
  @isTest static void Test_insertupdateContact(){
    Contact cnt = new Contact();
    cnt.LastName = 'INVALIDNAME';
    Test.startTest();
    Database.SaveResult result = Database.insert(cnt,false);
    Test.stopTest();
    System.assert(!result.isSuccess());
    System.assert(result.getErrors().size() > 0);
    System.assertEquals('The Last Name "INVALIDNAME" is not allowed for DML',
result.getErrors()[0].getMessage());
```

RandomContactFactory.apxc:

```
public class RandomContactFactory {
  public static List<Contact> generateRandomContacts(Integer num_cnts, string lastname) {
   List<Contact> contacts = new List<Contact>();
    for(Integer i = 0; i < num_cnts; i++) {
      Contact cnt = new Contact(FirstName = 'Test' +i,LastName = lastname);
      contacts.add(cnt);
    return contacts;
          }
                                  ASYNCHRONOUS APEX
                                   AccountProcessor.apxc:
public class AccountProcessor {
          @future
  public static void countContacts(List<Id> accountIds){
    List<Account> accountsToUpdate = new List<Account>();
    List<Account> accounts = [Select Id, Name, (Select Id from Contacts)from Account Where Id in
:accountIds];
    For(Account acc: accounts) {
                        List<Contact> contactList = acc.contacts;
      acc.Number_Of_Contacts__c = contactList.size();
      accountsToUpdate.add(acc);
    update accountsToUpdate;
                                AccountProcessorTest.apxc:
@isTest
public class AccountProcessorTest {
          @isTest
  private static void testCountContacts() {
    Account newAccount = new Account(Name = 'Test Account');
    insert newAccount;
    Contact newContact1 = new Contact(FirstName = 'John',LastName = 'Doe',AccountId =
```

```
newAccount.ld);
    insert newContact1;
    Contact newContact2 = new Contact(FirstName = 'John',LastName = 'Doe',AccountId =
newAccount.ld);
    insert newContact2;
    List<Id> accountIds = new List<Id>();
    accountIds.add(newAccount.Id);
    Test.startTest();
    AccountProcessor.countContacts(accountIds);
    Test.stopTest();
 }
}
                                      LeadProcessor.apxc:
global class LeadProcessor implements Database.Batchable<sObject>{
          global Integer count = 0;
  global Database.QueryLocator start(Database.BatchableContext bc) {
  return Database.getQueryLocator('SELECT ID,LeadSource FROM Lead');
  global void execute(Database.BatchableContext bc, List<Lead> L_list){
    List<lead> L_list_new = new List<lead>();
    for(lead L: L_list){
      L.leadSource = 'Dreamforce';
      L_list_new.add(L);
      count += 1;
    update L_list_new;
  global void finish(Database.BatchableContext bc){
    system.debug('count = ' + count);
 }
}
                                   <u>LeadProcessorTest.apxc:</u>
@isTest
public class LeadProcessorTest {
          @isTest
  public static void testit() {
```

```
List<lead> L_list = new List<lead>();
    for(Integer i = 0; i < 200; i++) {
      Lead L = new Lead();
      L.LastName = 'name' + i;
      L.Company = 'Company';
      L.Status = 'Random Status';
      L_list.add(L);
    }
    insert L_list;
    Test.startTest();
    LeadProcessor Ip = new LeadProcessor();
    Id batchId = Database.executeBatch(Ip);
    Test.stopTest();
                                    AddPrimaryContact.apxc:
public class AddPrimaryContact implements Queueable{
           private Contact con;
  private String state;
  public AddPrimaryContact(Contact con, String state) {
    this.con = con;
    this.state = state;
  public void execute(QueueableContext context) {
    List<Account> accounts = [Select Id,Name,(Select FirstName,LastName, Id from contacts)
                  from Account where BillingState = :state Limit 200];
    List<Contact> primaryContacts = new List<Contact>();
    for(Account acc : accounts) {
      Contact c = con.clone();
      c.AccountId = acc.Id;
      primaryContacts.add(c);
    if(primaryContacts.size() > 0) {
      insert primaryContacts;
  }
}
```

AddPrimaryContactTest.apxc:

```
@isTest
public class AddPrimaryContactTest {
  static testmethod void testQueueable() {
    List<Account> testAccounts = new List<Account>();
    for(Integer i = 0; i < 50; i++) {
      testAccounts.add(new Account (Name = 'Account' + i,BillingState = 'CA'));
    for(Integer j = 0; j < 50; j++) {
      testAccounts.add(new Account(Name = 'Account'+ j, BillingState = 'NY'));
    }
    insert testAccounts;
    Contact testContact = new Contact(FirstName = 'John', LastName = 'Doe');
    insert testContact:
    AddPrimaryContact addit = new AddPrimaryContact(testContact,'CA');
    Test.startTest();
    system.engueueJob(addit);
    Test.stopTest();
    System.assertEquals(50, [Select count() from Contact where accounted in (Select Id from
Account where BillingState = 'CA')]);
                                    <u>DailyLeadProcessor.apxc:</u>
global class DailyLeadProcessor implements Schedulable{
  global void execute(SchedulableContext ctx) {
    List<Lead> leadstoupdate = new List<Lead>();
    List<Lead> leads = [Select id From Lead Where LeadSource = NULL Limit 200];
    for(Lead I: leads) {
      I.LeadSource = 'Dreamforce';
      leadstoupdate.add(I);
    }
    update leadstoupdate;
```

<u>DailyLeadProcessorTest.apxc:</u>

```
@isTest
private class DailyLeadProcessorTest {
           public static String CRON_EXP = '0 0 0 15 3 ? 2024';
  static testmethod void testScheduledJob() {
    List<Lead> leads = new List<Lead>();
    for(Integer i = 0; i < 200; i++) {
      Lead I = new Lead(
        FirstName = 'First' + i,
        LastName = 'LastName',
        Company = 'The Inc'
      leads.add(I);
    }
    insert leads;
    Test.startTest();
    String jobId = System.schedule('ScheduledApexTest',CRON_EXP,new DailyLeadProcessor());
          Test.stopTest();
    List<Lead> checkleads = new List<Lead>();
    checkleads = [Select Id From Lead Where LeadSource = 'Dreamforce' and Company = 'The Inc'];
    System.assertEquals(200,checkleads.size(),'Leads were not created');
 }
```

APEX INTEGRATION SERVICES

AnimalLocator.apxc:

```
public class AnimalLocator{
  public static String getAnimalNameById(Integer x){
    Http http = new Http();
    HttpRequest req = new HttpRequest();
    req.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/' + x);
    req.setMethod('GET');
    Map<String, Object> animal= new Map<String, Object>();
    HttpResponse res = http.send(req);
    if (res.getStatusCode() == 200) {
```

```
Map<String, Object> results = (Map<String, Object>)JSON.deserializeUntyped(res.getBody());
   animal = (Map<String, Object>) results.get('animal');
return (String)animal.get('name');
                                   AnimalLocatorTest.apxc:
@isTest
private class AnimalLocatorTest{
  @isTest static void AnimalLocatorMock1() {
    Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());
    string result = AnimalLocator.getAnimalNameById(3);
    String expectedResult = 'chicken';
    System.assertEquals(result,expectedResult);
 }
                                   AnimalLocatorMock.apxc:
@isTest
global class AnimalLocatorMock implements HttpCalloutMock {
  // Implement this interface method
  global HTTPResponse respond(HTTPRequest request) {
    // Create a fake response
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
    response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear", "chicken", "mighty
moose"]}');
    response.setStatusCode(200);
    return response;
}
                                       ParkLocator.apxc:
public class ParkLocator {
  public static string[] country(string theCountry) {
    ParkService.ParksImplPort parkSvc = new ParkService.ParksImplPort(); // remove space
    return parkSvc.byCountry(theCountry);
  }
```

ParkLocatorTest.apxc:

```
@isTest
private class ParkLocatorTest {
  @isTest static void testCallout() {
    Test.setMock(WebServiceMock.class, new ParkServiceMock ());
    String country = 'United States';
    List<String> result = ParkLocator.country(country);
    List<String> parks = new List<String>{'Yellowstone', 'Mackinac National Park', 'Yosemite'};
    System.assertEquals(parks, result);
 }
                                    ParkServiceMock.apxc:
@isTest
global class ParkServiceMock implements WebServiceMock {
 global void doInvoke(
      Object stub,
      Object request,
      Map<String, Object> response,
      String endpoint,
      String soapAction,
      String requestName,
      String responseNS,
      String responseName,
      String responseType) {
    // start - specify the response you want to send
    ParkService.byCountryResponse response_x = new ParkService.byCountryResponse();
    response_x.return_x = new List<String>{'Yellowstone', 'Mackinac National Park', 'Yosemite'};
    // end
    response.put('response_x', response_x);
                                     AccountManager.apxc:
@RestResource(urlMapping='/Accounts/*/contacts')
global class AccountManager {
  @HttpGet
  global static Account getAccount() {
    RestRequest req = RestContext.request;
    String accld = req.requestURI.substringBetween('Accounts/', '/contacts');
```

```
Account acc = [SELECT Id, Name, (SELECT Id, Name FROM Contacts)
            FROM Account WHERE Id = :accld];
    return acc;
}
                                  AccountManagerTest.apxc:
@isTest
private class AccountManagerTest {
  private static testMethod void getAccountTest1() {
    Id recordId = createTestRecord();
    // Set up a test request
    RestRequest request = new RestRequest();
    request.requestUri = 'https://na1.salesforce.com/services/apexrest/Accounts/'+ recordId
+'/contacts';
    request.httpMethod = 'GET';
    RestContext.request = request;
    // Call the method to test
    Account this Account = Account Manager.get Account();
    // Verify results
    System.assert(thisAccount != null);
    System.assertEquals('Test record', thisAccount.Name);
  }
  // Helper method
    static Id createTestRecord() {
    // Create test record
    Account TestAcc = new Account(
     Name='Test record');
    insert TestAcc;
    Contact TestCon= new Contact(
    LastName='Test',
    AccountId = TestAcc.id);
    return TestAcc.Id;
  }
}
```

APEX SPECIALIST SUPER BADGE CODES APEX SPECIALIST SUPER BADGE

Challenge-1

<u>MaintenanceRequestHelper.apxc:</u>

```
public with sharing class MaintenanceRequestHelper {
  public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) {
    Set<Id> validIds = new Set<Id>();
    For (Case c : updWorkOrders){
      if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
        if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
          validIds.add(c.Id);
        }
      }
    if (!validIds.isEmpty()){
      List<Case> newCases = new List<Case>();
      Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle_c, Equipment_c,
Equipment_r.Maintenance_Cycle_c,(SELECT Id,Equipment_c,Quantity_c FROM
Equipment_Maintenance_Items__r)
                              FROM Case WHERE Id IN :validIds]);
      Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment_r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c WHERE
Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
    for (AggregateResult ar : results){
      maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
   }
      for(Case cc : closedCasesM.values()){
        Case nc = new Case (
          ParentId = cc.Id,
        Status = 'New',
```

```
Subject = 'Routine Maintenance',
          Type = 'Routine Maintenance',
          Vehicle_c = cc.Vehicle_c,
          Equipment_c = cc. Equipment_c,
          Origin = 'Web',
          Date_Reported__c = Date.Today()
        );
        If (maintenanceCycles.containskey(cc.ld)){
          nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
        }
        newCases.add(nc);
      }
     insert newCases;
     List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
     for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c wp:
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
          Equipment_Maintenance_Item__c wpClone = wp.clone();
          wpClone.Maintenance_Request__c = nc.ld;
          ClonedWPs.add(wpClone);
      insert ClonedWPs;
 }
```

```
MaintenanceRequest.apxt:
trigger MaintenanceRequest on Case (before update, after update) {
  if(Trigger.isUpdate && Trigger.isAfter){
    MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
                            MaintenanceRequestHelperTest.apxc:
@istest
public with sharing class MaintenanceRequestHelperTest {
  private static final string STATUS_NEW = 'New';
  private static final string WORKING = 'Working';
  private static final string CLOSED = 'Closed';
  private static final string REPAIR = 'Repair';
  private static final string REQUEST_ORIGIN = 'Web';
  private static final string REQUEST_TYPE = 'Routine Maintenance';
  private static final string REQUEST_SUBJECT = 'Testing subject';
  PRIVATE STATIC Vehicle_c createVehicle(){
    Vehicle_c Vehicle = new Vehicle_C(name = 'SuperTruck');
    return Vehicle:
  }
  PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name = 'SuperEquipment',
                     lifespan_months__C = 10,
                     maintenance_cycle__C = 10,
                     replacement_part__c = true);
    return equipment;
  }
  PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
             Status=STATUS_NEW,
              Origin=REQUEST_ORIGIN,
              Subject=REQUEST_SUBJECT,
```

```
Equipment_c=equipmentId,
             Vehicle_c=vehicleId);
    return cs;
 }
  PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id requestId){
    Equipment_Maintenance_Item__c wp = new Equipment_Maintenance_Item__c(Equipment__c =
equipmentId,
                                        Maintenance_Request__c = requestId);
    return wp;
 }
  @istest
  private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle:
    id vehicleId = vehicle.Id:
    Product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;
    case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
    insert somethingToUpdate;
    Equipment_Maintenance_Item_c workP = createWorkPart(equipmentId,somethingToUpdate.id);
    insert workP:
    test.startTest();
    somethingToUpdate.status = CLOSED;
    update somethingToUpdate;
    test.stopTest();
    Case newReq = [Select id, subject, type, Equipment_c, Date_Reported_c, Vehicle_c,
Date_Due__c
           from case
           where status =:STATUS_NEW];
```

```
Equipment_Maintenance_Item__c workPart = [select id
                        from Equipment_Maintenance_Item__c
                        where Maintenance_Request__c =:newReq.Id];
  system.assert(workPart != null);
  system.assert(newReg.Subject != null);
  system.assertEquals(newReq.Type, REQUEST_TYPE);
  SYSTEM.assertEquals(newReq.Equipment_c, equipmentId);
  SYSTEM.assertEquals(newReq.Vehicle_c, vehicleId);
  SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
}
@istest
private static void testMaintenanceRequestNegative(){
  Vehicle__C vehicle = createVehicle();
  insert vehicle:
  id vehicleId = vehicle.Id:
  product2 equipment = createEq();
  insert equipment;
  id equipmentId = equipment.Id;
  case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
  insert emptyReq;
  Equipment_Maintenance_Item_c workP = createWorkPart(equipmentId, emptyReq.Id);
  insert workP:
  test.startTest();
  emptyReq.Status = WORKING;
  update emptyReq;
  test.stopTest();
  list<case> allRequest = [select id
               from casel;
  Equipment_Maintenance_Item__c workPart = [select id
```

```
from Equipment_Maintenance_Item__c
                            where Maintenance_Request__c = :emptyReq.Id];
    system.assert(workPart != null);
    system.assert(allRequest.size() == 1);
  @istest
  private static void testMaintenanceRequestBulk(){
    list<Vehicle_C> vehicleList = new list<Vehicle_C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
    list<case> requestList = new list<case>();
    list<id> oldRequestIds = new list<id>();
    for(integer i = 0; i < 300; i++){
      vehicleList.add(createVehicle());
      equipmentList.add(createEq());
    insert vehicleList;
    insert equipmentList;
    for(integer i = 0; i < 300; i++){
      requestList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
    }
    insert requestList;
    for(integer i = 0; i < 300; i++){
      workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
    }
    insert workPartList;
    test.startTest();
    for(case req : requestList){
      req.Status = CLOSED;
      oldRequestIds.add(req.ld);
    }
```

```
update requestList;
    test.stopTest();
    list<case> allRequests = [select id
                 from case
                 where status =: STATUS_NEW];
    list<Equipment_Maintenance_Item__c> workParts = [select id
                              from Equipment_Maintenance_Item__c
                              where Maintenance_Request__c in: oldRequestIds];
    system.assert(allRequests.size() == 300);
                                           Challenge-2
                               WarehouseCalloutService.apxc:
public with sharing class WarehouseCalloutService implements Queueable {
  private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
  //class that makes a REST callout to an external warehouse system to get a list of equipment that
needs to be updated.
  //The callout's JSON response returns the equipment records that you upsert in Salesforce.
  @future(callout=true)
  public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();
    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> warehouseEq = new List<Product2>();
    if (response.getStatusCode() == 200){
```

```
List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
      System.debug(response.getBody());
      //class maps the following fields: replacement part (always true), cost, current inventory,
lifespan, maintenance cycle, and warehouse SKU
      //warehouse SKU will be external ID for identifying which equipment records to update within
Salesforce
      for (Object eq : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)eg;
        Product2 myEq = new Product2();
        myEq.Replacement_Part_c = (Boolean) mapJson.get('replacement');
        myEq.Name = (String) mapJson.get('name');
        myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        myEq.Cost_c = (Integer) mapJson.get('cost');
        myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
        myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
        myEq.ProductCode = (String) mapJson.get('_id');
        warehouseEq.add(myEq);
      }
      if (warehouseEq.size() > 0){
        upsert warehouseEq;
        System.debug('Your equipment was synced with the warehouse one');
      }
   }
  }
  public static void execute (QueueableContext context){
    runWarehouseEquipmentSync();
 }
                            WarehouseCalloutServiceMock.apxc:
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
  // implement http mock callout
```

```
global static HttpResponse respond(HttpRequest request) {
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
response.setBody("[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":"Gene
                                                                                             1000
rator
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"},{"_id":"55d66226726b611100a
af742","replacement":true,"quantity":183,"name":"Cooling
Fan","maintenanceperiod":0,"lifespan":0,"cost":300,"sku":"100004"},{"_id":"55d66226726b611100aaf743
","replacement":true,"quantity":143,"name":"Fuse
20A","maintenanceperiod":0,"lifespan":0,"cost":22,"sku":"100005"}]');
    response.setStatusCode(200);
    return response;
}
                             WarehouseCalloutServiceTest.apxc:
@lsTest
private class WarehouseCalloutServiceTest {
  // implement your mock callout test here
       @isTest
  static void testWarehouseCallout() {
    test.startTest();
    test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
    WarehouseCalloutService.execute(null);
    test.stopTest();
    List<Product2> product2List = new List<Product2>();
    product2List = [SELECT ProductCode FROM Product2];
    System.assertEquals(3, product2List.size());
    System.assertEquals('55d66226726b611100aaf741', product2List.get(0).ProductCode);
    System.assertEquals('55d66226726b611100aaf742', product2List.get(1).ProductCode);
    System.assertEquals('55d66226726b611100aaf743', product2List.get(2).ProductCode);
 }
}
                                           Challenge-3
```

WarehouseSyncSchedule.apxc:

```
global with sharing class WarehouseSyncSchedule implements Schedulable{
  global void execute(SchedulableContext ctx){
    System.enqueueJob(new WarehouseCalloutService());
 }
}
                             WarehouseSyncScheduuleTest.apxc:
@isTest
public class WarehouseSyncScheduleTest {
  @isTest static void WarehousescheduleTest(){
    String scheduleTime = '00 00 01 * * ?';
    Test.startTest();
    Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
    String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime, new
WarehouseSyncSchedule());
    Test.stopTest();
    //Contains schedule information for a scheduled job. CronTrigger is similar to a cron job on UNIX
systems.
    // This object is available in API version 17.0 and later.
    CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
    System.assertEquals(jobID, a.Id,'Schedule');
 }
                                            Challenge-4
                             MaintenanceRequestHelperTest.apxc:
@istest
public with sharing class MaintenanceRequestHelperTest {
  private static final string STATUS_NEW = 'New';
  private static final string WORKING = 'Working';
  private static final string CLOSED = 'Closed';
  private static final string REPAIR = 'Repair';
  private static final string REQUEST_ORIGIN = 'Web';
  private static final string REQUEST_TYPE = 'Routine Maintenance';
  private static final string REQUEST_SUBJECT = 'Testing subject';
```

```
PRIVATE STATIC Vehicle_c createVehicle(){
    Vehicle_c Vehicle = new Vehicle_C(name = 'SuperTruck');
    return Vehicle;
 }
  PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name = 'SuperEquipment',
                     lifespan_months__C = 10,
                     maintenance_cycle__C = 10,
                     replacement_part__c = true);
    return equipment;
 }
  PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
             Status=STATUS_NEW,
             Origin=REQUEST_ORIGIN,
             Subject=REQUEST_SUBJECT,
             Equipment_c=equipmentId,
             Vehicle_c=vehicleId);
    return cs;
 }
 PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id requestId){
    Equipment_Maintenance_Item__c wp = new Equipment_Maintenance_Item__c(Equipment__c =
equipmentId, Maintenance_Request__c = requestId);
    return wp;
 }
  @istest
  private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle:
    id vehicleId = vehicle.Id;
    Product2 equipment = createEq();
```

```
insert equipment;
    id equipmentId = equipment.Id;
    case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
    insert somethingToUpdate;
    Equipment_Maintenance_Item_c workP = createWorkPart(equipmentId,somethingToUpdate.id);
    insert workP;
    test.startTest();
    somethingToUpdate.status = CLOSED;
    update somethingToUpdate;
    test.stopTest();
    Case newReq = [Select id, subject, type, Equipment_c, Date_Reported_c, Vehicle_c,
Date_Due__c
           from case
           where status =:STATUS_NEW];
    Equipment_Maintenance_Item__c workPart = [select id
                         from Equipment_Maintenance_Item__c
                         where Maintenance_Request__c =:newReq.Id];
    system.assert(workPart != null);
    system.assert(newReq.Subject != null);
    system.assertEquals(newReq.Type, REQUEST_TYPE);
    SYSTEM.assertEquals(newReq.Equipment_c, equipmentId);
    SYSTEM.assertEquals(newReq.Vehicle_c, vehicleId);
    SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
 }
  @istest
  private static void testMaintenanceRequestNegative(){
    Vehicle__C vehicle = createVehicle();
    insert vehicle:
    id vehicleId = vehicle.Id;
    product2 equipment = createEq();
```

```
insert equipment;
    id equipmentId = equipment.Id;
    case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
    insert emptyReq;
    Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);
    insert workP;
    test.startTest();
    emptyReq.Status = WORKING;
    update emptyReq;
    test.stopTest();
    list<case> allRequest = [select id
                 from casel;
    Equipment_Maintenance_Item__c workPart = [select id
                           from Equipment_Maintenance_Item__c
                           where Maintenance_Request__c = :emptyReq.Id];
    system.assert(workPart != null);
    system.assert(allRequest.size() == 1);
  }
  @istest
  private static void testMaintenanceRequestBulk(){
    list<Vehicle_C> vehicleList = new list<Vehicle_C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
    list<case> requestList = new list<case>();
    list<id> oldRequestIds = new list<id>();
    for(integer i = 0; i < 300; i++){
      vehicleList.add(createVehicle());
      equipmentList.add(createEq());
    }
```

```
insert vehicleList;
    insert equipmentList;
    for(integer i = 0; i < 300; i++){
      requestList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
    }
    insert requestList;
    for(integer i = 0; i < 300; i++){
      workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
    }
    insert workPartList;
    test.startTest();
    for(case req : requestList){
      req.Status = CLOSED;
      oldRequestIds.add(req.ld);
    }
    update requestList;
    test.stopTest();
    list<case> allRequests = [select id
                  from case
                  where status =: STATUS_NEW];
    list<Equipment_Maintenance_Item__c> workParts = [select id
                               from Equipment_Maintenance_Item__c
                               where Maintenance_Request__c in: oldRequestIds];
    system.assert(allRequests.size() == 300);
                               MaintenanceRequestHelper.apxc:
public with sharing class MaintenanceRequestHelper {
  public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) {
    Set<Id> validIds = new Set<Id>();
```

```
For (Case c : updWorkOrders){
      if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
        if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
          validIds.add(c.Id);
      }
    if (!validIds.isEmpty()){
      List<Case> newCases = new List<Case>();
      Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle_c, Equipment_c,
Equipment_r.Maintenance_Cycle_c,(SELECT Id,Equipment_c,Quantity_c FROM
Equipment_Maintenance_Items__r)
                              FROM Case WHERE Id IN :validIds]);
      Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment_r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c WHERE
Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
    for (AggregateResult ar : results){
      maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
   }
      for(Case cc : closedCasesM.values()){
        Case nc = new Case (
          Parentld = cc.ld.
        Status = 'New',
          Subject = 'Routine Maintenance',
          Type = 'Routine Maintenance',
          Vehicle__c = cc.Vehicle__c,
          Equipment_c = cc. Equipment_c,
          Origin = 'Web',
          Date_Reported__c = Date.Today()
        );
```

```
If (maintenanceCycles.containskey(cc.ld)){
          nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.ld));
        newCases.add(nc);
      }
     insert newCases;
     List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
     for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c wp:
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
          Equipment_Maintenance_Item__c wpClone = wp.clone();
          wpClone.Maintenance_Request__c = nc.ld;
          ClonedWPs.add(wpClone);
        }
      insert ClonedWPs;
 }
                                          Challenge-5
                               WarehouseCalloutService.apxc:
public with sharing class WarehouseCalloutService implements Queueable {
  private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
  //class that makes a REST callout to an external warehouse system to get a list of equipment that
needs to be updated.
  //The callout's JSON response returns the equipment records that you upsert in Salesforce.
  @future(callout=true)
  public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();
```

```
request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> warehouseEq = new List<Product2>();
    if (response.getStatusCode() == 200){
      List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
      System.debug(response.getBody());
      //class maps the following fields: replacement part (always true), cost, current inventory,
lifespan, maintenance cycle, and warehouse SKU
      //warehouse SKU will be external ID for identifying which equipment records to update within
Salesforce
      for (Object eq : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)eq;
        Product2 myEq = new Product2();
        myEq.Replacement_Part_c = (Boolean) mapJson.get('replacement');
        myEq.Name = (String) mapJson.get('name');
        myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        myEq.Cost_c = (Integer) mapJson.get('cost');
        myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
        myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
        myEq.ProductCode = (String) mapJson.get('_id');
        warehouseEq.add(myEq);
      }
      if (warehouseEq.size() > 0){
        upsert warehouseEq;
        System.debug('Your equipment was synced with the warehouse one');
      }
    }
  }
  public static void execute (QueueableContext context){
    runWarehouseEquipmentSync();
```

```
}
                             WarehouseCalloutServiceMock.apxc:
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
  // implement http mock callout
  global static HttpResponse respond(HttpRequest request) {
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":"Gene
rator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"},{"_id":"55d66226726b611100a
af742","replacement":true,"guantity":183,"name":"Cooling
Fan","maintenanceperiod":0,"lifespan":0,"cost":300,"sku":"100004"},{"_id":"55d66226726b611100aaf743
","replacement":true,"quantity":143,"name":"Fuse
20A","maintenanceperiod":0,"lifespan":0,"cost":22,"sku":"100005"}]');
    response.setStatusCode(200);
    return response;
                             WarehouseCalloutServiceTest.apxc:
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
  // implement http mock callout
  global static HttpResponse respond(HttpRequest request) {
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":"Gene
rator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"},{"_id":"55d66226726b611100a
af742","replacement":true,"quantity":183,"name":"Cooling
Fan","maintenanceperiod":0,"lifespan":0,"cost":300,"sku":"100004"},{"_id":"55d66226726b611100aaf743
```

```
","replacement":true,"quantity":143,"name":"Fuse
20A","maintenanceperiod":0,"lifespan":0,"cost":22,"sku":"100005"}]');
    response.setStatusCode(200);
    return response;
 }
                                           Challenge-6
                                WarehouseSyncSchedule.apxc:
global with sharing class WarehouseSyncSchedule implements Schedulable{
  global void execute(SchedulableContext ctx){
    System.enqueueJob(new WarehouseCalloutService());
                             WarehouseSyncScheduleTest.apxc:
@isTest
public class WarehouseSyncScheduleTest {
  @isTest static void WarehousescheduleTest(){
    String scheduleTime = '00 00 01 * * ?';
    Test.startTest();
    Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
    String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime, new
WarehouseSyncSchedule());
    Test.stopTest();
    //Contains schedule information for a scheduled job. CronTrigger is similar to a cron job on UNIX
systems.
    // This object is available in API version 17.0 and later.
    CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
    System.assertEquals(jobID, a.Id,'Schedule');
```