

# APEX TRIGGERS

## 1. Get Started with Apex Triggers

Apex triggers enable you to perform custom actions before or after events to records in Salesforce, such as insertions, updates, or deletions. Just like database systems support triggers, Apex provides trigger support for managing records.

Create an Apex trigger that sets an account's ShippingPostal Code to match the Billing Postal Code if the Match Billing Address option is selected. Fire the trigger before inserting an account or updating an account.

### Pre-Work:

Add a checkbox field to the Account object:

- a. Field Label: Match Billing Address
- b. Field Name: Match\_Billing\_Address

Note: The resulting API Name should be Match\_Billing\_Address

- c. Create an Apex trigger:
  - i. Name: AccountAddressTrigger
  - ii. Object: Account
  - iii. Events: before insert and before update
  - iv. Condition: Match Billing Address is true
  - v. Operation: set the ShippingPostal Code to match the Billing PostalCode

### Code for AccountAddressTrigger:

```
trigger AccountAddressTrigger on Account (before
insert,beforeupdate) { for(Account
```

```

account:Trigger.New){if(account.Match_Billing_Address__c ==
True){ account.ShippingPostalCode =account.BillingPostalCode;
}
}
}

```

## 2. Bulk Apex Triggers

Apex triggers are optimized to operate in bulk. We recommend using bulk design patterns for processing records in triggers. When you use bulk design patterns, your triggers have better performance, consume less server resources, and are less likely to exceed platform limits.

Create a bulkified Apex trigger that adds a follow-up task to an opportunity if its stage is Closed Won. Fire the Apex trigger after inserting or updating an opportunity.

a. Create an Apex trigger:

1. Name: ClosedOpportunityTrigger
2. Object: Opportunity
3. Events: after insert and after update
4. Condition: Stage is Closed Won
5. Operation: Create a task:
  - a. Subject: Follow Up Test Task
  - b. WhatId: the opportunity ID (associates the task with the opportunity)
6. Bulkify the Apex trigger so that it can insert or update 200 or more opportunities.

**Code for ClosedOpportunityTrigger:**

```

trigger ClosedOpportunityTrigger on Opportunity (after
insert,after update){
List<Task> tasklist= new
List<Task>();for(Opportunity opp:
Trigger.New){if(opp.StageName == 'Closed
Won'){
tasklist.add(new Task(Subject = 'Follow Up TestTask',WhatId =
opp.Id));
}
}
if(tasklist.size()>0)
{
insert tasklist;
}
}

```

## **APEX TESTING**

### **1. Get Started with Apex Unit Tests**

The Apex testing framework enables you to write and execute tests for your Apex classes and triggers on the Lightning Platform. Apex unit tests ensure high quality for your Apex code and let you meet requirements for deploying Apex.

Create and install a simple Apex class to test if a date is within a proper range, and if not, returns a date that occurs at the end of the month within the range. You'll copy the code for the class from GitHub. Then write unit tests that achieve 100% code coverage.

a. Create an Apex class:

- i. Name: VerifyDate
- ii. Code: [Copy from GitHub](#)

a. Place the unit tests in a separate test class:

- i. Name: TestVerifyDate
- ii. Goal: 100% code coverage

- b. Run your test class at least once to achieve 100% code coverage.

Code for VerifyDate:

```
public class VerifyDate {

    //method to handle potential checks against two
    datespublic static Date CheckDates(Date date1, Date
    date2) {
        //if date2 is within the next 30 days of date1, use date2.
    Otherwise use the end of the
        monthif(DateWithin30Days(date1,date2
        )) {return date2;
        } else {
            return SetEndOfMonthDate(date1);
        }
    }

    //method to check if date2 is within the next 30 days of
    date1private static Boolean DateWithin30Days(Date date1,
    Date date2) {
        //check for date2 being in the
        pastif( date2 < date1) { return false; }

        //check that date2 is within (>=) 30 days of date1
        Date date30Days = date1.addDays(30); //create a date 30
    days away from date1if( date2 >= date30Days ) { return false;
    }else { return true; }
    }

    //method to return the end of the month of a given
    dateprivate static Date SetEndOfMonthDate(Date date1) {
        Integer totalDays = Date.daysInMonth(date1.year(),
    date1.month());
        Date lastDay = Date.newInstance(date1.year(), date1.month(),
```

```

totalDays);
    return lastDay;
}

}

```

## 2. Test Apex Triggers:

Create and install a simple Apex trigger which blocks inserts and updates to any contact with a last name of 'INVALIDNAME'. You'll copy the code for the class from GitHub. Then write unit tests that achieve 100% code coverage.

a. Create an Apex trigger on the Contact object

- i. Name: `RestrictContactByName`
- ii. Code: [Copy from GitHub](#)

b. Place the unit tests in a separate test class

- i. Name: `TestRestrictContactByName`
- ii. Goal: 100% test coverage

c. Run your test class at least once

**Code for RestrictContactByName:** trigger RestrictContactByName on Contact (before insert, before update) {

```

    //check contacts prior to insert or update for invalid data
    For (Contact c : Trigger.New) { if(c.LastName == 'INVALIDNAME') {
        //invalidname is invalid
        c.AddError('The Last Name "'+c.LastName+'" is not allowed for DML');
    }
}
}

```

### Code for TestRestrictContactByName:

```
@isTest
public class TestRestrictContactByName {
    @isTest static void testContactTrigger() {
        Test.StartTest();
        Contact c = new Contact(LastName = 'INVALIDNAME');
        Database.SaveResult result = Database.insert(c, false);
        System.assert(!result.isSuccess());
        System.assert(result.getErrors().size() > 0);
        Test.StopTest();
    }
}
```

### 3. Create Test Data for Apex Tests

Use test utility classes to add reusable methods for test data setup.

Create an Apex class that returns a list of contacts based on two incoming parameters: the number of contacts to generate and the last name. Do not insert the generated contact records into the database.

NOTE: For the purposes of verifying this hands-on challenge, don't specify the @isTest annotation for either the class or the method, even though it's usually required.

- a. Create an Apex class in the public scope
  - i. Name: `RandomContactFactory` (without the @isTest annotation)
- b. Use a Public Static Method to consistently generate contacts with unique first names based on the iterated number in the format Test 1, Test 2 and so on.
  - i. Method Name: `generateRandomContacts` (without the @isTest annotation)

- ii. Parameter 1: An integer that controls the number of contacts being generated
- iii. Parameter 2: A string containing the last name of the contacts
- iv. Return Type: List < Contact >

**Code for RandomContactFactory:**

```
public class RandomContactFactory {
    public static List<Contact> generateRandomContacts(Integer numContacts, String lName)
    {
        List<Contact> cList = new List<Contact>();
        for(Integer i=0; i<numContacts; i++)
        {
            Contact c = new Contact(Firstname = 'Test' + i, Lastname= lName);
            cList.add(c);
        }
        return cList;
    }
}
```

## **Asynchronous Apex**

Create an Apex class with a future method that accepts a List of Account IDs and updates a custom field on the Account object with the number of contacts associated to the Account. Write unit tests that achieve 100% code coverage for the class. Every hands-on challenge in this module asks you to create a test class.

a. Create a field on the Account object:

- i. Label: Number Of Contacts ii. Name: Number\_Of\_Contacts
- i. Type: Number
- ii. This field will hold the total number of Contacts for the Account

b. Create an Apex class:

- i. Name: `AccountProcessor` ii. Method name: `countContacts`
- iii. The method must accept a List of Account IDs iv. The method must use the `@future` annotation
- v. The method counts the number of Contact records associated to each AccountID passed to the method and updates the 'Number\_Of\_Contacts' field with this value.

c. Create an Apex test class:

- i. Name: `AccountProcessorTest`
- ii. The unit tests must cover all lines of code included in the `AccountProcessor` class, resulting in 100% code coverage.

d. Before verifying this challenge, run your test class at least once using the Developer Console Run All feature.

**Code for AccountProcessor:**

```
public class AccountProcessor {
    @future
    public static void countContacts(List<Id> accountIds){
        List<Account> accountsToUpdate = new List<Account>();
        List<Account> accounts = [Select Id, Name, (select Id from Contacts) from
Account Where Id in :accountIds];
        for(Account acc:accounts){
            List<Contact> contactList = acc.Contacts;
            acc.Number_Of_Contacts c = contactList.size();
            accountsToUpdate.add(acc);
        }
        update accountsToUpdate;
    }
}
```



```
}  
}
```

#### **code for AccountProcessorTest:**

```
@IsTest  
public class AccountProcessorTest {  
    @IsTest  
    private static void testCountContacts(){  
        Account newAccount = new Account(Name='Test Account');  
        insert newAccount;  
        Contact newContact1 = new  
        Contact(FirstName='John',LastName='Doe',AccountId = newAccount.Id);  
        insert newContact1;  
        Contact newContact2 = new  
        Contact(FirstName='Jane',LastName='Doe',AccountId = newAccount.Id);  
        insert newContact2;  
        List<Id> accountIds = new List<Id>();  
        accountIds.add(newAccount.Id);  
        Test.startTest();  
        AccountProcessor.countContacts(accountIds);  
        Test.stopTest();  
    }  
}
```

## **Use Batch Apex**

Batch Apex is used to run large jobs (think thousands or millions of records!) that would exceed normal processing limits. Using Batch Apex, you can process records asynchronously in batches (hence the name, “Batch Apex”) to stay within platform limits. If you have a lot of records to process, for example, data cleansing or archiving, Batch Apex is probably your best solution.

Create an Apex class that implements the Database.Batchable interface to update allLead records in the org with a specific LeadSource.

a. Create an Apex class:

i. Name: `LeadProcessor` ii.

Interface: `Database.Batchable`

iii. Use a `QueryLocator` in the `start` method to collect all Lead records in the org iv. The `execute` method must update all Lead records in the org

with the `LeadSource` value of `Dreamforce`

b. Create an Apex test class:

c. Name: `LeadProcessorTest` ii. In the test class, insert 200 Lead records, execute the `LeadProcessorBatch` class and test that all Lead records were updated correctly iii. The unit tests must cover all lines of code included in the `LeadProcessor` class,

resulting in 100% code coverage

i. Before verifying this challenge, run your test class at least once using the `Developer Console Run All` feature.

### **Code for LeadProcessor:**

```
global class LeadProcessor implements Database.Batchable<sObject> {
    global Integer count = 0;
    global Database.QueryLocator start (Database.BatchableContext bc) {
        return Database.getQueryLocator('Select Id, LeadSource from lead');
    }
    global void execute (Database.BatchableContext bc, List<Lead> l_lst) {
        List<lead> l_lst_new = new List<lead>();
        for(lead l : l_lst) {
            l.leadsource = 'Dreamforce';
            l_lst_new.add(l);
            count+=1;
        }
        update l_lst_new;
    }
}
```

```

    }
    global void finish (Database.BatchableContext bc) {
        system.debug('count = '+count);
    }
}

```

### **Code for LeadProcessorTest:**

```

@Test
public class LeadProcessorTest {
    @Test
    public static void testit(){
        List<lead> L_list = new List<lead>();
        for(Integer i=0;i<200;i++){
            Lead L= new lead();
            L.LastName = 'name' + i;
            L.Company = 'Company';
            L.Status = 'Random Status';
            L_list.add(L);
        }
        insert L_list;
        LeadProcessor lp = new LeadProcessor();
        Id batchId = Database.executeBatch(lp);
        Test.stopTest();
    }
}

```

## **Control Processes with QueueableApex**

Queueable Apex allows you to submit jobs for asynchronous processing similar to future methods.

Create a Queueable Apex class that inserts the same Contact for each Account for a specific state.

a. Create an Apex class:

i. Name: AddPrimaryContact ii. Interface: Queueable

iii. Create a constructor for the class that accepts as its first argument a Contact sObject and a second argument as a string for the State abbreviation iv. The execute method must query for a maximum of 200 Accounts with the BillingState specified by the State abbreviation passed into the constructor and insert the Contact sObject record associated to each Account. Look at the sObject clone() method.

b. Create an Apex test class:

i. Name: AddPrimaryContactTest

ii. In the test class, insert 50 Account records for BillingState NY and 50 Account

records for BillingState CA iii. Create an instance of the AddPrimaryContact class, enqueue the job, and

assert that a Contact record was inserted for each of the 50 Accounts with the

BillingState of CA iv. The unit tests must cover all lines of code

included in the AddPrimaryContact class, resulting in 100% code coverage

c. Before verifying this challenge, run your test class at least once using the Developer Console Run All feature.

**Code for AddPrimaryContact:**

```
public class AddPrimaryContact implements Queueable{
    private Contact con;
    private String state;
    public AddPrimaryContact(Contact con, String state){
        this.con=con;
        this.state=state;
    }
    public void execute(QueueableContext context){
```

```

List<Account> accounts = [Select Id, Name, (Select FirstName, LastName, Id from contacts)
from Account Where BillingState = :state Limit 200];
List<Contact> primaryContacts = new List<Contact>();
for(Account acc:accounts){
    Contact c = con.clone();
    c.AccountId = acc.Id;
    primaryContacts.add(c);
}
if(primaryContacts.size() > 0){
    insert primaryContacts;
}
}
}

```

#### **Code for AddPrimaryContactTest :**

```

@Test
public class AddPrimaryContactTest {
    static testmethod void testQueueable(){
        List<Account> testAccounts = new List<Account>();
        testAccounts.add(new Account(Name='Account '+i,BillingState='CA'));
    }
    for(Integer j=0;j<50;j++){
        testAccounts.add(new Account(Name='Account '+j,BillingState='NY'));
    }
    insert testAccounts;
    Contact testContact = new Contact(FirstName = 'Jhon', Lastname ='Doe');    insert
testContact;
    AddPrimaryContact addit = new addPrimaryContact(testContact, 'CA');
    Test.startTest();
    system.enqueueJob(addit);
    Test.stopTest();
    System.assertEquals(50, [Select count() from Contact Where accountId in
(SelectID from Account Where BillingState='CA')]);
}
}

```

## 5.Schedule Jobs Usingthe Apex Scheduler

The Apex Scheduler lets you delay execution so that you can run Apex classes at a specified time. This is ideal for daily or weekly maintenance tasks using Batch Apex. To take advantage of the scheduler, write an Apex class that implements the Schedulable interface, and then schedule it for execution on a specific schedule.

Create an Apex class that implements the Schedulable interface to update Lead records with a specificLeadSource. (This is very similar to what you did for Batch Apex.)

a. Create an Apex class:

- i. Name: `DailyLeadProcessor`
- ii. Interface: `Schedulable`
- iii. The `execute` method must find the first 200 Lead records with a

blankLeadSource field and update them with the LeadSource value of Dreamforce

b. Create an Apex test class:

- i. Name: `DailyLeadProcessorTest`
- ii. In the test class, insert 200 Lead records, schedule the `DailyLeadProcessor`

class to run and test that all Lead records were updated correctly iii. The unit tests must cover all lines of code included in the `DailyLeadProcessor` class, resulting in 100% code coverage.

c. Before verifying this challenge, run your test class at least once using the Developer Console Run All feature

**Code for DailyLeadProcessor:**

```

global class DailyLeadProcessor implements Schedulable{
    global void execute(SchedulableContext sc){
        List<Lead> IstOfLead = [Select ID From Lead Where LeadSource = NULL Limit200];
        List<Lead> IstOfUpdatedLead = new List<Lead>();
        if(!IstOfLead.isEmpty()){
            for(Lead Id : IstOfLead){
                Id.LeadSource = 'Dreamforce';
                IstOfUpdatedLead.add(Id);
            }
            update IstOfUpdatedLead;
        }
    }
}

```

#### **Code for DailyLeadProcessorTest :**

```

@isTest
private class DailyLeadProcessorTest {
    @testSetup
    static void setup(){
        List<Lead> IstOfLead = new List<Lead>();
        for(Integer i = 1; i<=200; i++){
            Lead Id= new Lead(Company = 'Comp' + i,LastName = 'LN' + i, Status = 'Working -
Contacted');
            listOfLead.add(Id);
        }
        Insert listOfLead;
    }
    static testmethod void testDailyLeadProcessorScheduledJob(){
        String sch = '0 5 12 * * ?';
        Test.startTest();
        String jobId = System.Schedule('ScheduledApexText', sch, newDailyLeadProcessor());
        List<Lead> IstOfLead = [Select Id From Lead Where LeadSource = NULL Limit200];
        system.assertEquals(200,IstOfLead.size());
        Test.stopTest();
    }
}

```

```
}  
}
```

## Deploy Lightning Web Component Files

### Code:

### Html:

```
<template>  
  <div>  
    <div>Name: {name}</div>  
    <div>Description: {description}</div>  
    <lightning-badge label={material}></lightning-badge>  
    <lightning-badge label={category}></lightning-badge>  
    <div>Price: {price}</div>  
    <div><img src={pictureUrl}/></div>  
  </div>  
</template>
```

### Javascript:

```
import { LightningElement } from 'lwc';  
export default class BikeCard extends LightningElement {  
  name = 'Electra X4';  
  description = 'A sweet bike built for comfort.';  
  category = 'Mountain';  
  material = 'Steel';  price  
= '$2,700';  
  pictureUrl = 'https://s3-us-west-1.amazonaws.com/sfdc-demo/ebikes/electrax4.jpg';  
}
```

### XML:



```

<?xml version="1.0" encoding="UTF-8"?>
<LightningComponentBundle xmlns="http://soap.sforce.com/2006/04/metadata">
  <!-- The apiVersion may need to be increased for the current release -->
  <apiVersion>52.0</apiVersion>
  <isExposed>true</isExposed>
  <masterLabel>Product Card</masterLabel>
  <targets>
    <target>lightning__AppPage</target>
    <target>lightning__RecordPage</target>
    <target>lightning__HomePage</target>
  </targets>
</LightningComponentBundle>

```

## **Lightning Web Components Basics**

Lightning Web Components is focused on both the developer and user experience. Because we've opened the door to existing technologies, you use the skill you've developed outside of Salesforce to build Lightning web components. All of this is available to you without giving up what you've already accomplished with Aura components.

Create a Lightning app page that uses the wire service to display the current user's name.

### **Pework:**

You need files created in the previous unit to complete this challenge. If you haven't already completed the activities in the previous unit, do that now.

- a. Create a Lightning app page:
  - i. Label: Your Bike Selection ii. Developer Name: Your\_Bike\_Selection
- b. Add the current user's name to the app container:

- i. Edit selector.js
- ii. Edit selector.html

## Data:

### data.js-meta.xml:

```
<?xml version="1.0" encoding="UTF-8"?>
<LightningComponentBundle xmlns="http://soap.sforce.com/2006/04/metadata">
  <apiVersion>48.0</apiVersion>
  <isExposed>>false</isExposed>
</LightningComponentBundle>
```

## Details:

### detail.css:

```
tbody{
  margin: 0;
}
```

### detail.html:

```
<template>
  <template if:true={product}>
    <div class="container">
      <div>{product.fields.Name.value}</div>
      <div class="price">{product.fields.MSRP__c.displayValue}</div>
      <div class="description">{product.fields.Description__c.value}</div>
      <img class="product-img" src={product.fields.Picture_URL__c.value}></img>
      <p>
        <lightning-badge label={product.fields.Material__c.value}></lightning-badge>
```

```

<lightning-badge label={product.fields.Level__c.value}></lightning-badge>
    </p>
<p>
    <lightning-badge label={product.fields.Category__c.value}></lightning-badge>
    </p>
</div>
</template>
<template if:false={product}>
    <div>Select a bike</div>
</template>
</template>

```

### **detail.js:**

```

import { LightningElement, api } from 'lwc'; import {
bikes } from 'c/data';

export default class Detail extends LightningElement {

    // Ensure changes are reactive when product is updated
    product;

    // Private var to track @api productId
    _productId = undefined;

    // Use set and get to process the value every time it's
    // requested while switching between products
    set productId(value) {
        this._productId = value;
        this.product = bikes.find(bike => bike.fields.Id.value === value);
    }

    // getter for productId
    @api get productId(){
        return this._productId;
    }
}

```

```
}  
}
```

### **detail.js-meta.xml:**

```
<?xml version="1.0" encoding="UTF-8"?>  
<LightningComponentBundle xmlns="http://soap.sforce.com/2006/04/metadata">  
  <apiVersion>48.0</apiVersion>  
  <isExposed>>false</isExposed>  
</LightningComponentBundle>
```

### **List:**

#### **list.css:**

```
.container {  
  display: flex;  
  flex-direction: row;  
  flex-wrap: wrap;  
}
```

#### **list.html:**

```
<template>  
  <div class="container">  
    <template for:each={bikes} for:item="bike">  
      <c-tile  
        key={bike.fields.Id.value}  
        product={bike}  
        ontileclick={handleTileClick}>  
      </c-tile>  
    </template>  
  </div>
```

</template>

### **list.js:**

```
import { LightningElement } from 'lwc'; import {
  bikes } from 'c/data';

export default class List extends LightningElement {
  bikes = bikes;

  handleClick(evt) {
    // This component wants to emit a productselected event to its parent
    const event = new CustomEvent('productselected', {
      detail: evt.detail
    });
    // Fire the event from c-list
    this.dispatchEvent(event);
  }
}
```

### **list.js-meta.xml:**

```
<?xml version="1.0" encoding="UTF-8"?>
<LightningComponentBundle xmlns="http://soap.sforce.com/2006/04/metadata">
  <apiVersion>48.0</apiVersion>
  <isExposed>false</isExposed>
</LightningComponentBundle>
```

### **Selector:**

#### **selector.css:**

```
body {
```

```
margin: 0;
}
.wrapper{
  min-height: 100vh;
  background: #ccc;
  display: flex;
  flex-direction: column;
}
.header, .footer{
  height: 50px;
  background: rgb(255, 255, 255);
  color: rgb(46, 46, 46);
  font-size: x-large;
  padding: 10px;
}
.content {
  display: flex;
  flex: 1;
  background: #999;
  color: #000;
}
.columns{
  display: flex;
  flex:1;
}
.main{
  flex: 1;
  order: 2;
  background: #eee;
}
.sidebar-first{
  width: 20%;
  background: #ccc;
  order: 1;
}
```

```
.sidebar-second{
  width: 30%;
  order: 3;
  background: #ddd;
}
```

### **selector.html:**

```
<template>
  <div class="wrapper">
    <header class="header">Available Bikes for {name}</header>
    <section class="content">
      <div class="columns">
        <main class="main" >
          <b>Available Bicycles by Lalitha</b>
          <c-list onproductselected={handleProductSelected}></c-list>
        </main>
        <aside class="sidebar-second">
          <c-detail product-id={selectedProductId}></c-detail>
        </aside>
      </div>
    </section>
  </div>
</template>
```

### **selector.js:**

```
import { LightningElement } from 'lwc';

export default class Selector extends LightningElement {
  selectedProductId;

  handleProductSelected(evt) {
    this.selectedProductId = evt.detail;
  }
}
```

```
}
```

### **selector.js-meta.xml:**

```
<?xml version="1.0" encoding="UTF-8"?>
<LightningComponentBundle xmlns="http://soap.sforce.com/2006/04/metadata">
  <apiVersion>48.0</apiVersion>
  <isExposed>true</isExposed>
  <targets>
    <target>lightning__AppPage</target>
    <target>lightning__RecordPage</target>
    <target>lightning__HomePage</target>
  </targets>
</LightningComponentBundle>
```

### **Tile:**

#### **tile.css:**

```
.container {
  border: 1px rgb(168, 166, 166) solid;
  border-radius: 5px;
  background-color: white;
  margin: 5px;
  padding: 2px;
  max-width: 110px;
  display: flex;
}

.title {
  font-weight: strong;
}

.product-img {
  max-width: 100px;
```



```
}
```

```
a {  
  text-decoration: none;  
}
```

```
a:link {  
  color: rgb(159, 159, 159);  
} a:visited  
{  
  color: green;  
}  
a:hover {  
  color: hotpink;  
}  
a:active {  
  color: blue;  
}
```

### **tile.html:**

```
<template>  
  <div class="container">  
    <a onclick={tileClick}>  
      <div class="title">{product.fields.Name.value}</div>      <img class="product-img"  
src={product.fields.Picture_URL__c.value}></img>  
      </a>  
    </div>  
</template>
```

### **tile.js:**

```
import { LightningElement, api } from 'lwc';  
  
export default class Tile extends LightningElement {
```

```

@api product;

tileClick() {
    const event = new CustomEvent('tileclick', {
        // detail contains only primitives
        detail: this.product.fields.Id.value
    });
    // Fire the event from c-tile
    this.dispatchEvent(event);
}
}

```

### **tile.js-meta.xml:**

```

<?xml version="1.0" encoding="UTF-8"?>
<LightningComponentBundle xmlns="http://soap.sforce.com/2006/04/metadata">
    <apiVersion>48.0</apiVersion>
    <isExposed>>false</isExposed> </LightningComponentBundle>

```

## **Apex Integration Services**

### **Apex REST Callouts**

REST callouts are based on HTTP. To understand how callouts work, it's helpful to understand a few things about HTTP. Each callout request is associated with an HTTP method and an endpoint. The HTTP method indicates what type of action is desired.

Create an Apex class that calls a REST endpoint to return the name of an animal, write unit tests that achieve 100% code coverage for the class using a mock response, and run your Apex tests.

#### **Prework:**

Be sure the Remote Sites from the first unit are set up.

a. Create an Apex class:

- i. Name: `AnimalLocator` ii. Method name: `getAnimalNameById`
- i. The method must accept an Integer and return a String.
- ii. The method must call `https://th-apexhttpcallout.herokuapp.com/animals/<id>`,

replacing `<id>` with the ID passed into the method.

- iii. The method returns the value of the name property (i.e., the animal name)

b. Create a test class:

- i. Name: `AnimalLocatorTest`
- ii. The test class uses a mock class called `AnimalLocatorMock` to mock the

callout response

c. Create unit tests:

- i. Unit tests must cover all lines of code included in the `AnimalLocator`

class, resulting in 100% code coverage

d. Run your test class at least once (via Run All tests the Developer Console) before attempting to verify this challenge.

#### **Code for `AnimalLocator`:**

```
public class AnimalLocator{
    public static String getAnimalNameById(Integer x){
        Http http = new Http();
        HttpRequest req = new HttpRequest();    req.setEndpoint('https://th-apex-http-
callout.herokuapp.com/animals/' + x);
        req.setMethod('GET');
```

```

    Map<String, Object> animal= new Map<String, Object>();
    HttpResponse res = http.send(req);
    if (res.getStatusCode() == 200) {
        Map<String, Object> results=(Map<String, Object>)JSON.deserializeUntyped(res.getBody());
        animal = (Map<String, Object>) results.get('animal');
    }
    return (String)animal.get('name');
}
}

```

#### **Code for AnimalLocatorMock:**

```

@Test
global class AnimalLocatorMock implements HttpCalloutMock {
    // Implement this interface method
    global HTTPResponse respond(HTTPRequest request) {
        // Create a fake response
        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');
        response.setBody("{\"animals\": [\"majestic badger\", \"fluffy bunny\", \"scary bear\", \"chicken\", \"mighty moose\"]}");
        response.getStatusCode(200);
        return response;
    }
}

```

#### **Code for AnimalLocatorTest:**

```

@Test
private class AnimalLocatorTest{
    @Test static void AnimalLocatorMock1() {
        Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());
        string result= AnimalLocator.getAnimalNameById(3);
        String expectedResult = 'chicken';
        System.assertEquals(result,expectedResult );
    }
}

```

}

## **Apex SOAP Callouts**

In addition to REST callouts, Apex can also make callouts to SOAP web services using XML. Working with SOAP can be a painful (but necessary) experience. Fortunately, we have tools to make the process easier.

Generate an Apex class using WSDL2Apex for a SOAP web service, write unit tests that achieve 100% code coverage for the class using a mock response, and run your Apex tests.

### **Prework:**

Be sure the Remote Sites from the first unit are set up

a. Generate a class using this using this WSDL file:

i. **Name:** `ParkService` (Tip: After you click the Parse WSDL button, change the Apex class name from `parkServices` to `ParkService`) ii. Class must be in public scope

b. Create a class:

i. **Name:** `ParkLocator`

ii. Class must have a `country` method that uses the `ParkService` class iii. Method must return an array of available park names for a particular country passed to the web service (such as Germany, India, Japan, and United States)

c. Create a test class:

i. **Name:** `ParkLocatorTest`

- ii. Test class uses a mock class called `ParkServiceMock` to mock thecallout

response

- d. Create unit tests:

- i. Unit tests must cover all lines of code included in the `ParkLocator` class,resulting in 100% code coverage.

- e. Run your test class at least once (via Run All tests the Developer Console)beforeattempting to verify this challenge.

**Code for `ParkServiceMock`:**

```
@isTest
global class ParkServiceMock implements WebServiceMock {
    global void doInvoke(
        Object stub,
        Object request,
        Map<String, Object> response,
        String endpoint,
        String soapAction,
        String requestName,
        String responseNS,
        String responseName,
        String responseType) {
        ParkService.byCountryResponse response_x =
newParkService.byCountryResponse();
        List<String> lstOfDummyParks = new List<String> {'Park1','Park2','Park3'};
        response_x.return_x = lstOfDummyParks;
        response.put('response_x', response_x);
    }
}
```

### **Code for ParkLocator:**

```
public class ParkLocator {  
    public static String[] country(String country){  
        ParkService.ParksImplPort parks = new ParkService.ParksImplPort();  
        String[] parksname = parks.byCountry(country);  
        return parksname;  
    }  
}
```

### **Code for ParkLocatorTest:**

```
@isTest  
private class ParkLocatorTest{  
    @isTest  
    static void testParkLocator() {  
        Test.setMock(WebServiceMock.class, new  
ParkServiceMock());  
        String[] arrayOfParks = ParkLocator.country('India');  
        System.assertEquals('Park1', arrayOfParks[0]);  
    }  
}
```

## **ApexWeb Services**

You can expose your Apex class methods as a REST or SOAP web service operation. By making your methods callable through the web, your external applications can integrate with Salesforce to perform all sorts of nifty operations.

Create an Apex REST class that is accessible at /Accounts//contacts. The service will return the account's ID and name plus the ID and name of all contacts associated with the account. Write unit tests that achieve 100% code coverage for the class and run your Apex tests.

### **Prework:**

Be sure the Remote Sites from the first unit are set up.

aa.Create an Apex class

- a. Name:AccountManager
- b. Class must have a method calledgetAccount iii. Method must be annotated with @HttpGetand return an Account object iv. Method must return the ID and Name forthe requested

recordand allassociated contacts with their ID and Name

ab.Create unit tests

- i. Unittests must be in a separate Apex class called AccountManagerTest ii. Unit tests must cover all lines of code included in the AccountManager class,

resulting in 100% code coverage

ac.Run your test class at least once (via Run All tests the Developer Console)before attempting to verify this challenge.

### **Code for AccountManager:**

```
@RestResource(urlMapping =
'/Accounts/*/contacts')global with sharing class
AccountManager {
    @HttpGet
    global static Account getAccount(){
        RestRequest request = RestContext.request;
        string accountId = request.requestURI.substringBetween('Accounts/', '/contacts');
        Account result = [SELECT Id, Name, (Select Id, Name from Contacts) fromAccount where
Id=:accountId Limit 1];
        return result;
    }
}
```

### **Code for AccountManagerTest:**

```
@IsTest
private class AccountManagerTest {
    @isTest static void testGetContactsByAccountId(){
        Id recordId= createTestRecord();
```



```

    RestRequest request = new RestRequest();
    request.requestUri =
'https://yourInstance.my.salesforce.com/services/apexrest/Accounts/'
        + recordId+'/contacts';
    request.httpMethod = 'GET';
    RestContext.request = request;
    Account thisAccount = AccountManager.getAccount();
    System.assert(thisAccount != null);
    System.assertEquals('Test record',thisAccount.Name);
}
static Id createTestRecord(){
    Account accountTest = new Account(
        Name ='Testrecord');
    insert accountTest;
    Contact contactTest = new Contact(
        FirstName='John',
        LastName = 'Doe',
        AccountId = accountTest.Id
    );
    insert contactTest;
    return accountTest.Id;
}
}

```

## **ApexSpecialist SuperBadge**

### **Automate record creation:**

#### **code for MaintenanceRequest:**

trigger MaintenanceRequest on Case (before update,after update)

```

{if(Trigger.isUpdate && Trigger.isAfter){
MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
}
}

```

**code for MaintenanceRequestHelper:**

```

public with sharing class MaintenanceRequestHelper {
    public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();

        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);
                }
            }
        }

        if (!validIds.isEmpty()){
            List<Case> newCases = new List<Case>();
            Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT
Id,Equipment__c,Quantity__c FROM Equipment_Maintenance_Items__r)
FROM Case WHERE Id IN :validIds]);
            Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
            AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM
Equipment_Maintenance_Item__c WHERE Maintenance_Request__c IN :ValidIds GROUP BY
Maintenance_Request__c];

            for (AggregateResult ar : results){

```

```

        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
    }

    for(Case cc : closedCasesM.values()){
        Case nc = new Case (
            ParentId = cc.Id,
            Status = 'New',
            Subject = 'Routine Maintenance',
            Type = 'Routine Maintenance',
            Vehicle__c = cc.Vehicle__c,
            Equipment__c = cc.Equipment__c,
            Origin = 'Web',
            Date_Reported__c = Date.Today()

        );

        If (maintenanceCycles.containsKey(cc.Id)){
            nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.Id));
        } else {
            nc.Date_Due__c = Date.today().addDays((Integer)
cc.Equipment__r.maintenance_Cycle__c);
        }

        newCases.add(nc);
    }

    insert newCases;

    List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
    for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
            Equipment_Maintenance_Item__c wpClone = wp.clone();
            wpClone.Maintenance_Request__c = nc.Id;

```

```

        ClonedWPs.add(wpClone);

    }
}
insert ClonedWPs;
}
}
}

```

## **Synchronize Salesforce data with an external system:**

### **code for WarehouseCalloutService:**

```

public with sharing class WarehouseCalloutService implements Queueable {    private
static final String WAREHOUSE_URL = 'https://th-
superbadgeapex.herokuapp.com/equipment';

```

//class that makes a REST callout to an external warehouse system to get a list of equipment that needs to be updated.

//The callout's JSON response returns the equipment records that you upsert in Salesforce.

```

@future(callout=true)
public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();

    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);

    List<Product2> warehouseEq = new List<Product2>();

    if (response.getStatusCode() == 200){
        List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
        System.debug(response.getBody());
    }
}

```

```
//class maps the following fields: replacement part (always true), cost, current inventory,
lifespan, maintenance cycle, and warehouse SKU
```

```
//warehouse SKU will be external ID for identifying which equipment records to update
within Salesforce
```

```
for (Object eq : jsonResponse){
    Map<String,Object> mapJson = (Map<String,Object>)eq;
    Product2 myEq = new Product2();
    myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
    myEq.Name = (String) mapJson.get('name');
    myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
    myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
    myEq.Cost__c = (Integer) mapJson.get('cost');
    myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
    myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
    myEq.ProductCode = (String) mapJson.get('_id');
    warehouseEq.add(myEq);
}

if (warehouseEq.size() > 0){
    upsert warehouseEq;
    System.debug('Your equipment was synced with the warehouse one');
}
}
}

public static void execute (QueueableContext context){
    runWarehouseEquipmentSync();
}
}
```

## **Schedule synchronization using Apex code:**

**code for WarehouseSyncSchedule:**

```

global with sharing class WarehouseSyncSchedule implements Schedulable{
    global void execute(SchedulableContext ctx){
        System.enqueueJob(new WarehouseCalloutService());
    }
}

```

## **Test automation logic:**

### **code for MaintenanceRequestHelperTest:**

```

@istest
public with sharing class MaintenanceRequestHelperTest {

    private static final string STATUS_NEW = 'New';
    private static final string WORKING = 'Working';
    private static final string CLOSED = 'Closed';
    private static final string REPAIR = 'Repair';
    private static final string REQUEST_ORIGIN = 'Web';
    private static final string REQUEST_TYPE = 'Routine Maintenance';
    private static final string REQUEST_SUBJECT = 'Testing subject';

    PRIVATE STATIC Vehicle__c createVehicle(){
        Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
        return Vehicle;
    }

    PRIVATE STATIC Product2 createEq(){
        product2 equipment = new product2(name = 'SuperEquipment',
            lifespan_months__C = 10,
            maintenance_cycle__C = 10,
            replacement_part__c = true);
        return equipment;
    }
}

```

```

PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
        Status=STATUS_NEW,
        Origin=REQUEST_ORIGIN,
        Subject=REQUEST_SUBJECT,
        Equipment__c=equipmentId,
        Vehicle__c=vehicleId);
    return cs;
}

```

```

PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id
requestId){
    Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
        Maintenance_Request__c = requestId);
    return wp;
}

```

```

@istest
private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    Product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;

    case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
    insert somethingToUpdate;

    Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
    insert workP;
}

```

```
test.startTest();
somethingToUpdate.status = CLOSED;
update somethingToUpdate;
test.stopTest();
```

```
Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c,
Vehicle__c, Date_Due__c
               from case
               where status =:STATUS_NEW];
```

```
Equipment_Maintenance_Item__c workPart = [select id
                                           from Equipment_Maintenance_Item__c
                                           where Maintenance_Request__c =:newReq.Id];
```

```
system.assert(workPart != null);
system.assert(newReq.Subject != null);
system.assertEquals(newReq.Type, REQUEST_TYPE);
SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
}
```

@istest

```
private static void testMaintenanceRequestNegative(){
```

```
    Vehicle__C vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;
```

```
    product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;
```

```
    case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
    insert emptyReq;
```



```
Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);  
insert workP;
```

```
test.startTest();  
emptyReq.Status = WORKING;  
update emptyReq;  
test.stopTest();
```

```
list<case> allRequest = [select id  
                        from case];  
Equipment_Maintenance_Item__c workPart = [select id  
                                           from Equipment_Maintenance_Item__c  
                                           where Maintenance_Request__c = :emptyReq.Id];
```

```
system.assert(workPart != null);  
system.assert(allRequest.size() == 1);  
}
```

```
@istest  
private static void testMaintenanceRequestBulk(){  
    list<Vehicle__C> vehicleList = new list<Vehicle__C>();  
    list<Product2> equipmentList = new list<Product2>();  
list<Equipment_Maintenance_Item__c> workPartList = new  
list<Equipment_Maintenance_Item__c>();    list<case> requestList  
= new list<case>();  
    list<id> oldRequestIds = new list<id>();  
  
    for(integer i = 0; i < 300; i++){  
        vehicleList.add(createVehicle());  
        equipmentList.add(createEq());  
    }  
    insert vehicleList;  
    insert equipmentList;  
  
    for(integer i = 0; i < 300; i++){  
        requestList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
```

```

    }
    insert requestList;

    for(integer i = 0; i < 300; i++){
        workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
    }
    insert workPartList;

    test.startTest();
    for(case req : requestList){
        req.Status = CLOSED;
        oldRequestIds.add(req.Id);
    }
    update requestList;
    test.stopTest();

    list<case> allRequests = [select id
                            from case
                            where status =: STATUS_NEW];

    list<Equipment_Maintenance_Item__c> workParts = [select id
                                                    from Equipment_Maintenance_Item__c
                                                    where Maintenance_Request__c in: oldRequestIds];

    system.assert(allRequests.size() == 300);
}
}

```

**Code for MaintenanceRequestHelper:**

```

public with sharing class MaintenanceRequestHelper {
    public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
    }
}

```

```

For (Case c : updWorkOrders){
    if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
        if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
            validIds.add(c.Id);
        }
    }
}

if (!validIds.isEmpty()){
    List<Case> newCases = new List<Case>();
    Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT
Id,Equipment__c,Quantity__c FROM Equipment_Maintenance_Items__r)
FROM Case WHERE Id IN :validIds]);
    Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
    AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM
Equipment_Maintenance_Item__c WHERE Maintenance_Request__c IN :ValidIds GROUP BY
Maintenance_Request__c];

    for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
    }

    for(Case cc : closedCasesM.values()){
        Case nc = new Case (
            ParentId = cc.Id,
            Status = 'New',
            Subject = 'Routine Maintenance',
            Type = 'Routine Maintenance',
            Vehicle__c = cc.Vehicle__c,
            Equipment__c =cc.Equipment__c,
            Origin = 'Web',
            Date_Reported__c = Date.Today()

```

```

    );

    If (maintenanceCycles.containsKey(cc.Id)){
        nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.Id));
    }

    newCases.add(nc);
}

insert newCases;

List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
for (Case nc : newCases){
    for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
        Equipment_Maintenance_Item__c wpClone = wp.clone();
        wpClone.Maintenance_Request__c = nc.Id;
        ClonedWPs.add(wpClone);

    }
}
insert ClonedWPs;
}
}
}

```

#### **Code for MaintenanceRequest:**

```

trigger MaintenanceRequest on Case (before update, after update) {
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}

```

## Test callout logic:

### Code for WarehouseCalloutService:

```
public with sharing class WarehouseCalloutService {

    private static final String WAREHOUSE_URL = 'https://th-
superbadgeapex.herokuapp.com/equipment';

    //@future(callout=true)
    public static void runWarehouseEquipmentSync(){

        Http http = new Http();
        HttpRequest request = new HttpRequest();

        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);

        List<Product2> warehouseEq = new List<Product2>();

        if (response.getStatusCode() == 200){
            List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
            System.debug(response.getBody());

            for (Object eq : jsonResponse){
                Map<String, Object> mapJson = (Map<String, Object>)eq;
                Product2 myEq = new Product2();
                myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
                myEq.Name = (String) mapJson.get('name');
                myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
                myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
                myEq.Cost__c = (Decimal) mapJson.get('lifespan');
```

```

        myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
        myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
        warehouseEq.add(myEq);
    }

    if (warehouseEq.size() > 0){
        upsert warehouseEq;
        System.debug('Your equipment was synced with the warehouse one');
        System.debug(warehouseEq);
    }
}
}
}
}

```

#### **Code for WarehouseCalloutServiceTest:**

@isTest

```

private class WarehouseCalloutServiceTest {
    @isTest
    static void testWareHouseCallout(){
        Test.startTest();
        // implement mock callout test here
        Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
        WarehouseCalloutService.runWarehouseEquipmentSync();
        Test.stopTest();
        System.assertEquals(1, [SELECT count() FROM Product2]);
    }
}

```

#### **Code for WarehouseCalloutServiceMock:**

@isTest

```

global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    // implement http mock callout
    global static HttpResponse respond(HttpRequest request){

```

```

        System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
        System.assertEquals('GET', request.getMethod());

        // Create a fake response
        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');

        response.setBody('[{ "_id": "55d66226726b611100aaf741", "replacement": false, "quantity": 5
, "name": "Generator 1000
kW", "maintenanceperiod": 365, "lifespan": 120, "cost": 5000, "sku": "100003" }]');
        response.setStatusCode(200);
        return response;
    }
}

```

## **Test scheduling logic:**

### **Code for WarehouseSyncSchedule:**

```

global class WarehouseSyncSchedule implements Schedulable {
    global void execute(SchedulableContext ctx) {

        WarehouseCalloutService.runWarehouseEquipmentSync();
    }
}

```

### **Code for WarehouseSyncScheduleTest:**

```

@isTest
public class WarehouseSyncScheduleTest {

    @isTest static void WarehousescheduleTest(){
        String scheduleTime = '00 00 01 * * ?';
        Test.startTest();
        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());    String
jobID=System.schedule('Warehouse Time To Schedule to Test',

```

```
scheduleTime, new WarehouseSyncSchedule());
    Test.stopTest();
    //Contains schedule information for a scheduled job. CronTrigger is similar to a cron job on
    UNIX systems.
    // This object is available in API version 17.0 and later.
    CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
    System.assertEquals(jobID, a.Id,'Schedule ');

}
}
```