APEX TRIGGERS

AccountAddressTrigger

public class VerifyDate {

```
trigger AccountAddressTrigger on Account (before insert,before update) {
  for(Account account:Trigger.New){
    if(account.Match_Billing_Address__c==True){
      account.ShippingPostalCode = account.BillingPostalCode;
    }
}
ClosedOpportunityTrigger
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {
  List<task> tasklist = new List<Task>();
  for(Opportunity opp: Trigger.New){
    if(opp.StageName == 'Closed Won'){
      tasklist.add(new Task(Subject = 'Follow Up Test Task', WhatId = opp.Id));
    }
  }
  if(tasklist.size()>0){
    insert tasklist;
  }
APEX TESTING
VerifyDate
```

```
//method to handle potential checks against two dates
      public static Date CheckDates(Date date1, Date date2) {
             //if date2 is within the next 30 days of date1, use date2. Otherwise use
the end of the month
             if(DateWithin30Days(date1,date2)) {
                    return date2;
             } else {
                    return SetEndOfMonthDate(date1);
             }
      }
      //method to check if date2 is within the next 30 days of date1
      @TestVisible private static Boolean DateWithin30Days(Date date1, Date date2) {
             //check for date2 being in the past
      if( date2 < date1) { return false; }</pre>
      //check that date2 is within (>=) 30 days of date1
      Date date30Days = date1.addDays(30); //create a date 30 days away from date1
             if( date2 >= date30Days ) { return false; }
             else { return true; }
      }
      //method to return the end of the month of a given date
      @TestVisible private static Date SetEndOfMonthDate(Date date1) {
             Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
             Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);
             return lastDay;
      }
}
TestVerifyDate
@isTest
private class TestVerifyDate {
  @isTest static void Test_CheckDates_case1(){
```

```
Date D = VerifyDate.CheckDates(date.parse('01/01/2020'),
date.parse('01/05/2020'));
    System.assertEquals(date.parse('01/05/2020'), D);
  }
  @isTest static void Test_CheckDates_case2(){
    Date D = VerifyDate.CheckDates(date.parse('01/01/2020'),
date.parse('05/05/2020'));
    System.assertEquals(date.parse('01/31/2020'), D);
 }
  @isTest static void Test_DateWithin30Days_case1(){
    Boolean flag =
VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('12/30/2019'));
    System.assertEquals(false, flag);
  }
  @isTest static void Test_DateWithin30Days_case2(){
    Boolean flag =
VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('02/02/2020'));
    System.assertEquals(false, flag);
  }
  @isTest static void Test_DateWithin30Days_case3(){
    Boolean flag =
VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('01/15/2020'));
    System.assertEquals(true, flag);
 }
  @isTest static void Test_SetEndOfMonthDate(){
    Date returndate = VerifyDate.SetEndOfMonthDate(date.parse('01/01/2020'));
  }
}
RestrictContactByName
trigger RestrictContactByName on Contact (before insert, before update) {
```

```
//check contacts prior to insert or update for invalid data
      For (Contact c : Trigger.New) {
             if(c.LastName == 'INVALIDNAME') {      //invalidname is invalid
                    c.AddError('The Last Name "'+c.LastName+" is not allowed for
DML');
             }
      }
}
TestRestrictContactByName
@isTest
public class TestRestrictContactByName {
  @isTest
  public static void testContact(){
    Contact ct = new Contact();
    ct.LastName = 'INVALIDNAME';
    Database.SaveResult res = Database.insert(ct,false);
   System.assertEquals('The Last Name "INVALIDNAME" is not allowed for
DML',res.getErrors()[0].getMessage());
  }
RandomContactFactory
public class RandomContactFactory {
  public static List<Contact> generateRandomContacts(Integer nument, string
lastname){
    List<Contact> contacts = new List<Contact>();
    for(Integer i=0;i<numcnt;i++){</pre>
      Contact cnt = new Contact(FirstName = 'Test '+i, LastName = lastname);
      contacts.add(cnt);
```

```
return contacts;
  }
}
Asynchronous Apex
AccountProcessor
public class AccountProcessor {
  @future
  public static void countContacts(List<Id> accountIds){
    List<Account> accountsToUpdate = new List<Account>();
    List<Account> accounts = [Select Id, Name, (Select Id from Contacts) from Account Where Id in
:accountIds]:
    for(Account acc:accounts){
      List<Contact> contactList = acc.Contacts;
      acc.Number_of_Contacts__c = contactList.size();
      accountsToUpdate.add(acc);
    update accountsToUpdate;
  }
AccountProcessorTest
@IsTest
private class AccountProcessorTest {
  @IsTest
  private static void testCountContacts(){
    Account newAccount = new Account(Name='Test Account');
    insert newAccount:
    Contact newContact1 = new Contact(FirstName='John',LastName='Doe',AccountId =
newAccount.Id);
    insert newContact1;
    Contact newContact2 = new Contact(FirstName='Jane',LastName='Doe',AccountId =
```

newAccount.ld);

```
insert newContact2;
    List<ld> accountlds = new List<ld>();
    accountIds.add(newAccount.Id);
    Test.startTest();
    AccountProcessor.countContacts(accountIds);
    Test.stopTest();
  }
LeadProcessor
global class LeadProcessor implements Database.Batchable<sObject> {
  global Integer count = 0;
  global Database.QueryLocator start(Database.BatchableContext bc){
    return Database.getQueryLocator('SELECT ID, LeadSource FROM Lead');
  global void execute (Database.BatchableContext bc, List<Lead> L_list){
    List<lead> L_list_new = new List<lead>();
    for(lead L:L_list){
      L.leadsource = 'Dreamforce';
      L_list_new.add(L);
      count += 1;
    }
    update L_list_new;
  global void finish(Database.BatchableContext bc){
    system.debug('count = '+ count);
  }
}
@isTest
public class LeadProcessorTest {
  @isTest
  public static void testit(){
    List<lead> L_list = new List<lead>();
```

```
for(Integer i=0; i<200; i++){
     Lead L = new lead();
     L.LastName = 'name' + i;
     L.Company = 'Company';
     L.Status = 'Random Status';
     L_list.add(L);
   insert L_list;
   Test.startTest();
   LeadProcessor();
   Id batchId = Database.executeBatch(lp);
   Test.stopTest();
 }
}
public class AddPrimaryContact implements Queueable
{
  private Contact c;
  private String state;
  public AddPrimaryContact(Contact c, String state)
    this.c = c;
    this.state = state;
  }
  public void execute(QueueableContext context)
     List<Account> ListAccount = [SELECT ID, Name ,(Select id,FirstName,LastName
from contacts ) FROM ACCOUNT WHERE BillingState = :state LIMIT 200];
     List<Contact> lstContact = new List<Contact>();
     for (Account acc:ListAccount)
     {
         Contact cont = c.clone(false,false,false,false);
         cont.AccountId = acc.id;
         lstContact.add( cont );
     }
```

```
if(lstContact.size() >0 )
       insert IstContact;
AddPrimaryContactTest
@isTest
public class AddPrimaryContactTest
  @isTest static void TestList()
     List<Account> Teste = new List <Account>();
     for(Integer i=0;i<50;i++)
       Teste.add(new Account(BillingState = 'CA', name = 'Test'+i));
     for(Integer j=0;j<50;j++)
     {
       Teste.add(new Account(BillingState = 'NY', name = 'Test'+j));
     }
     insert Teste;
     Contact co = new Contact();
     co.FirstName='demo';
     co.LastName ='demo';
     insert co;
     String state = 'CA';
     AddPrimaryContact apc = new AddPrimaryContact(co, state);
     Test.startTest();
      System.enqueueJob(apc);
     Test.stopTest();
```

```
}
DailyLeadProcessor
global class DailyLeadProcessor implements Schedulable {
  global void execute(SchedulableContext ctx) {
    List<Lead> | List = [Select Id, LeadSource from Lead where LeadSource = null];
    if(!lList.isEmpty()) {
                    for(Lead I: IList) {
                           I.LeadSource = 'Dreamforce';
                    }
                    update IList;
             }
dailyleadprocessortest
@isTest
private class DailyLeadProcessorTest {
      static testMethod void testDailyLeadProcessor() {
             String CRON EXP = '0 0 1 * * ?';
             List<Lead> |List = new List<Lead>();
         for (Integer i = 0; i < 200; i++) {
                    IList.add(new Lead(LastName='Dreamforce'+i, Company='Test1
Inc.', Status='Open - Not Contacted'));
             insert IList;
             Test.startTest();
             String jobId = System.schedule('DailyLeadProcessor', CRON_EXP, new
DailyLeadProcessor());
      }
```

```
}
Apex Integration Services
AnimalLocator
public class AnimalLocator {
       public class cls animal {
             public Integer id;
             public String name;
             public String eats;
             public String says;
public class JSONOutput{
      public cls animal animal;
      //public JSONOutput parse(String json){
      //return (JSONOutput) System.JSON.deserialize(json, JSONOutput.class);
      //}
}
  public static String getAnimalNameById (Integer id) {
     Http http = new Http();
     HttpRequest request = new HttpRequest();
     request.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/' + id);
     //request.setHeader('id', String.valueof(id)); -- cannot be used in this challenge :)
     request.setMethod('GET');
     HttpResponse response = http.send(request);
     system.debug('response: ' + response.getBody());
     //Map<String,Object> map results = (Map<String,Object>)
JSON.deserializeUntyped(response.getBody());
     jsonOutput results = (jsonOutput) JSON.deserialize(response.getBody(),
jsonOutput.class);
```

//Object results = (Object) map results.get('animal');

return(results.animal.name);

system.debug('results= ' + results.animal.name);

```
}
}
AnimalLocatorTest
@IsTest
public class AnimalLocatorTest {
  @isTest
  public static void testAnimalLocator() {
     Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());
     //Httpresponse response = AnimalLocator.getAnimalNameById(1);
     String s = AnimalLocator.getAnimalNameById(1);
     system.debug('string returned: ' + s);
  }
}
ParkService
public class ParkService {
  public class byCountryResponse {
     public String[] return x;
     private String∏ return x type info = new
String[]{'return','http://parks.services/',null,'0','-1','false'};
     private String∏ apex schema type info = new
String[]{'http://parks.services/','false','false'};
     private String[] field order type info = new String[]{'return x'};
  }
  public class byCountry {
     public String arg0;
     private String[] arg0_type_info = new
String[]{'arg0','http://parks.services/',null,'0','1','false'};
```

private String∏ apex schema type info = new

String[]{'http://parks.services/','false','false'};

```
private String[] field order type info = new String[]{'arg0'};
  }
  public class ParksImplPort {
    public String endpoint x = \frac{\text{https://th-apex-soap-}}{\text{those}}
service.herokuapp.com/service/parks';
    public Map<String,String> inputHttpHeaders x;
    public Map<String,String> outputHttpHeaders x;
    public String clientCertName x;
    public String clientCert x;
    public String clientCertPasswd x;
    public Integer timeout x;
    private String[] ns map type info = new String[]{'http://parks.services/',
'ParkService'};
    public String[] byCountry(String arg0) {
       ParkService.byCountry request x = new ParkService.byCountry();
       request x.arg0 = arg0;
       ParkService.byCountryResponse response x;
       Map<String, ParkService.byCountryResponse> response map x = new
Map<String, ParkService.byCountryResponse>();
       response map x.put('response x', response x);
       WebServiceCallout.invoke(
        this,
        request x,
        response map x,
        new String[]{endpoint x,
        'http://parks.services/',
        'byCountry',
        'http://parks.services/',
        'byCountryResponse',
        'ParkService.byCountryResponse'}
       );
       response_x = response_map_x.get('response_x');
       return response x.return x;
    }
  }
}
```

```
ParkLocator
public class ParkLocator {
  public static String[] country(String country){
    ParkService.ParksImplPort parks = new ParkService.ParksImplPort();
    String[] parksname = parks.byCountry(country);
    return parksname;
  }
}
parklocatortest
@isTest
private class ParkLocatorTest{
  @isTest
  static void testParkLocator() {
    Test.setMock(WebServiceMock.class, new ParkServiceMock());
    String[] arrayOfParks = ParkLocator.country('India');
    System.assertEquals('Park1', arrayOfParks[0]);
  }
}
parkservicemock
@isTest
global class ParkServiceMock implements WebServiceMock {
  global void doInvoke(
      Object stub,
      Object request,
      Map<String, Object> response,
      String endpoint,
      String soapAction,
      String requestName,
      String responseNS,
      String responseName,
      String responseType) {
```

```
ParkService.byCountryResponse response x = new
ParkService.byCountryResponse();
    List<String> lstOfDummyParks = new List<String> {'Park1','Park2','Park3'};
    response x.return x = IstOfDummyParks;
    response.put('response x', response x);
  }
}
Accountmanager
@RestResource(urlMapping='/Accounts/*/contacts')
global with sharing class AccountManager{
  @HttpGet
  global static Account getAccount(){
    RestRequest req = RestContext.request;
    String accld = req.requestURI.substringBetween('Accounts/', '/contacts');
    Account acc = [SELECT Id, Name, (SELECT Id, Name FROM Contacts)
             FROM Account WHERE Id = :accId];
    return acc;
  }
}
AccountManagerTest
@IsTest
private class AccountManagerTest{
  @isTest static void testAccountManager(){
    Id recordId = getTestAccountId();
    // Set up a test request
    RestRequest request = new RestRequest();
    request.requestUri =
       'https://ap5.salesforce.com/services/apexrest/Accounts/'+ recordId +'/contacts';
    request.httpMethod = 'GET';
    RestContext.request = request;
    // Call the method to test
```

```
Account acc = AccountManager.getAccount();

// Verify results
System.assert(acc != null);

private static Id getTestAccountId(){
    Account acc = new Account(Name = 'TestAcc2');
    Insert acc;

Contact con = new Contact(LastName = 'TestCont2', AccountId = acc.Id);
    Insert con;

return acc.Id;
}
```

Apex Specialist

MaintenanceRequestHelper.apxc

```
public with sharing class MaintenanceRequestHelper {
   public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
      Set<Id> validIds = new Set<Id>();

      For (Case c : updWorkOrders){
        if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
            if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                 validIds.add(c.Id);
        }
        }
        if (!validIds.isEmpty()){
```

```
List<Case> newCases = new List<Case>();
      Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment_c, Equipment_r.Maintenance_Cycle_c,(SELECT
Id,Equipment__c,Quantity__c FROM Equipment_Maintenance_Items__r)
                                FROM Case WHERE Id IN :validIds]);
      Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment r.Maintenance Cycle c)cycle FROM Equipment Maintenance Item c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
    for (AggregateResult ar : results){
      maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
    }
      for(Case cc : closedCasesM.values()){
         Case nc = new Case (
           ParentId = cc.Id.
         Status = 'New'.
           Subject = 'Routine Maintenance',
           Type = 'Routine Maintenance',
           Vehicle\__c = cc.Vehicle\__c,
           Equipment__c =cc.Equipment__c,
           Origin = 'Web',
           Date_Reported__c = Date.Today()
         );
         If (maintenanceCycles.containskey(cc.Id)){
           nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.Id));
         } else {
           nc.Date_Due__c = Date.today().addDays((Integer)
cc.Equipment__r.maintenance_Cycle__c);
         }
         newCases.add(nc);
```

```
insert newCases:
      List<Equipment Maintenance Item c> clonedWPs = new
List<Equipment Maintenance Item c>();
      for (Case nc : newCases){
         for (Equipment Maintenance Item c wp:
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
           Equipment Maintenance Item c wpClone = wp.clone();
           wpClone.Maintenance_Request__c = nc.Id;
           ClonedWPs.add(wpClone);
        }
      insert ClonedWPs;
 }
MaitenanceRequest.apxt
trigger MaintenanceRequest on Case (before update, after update) {
  if(Trigger.isUpdate && Trigger.isAfter){
    MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
```

WarehouseCalloutService.apxc

}

public with sharing class WarehouseCalloutService implements Queueable {
 private static final String WAREHOUSE_URL = 'https://th-superbadgeapex.herokuapp.com/equipment';

//class that makes a REST callout to an external warehouse system to get a list of equipment that needs to be updated.

//The callout's JSON response returns the equipment records that you upsert in Salesforce.

```
@future(callout=true)
public static void runWarehouseEquipmentSync(){
Http http = new Http();
HttpRequest request = new HttpRequest();
request.setEndpoint(WAREHOUSE_URL);
request.setMethod('GET');
HttpResponse response = http.send(request);
List<Product2> warehouseEq = new List<Product2>();
if (response.getStatusCode() == 200){
List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
System.debug(response.getBody());
//class maps the following fields: replacement part (always true), cost, current
inventory, lifespan, maintenance cycle, and warehouse SKU
    //warehouse SKU will be external ID for identifying which equipment records to
update within Salesforce
   for (Object eq : jsonResponse){
Map<String,Object> mapJson = (Map<String,Object>)eq;
Product2 myEq = new Product2();
myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
myEq.Name = (String) mapJson.get('name');
myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
myEq.Cost__c = (Integer) mapJson.get('cost');
myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
      myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
myEq.ProductCode = (String) mapJson.get('_id');
       warehouseEq.add(myEq);
if (warehouseEq.size() > 0){
       upsert warehouseEq;
       System.debug('Your equipment was synced with the warehouse one');
}
```

```
}
}
public static void execute (QueueableContext context){
   runWarehouseEquipmentSync();
}
}
WarehouseSyncShedule.apxc
global with sharing class WarehouseSyncSchedule implements Schedulable{
 global void execute(SchedulableContext ctx){
System.enqueueJob(new WarehouseCalloutService());
}
MaintenanceRequestHelperTest.apxc
@istest
public with sharing class MaintenanceRequestHelperTest {
private static final string STATUS_NEW = 'New';
 private static final string WORKING = 'Working';
 private static final string CLOSED = 'Closed';
 private static final string REPAIR = 'Repair';
 private static final string REQUEST_ORIGIN = 'Web';
 private static final string REQUEST_TYPE = 'Routine Maintenance';
 private static final string REQUEST_SUBJECT = 'Testing subject';
PRIVATE STATIC Vehicle_c createVehicle(){
Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
return Vehicle;
}
PRIVATE STATIC Product2 createEq(){
   product2 equipment = new product2(name = 'SuperEquipment',
                   lifespan_months_C = 10,
                   maintenance_cycle__C = 10,
                   replacement_part__c = true);
return equipment;
```

```
}
PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
   case cs = new case(Type=REPAIR,
           Status=STATUS_NEW,
           Origin=REQUEST_ORIGIN,
           Subject=REQUEST_SUBJECT,
           Equipment_c=equipmentId,
           Vehicle__c=vehicleId);
return cs;
}
PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id
requestId){
   Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
                                  Maintenance_Request__c = requestId);
return wp;
}
@istest
private static void testMaintenanceRequestPositive(){
Vehicle__c vehicle = createVehicle();
insert vehicle;
id vehicleId = vehicle.Id;
Product2 equipment = createEq();
insert equipment;
id equipmentId = equipment.Id;
case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
insert somethingToUpdate;
   Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
insert workP;
test.startTest();
```

```
somethingToUpdate.status = CLOSED;
update somethingToUpdate;
test.stopTest();
Case newReq = [Select id, subject, type, Equipment_c, Date_Reported_c,
Vehicle__c, Date_Due__c
         from case
         where status =: STATUS NEW];
Equipment_Maintenance_Item__c workPart = [select id
                     from Equipment_Maintenance_Item__c
                     where Maintenance_Request__c =:newReq.Id];
system.assert(workPart != null);
system.assert(newReq.Subject != null);
system.assertEquals(newReq.Type, REQUEST_TYPE);
SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
SYSTEM.assertEquals(newReg.Vehicle c, vehicleId);
SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
}
@istest
private static void testMaintenanceRequestNegative(){
Vehicle C vehicle = createVehicle();
insert vehicle;
id vehicleId = vehicle.Id;
product2 equipment = createEq();
insert equipment;
id equipmentId = equipment.Id;
case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
insert emptyReq;
   Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId,
emptyReq.Id);
insert workP;
test.startTest();
```

```
emptyReq.Status = WORKING;
update emptyReq;
test.stopTest();
list<case> allRequest = [select id
from case];
   Equipment_Maintenance_Item__c workPart = [select id
                        from Equipment_Maintenance_Item__c
                        where Maintenance_Request__c = :emptyReq.Id];
   system.assert(workPart != null);
system.assert(allRequest.size() == 1);
}
@istest
private static void testMaintenanceRequestBulk(){
   list<Vehicle__C> vehicleList = new list<Vehicle__C>();
   list<Product2> equipmentList = new list<Product2>();
   list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
list<case> requestList = new list<case>();
list<id> oldRequestIds = new list<id>();
for(integer i = 0; i < 300; i++){
     vehicleList.add(createVehicle());
     equipmentList.add(createEq());
insert vehicleList;
insert equipmentList;
for(integer i = 0; i < 300; i++){
     requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
insert requestList;
for(integer i = 0; i < 300; i++){
     workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
```

```
}
  insert workPartList;
test.startTest();
for(case req : requestList){
     req.Status = CLOSED;
oldRequestIds.add(req.Id);
update requestList;
test.stopTest();
list<case> allRequests = [select id
               from case
               where status =: STATUS_NEW];
list<Equipment_Maintenance_Item__c> workParts = [select id
                           from Equipment_Maintenance_Item__c
                           where Maintenance_Request__c in: oldRequestIds];
system.assert(allRequests.size() == 300);
}
}
MaintenanceRequestHelper.apxc
public with sharing class MaintenanceRequestHelper {
  public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
   Set<Id> validIds = new Set<Id>();
   For (Case c : updWorkOrders){
     if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
       if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
         validIds.add(c.Id);
       }
```

```
}
   if (!validIds.isEmpty()){
     List<Case> newCases = new List<Case>();
     Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment_c, Equipment_r.Maintenance_Cycle_c,(SELECT
Id,Equipment_c,Quantity_c FROM Equipment_Maintenance_Items_r)
                          FROM Case WHERE Id IN: validIds]);
     Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
     AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment_r.Maintenance_Cycle_c)cycle FROM Equipment_Maintenance_Item__c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
   for (AggregateResult ar : results){
     maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
   }
     for(Case cc : closedCasesM.values()){
       Case nc = new Case (
         ParentId = cc.Id.
       Status = 'New',
         Subject = 'Routine Maintenance',
         Type = 'Routine Maintenance',
         Vehicle c = cc.Vehicle c,
         Equipment_c = cc. Equipment_c,
         Origin = 'Web',
         Date_Reported__c = Date.Today()
       );
       If (maintenanceCycles.containskey(cc.Id)){
         nc.Date Due c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
       }
       newCases.add(nc);
     }
     insert newCases:
```

```
List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment Maintenance Item c>();
    for (Case nc : newCases){
       for (Equipment_Maintenance_Item__c wp:
closedCasesM.get(nc.ParentId).Equipment Maintenance Items r){
         Equipment_Maintenance_Item__c wpClone = wp.clone();
         wpClone.Maintenance_Request__c = nc.Id;
         ClonedWPs.add(wpClone);
      }
     insert ClonedWPs:
   }
 }
MaintenanceRequest.apxt
trigger MaintenanceRequest on Case (before update, after update) {
if(Trigger.isUpdate && Trigger.isAfter){
MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
}
}
WarehouseCalloutService.apxc
public with sharing class WarehouseCalloutService {
 private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
 //@future(callout=true)
 public static void runWarehouseEquipmentSync(){
   Http http = new Http();
```

HttpRequest request = new HttpRequest();

request.setEndpoint(WAREHOUSE_URL);

HttpResponse response = http.send(request);

request.setMethod('GET');

```
List<Product2> warehouseEq = new List<Product2>();
   if (response.getStatusCode() == 200){
     List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
     System.debug(response.getBody());
     for (Object eq: jsonResponse){
       Map<String,Object> mapJson = (Map<String,Object>)eq;
       Product2 myEq = new Product2();
       myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
       myEq.Name = (String) mapJson.get('name');
       myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
       myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
       myEq.Cost_c = (Decimal) mapJson.get('lifespan');
       myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
       myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
       warehouseEq.add(myEq);
     }
     if (warehouseEq.size() > 0){
       upsert warehouseEq;
       System.debug('Your equipment was synced with the warehouse one');
       System.debug(warehouseEq);
     }
   }
 }
WarehouseCalloutServiceTest.apxc
@isTest
private class WarehouseCalloutServiceTest {
 @isTest
 static void testWareHouseCallout(){
```

```
Test.startTest();
   // implement mock callout test here
   Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
   WarehouseCalloutService.runWarehouseEquipmentSync();
   Test.stopTest();
   System.assertEquals(1, [SELECT count() FROM Product2]);
 }
WarehouseCalloutServiceMock.apxc
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
  // implement http mock callout
 global static HttpResponse respond(HttpRequest request){
   System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
   System.assertEquals('GET', request.getMethod());
   // Create a fake response
   HttpResponse response = new HttpResponse();
   response.setHeader('Content-Type', 'application/json');
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5
,"name":"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
   response.setStatusCode(200);
   return response;
 }
WarehouseSyncSchedule.apxc
global class WarehouseSyncSchedule implements Schedulable {
 global void execute(SchedulableContext ctx) {
WarehouseCalloutService.runWarehouseEquipmentSync();
}
}
```

WarehouseSyncScheduleTest.apxc

```
@isTest
public class WarehouseSyncScheduleTest {
@isTest static void WarehousescheduleTest(){
String scheduleTime = '00 00 01 * * ?';
Test.startTest();
Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime,
new WarehouseSyncSchedule());
  Test.stopTest();
//Contains schedule information for a scheduled job. CronTrigger is similar to a cron
job on UNIX systems.
// This object is available in API version 17.0 and later.
CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
System.assertEquals(jobID, a.Id, 'Schedule ');
}
}
```