Apex Trigger

AccountAddressTrigger trigger AccountAddressTrigger on Account (before insert, before update) { for(Account account : Trigger.new){ if((account.Match_Billing_Address__c == true) && (account.BillingPostalCode != NULL)){ account.ShippingPostalCode = account.BillingPostalCode; } } ClosedOpportunityTrigger trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) { List<Task> tasklist = new List<Task>(); for(Opportunity opp: Trigger.New){ if(opp.StageName == 'Closed Won'){ tasklist.add(new Task(Subject = 'Follow Up Test Task', WhatId = opp.Id)); } } if(tasklist.size()>0){ insert tasklist;

Apex Testing

```
VerifyDate
```

}

}

```
public class VerifyDate {
```

```
//method to handle potential checks against two dates
       public static Date CheckDates(Date date1, Date date2) {
             //if date2 is within the next 30 days of date1, use date2. Otherwise use
the end of the month
             if(DateWithin30Days(date1,date2)) {
                    return date2;
             } else {
                    return SetEndOfMonthDate(date1);
             }
      }
      //method to check if date2 is within the next 30 days of date1
       @TestVisible private static Boolean DateWithin30Days(Date date1, Date date2) {
             //check for date2 being in the past
       if( date2 < date1) { return false; }</pre>
      //check that date2 is within (>=) 30 days of date1
       Date date30Days = date1.addDays(30); //create a date 30 days away from date1
             if( date2 >= date30Days ) { return false; }
             else { return true; }
      }
      //method to return the end of the month of a given date
       @TestVisible private static Date SetEndOfMonthDate(Date date1) {
             Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
             Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);
             return lastDay;
      }
}
TestVerifyDate
@isTest
private class TestVerifyDate {
  @isTest static void Test_CheckDates_case1(){
```

```
Date D = VerifyDate.CheckDates(date.parse('01/01/2020'),
date.parse('01/05/2020'));
    System.assertEquals(date.parse('01/05/2020'), D);
  }
  @isTest static void Test_CheckDates_case2(){
    Date D = VerifyDate.CheckDates(date.parse('01/01/2020'),
date.parse('05/05/2020'));
    System.assertEquals(date.parse('01/31/2020'), D);
  }
  @isTest static void Test_DateWithin30Days_case1(){
    Boolean flag = VerifyDate.DateWithin30Days(date.parse('01/01/2020'),
date.parse('12/30/2019'));
    System.assertEquals(false, flag);
  }
  @isTest static void Test_DateWithin30Days_case2(){
    Boolean flag = VerifyDate.DateWithin30Days(date.parse('01/01/2020'),
date.parse('02/02/2020'));
    System.assertEquals(false, flag);
  }
  @isTest static void Test_DateWithin30Days_case3(){
    Boolean flag = VerifyDate.DateWithin30Days(date.parse('01/01/2020'),
date.parse('01/15/2020'));
    System.assertEquals(true, flag);
  }
  @isTest static void Test_SetEndOfMonthDate(){
    Date returndate = VerifyDate.SetEndOfMonthDate(date.parse('01/01/2020'));
  }
}
```

RestrictContactByName

trigger RestrictContactByName on Contact (before insert, before update) {

```
//check contacts prior to insert or update for invalid data
      For (Contact c : Trigger.New) {
             if(c.LastName == 'INVALIDNAME') {      //invalidname is invalid
                    c.AddError('The Last Name "'+c.LastName+" is not allowed for
DML');
             }
      }
}
TestRestrictContactByName
@isTest
public class TestRestrictContactByName {
  @isTest
  public static void testContact(){
    Contact ct = new Contact();
    ct.LastName = 'INVALIDNAME';
    Database.SaveResult res = Database.insert(ct,false);
   System.assertEquals('The Last Name "INVALIDNAME" is not allowed for
DML',res.getErrors()[0].getMessage());
 }
}
RandomContactFactory
public class RandomContactFactory {
  public static List<Contact> generateRandomContacts(Integer nument, string
lastname){
    List<Contact> contacts = new List<Contact>();
    for(Integer i=0;i<numcnt;i++){
      Contact cnt = new Contact(FirstName = 'Test '+i, LastName = lastname);
      contacts.add(cnt);
    }
```

```
return contacts;
}
}
```

Asynchronous Apex

```
AccountProcessor
public class AccountProcessor {
  @future
  public static void countContacts(List<Id> accountIds){
    List<Account> accountsToUpdate = new List<Account>();
    List<Account> accounts = [Select Id, Name, (Select Id from Contacts) from Account
Where Id in :accountIds];
    For(Account acc:accounts){
      List<Contact> contactList = acc.Contacts;
      acc.Number_Of_Contacts__c = contactList.size();
      accountsToUpdate.add(acc);
    update accountsToUpdate;
AccountProcessorTest
@IsTest
private class AccountProcessorTest {
  @lsTest
  private static void testCountContacts(){
    Account newAccount = new Account(Name='Test Account');
    insert newAccount;
```

```
Contact newContact1 = new Contact(FirstName='John',LastName='Doe',AccountId
= newAccount.ld);
    insert newContact1;
    Contact newContact2 = new Contact(FirstName='Jane',LastName='Doe',AccountId
= newAccount.ld);
    insert newContact2;
    List<Id> accountIds = new List<Id>();
    accountIds.add(newAccount.Id);
    Test.startTest();
    AccountProcessor.countContacts(accountIds);
    Test.stopTest();
  }
}
LeadProcessor
global class LeadProcessor implements Database.Batchable<sObject> {
  global Integer count = 0;
  global Database.QueryLocator start(Database.BatchableContext bc){
    return Database.getQueryLocator('SELECT ID, LeadSource FROM Lead');
  }
  global void execute (Database.BatchableContext bc, List<Lead> L_list){
    List<lead> L_list_new = new List<lead>();
    for(lead L:L_list){
      L.leadsource = 'Dreamforce';
      L_list_new.add(L);
      count += 1;
    update L_list_new;
  }
```

```
global void finish(Database.BatchableContext bc){
    system.debug('count = ' + count);
 }
}
LeadProcessorTest
@isTest
public class LeadProcessorTest {
  @isTest
  public static void testit(){
    List<lead> L_list = new List<lead>();
    for(Integer i=0; i<200; i++) {
      Lead L = new lead();
      L.LastName = 'name' + i;
      L.Company = 'Company';
      L.Status = 'Random Status';
      L_list.add(L);
    insert L_list;
    Test.startTest();
    Leadprocessor lp = new Leadprocessor();
    Id batchId = Database.executeBatch(lp);
    Test.stopTest();
 }
}
AddPrimaryContact
public class AddPrimaryContact implements Queueable{
  private Contact con;
  private String state;
  public AddPrimaryContact(Contact con, String state){
    this.con = con;
```

```
this.state = state;
  }
  public void execute(QueueableContext context){
    List<Account> accounts = [Select Id, Name, (Select FirstName, LastName, Id from
contacts)
                  from Account where BillingState = :state Limit 200];
    List<Contact> primaryContacts = new List<Contact>();
    for(Account acc:accounts){
      Contact c = con.clone();
      c.AccountId = acc.Id;
      primaryContacts.add(c);
    }
    if(primaryContacts.size() > 0){
      insert primaryContacts;
    }
}
AddPrimaryContactTest
@isTest
public class AddPrimaryContactTest{
  @testSetup
  static void setup(){
    List<Account> lstOfAcc = new List<Account>();
    for(Integer i = 1; i \le 100; i++){
      if(i <= 50)
         lstOfAcc.add(new Account(name='AC'+i, BillingState = 'NY'));
      else
         lstOfAcc.add(new Account(name='AC'+i, BillingState = 'CA'));
    }
    INSERT IstOfAcc;
```

```
}
  static testmethod void testAddPrimaryContact(){
    Contact con = new Contact(LastName = 'TestCont');
    AddPrimaryContact addPCIns = new AddPrimaryContact(CON ,'CA');
    Test.startTest();
    System.enqueueJob(addPCIns);
    Test.stopTest();
    System.assertEquals(50, [select count() from Contact]);
 }
}
DailyLeadProcessor
global class DailyLeadProcessor implements Schedulable{
  global void execute(SchedulableContext ctx){
    List<Lead> leads = [SELECT Id, LeadSource FROM Lead WHERE LeadSource = "];
    if(leads.size() > 0){
      List<Lead> newLeads = new List<Lead>();
      for(Lead lead : leads){
        lead.LeadSource = 'DreamForce';
        newLeads.add(lead);
      }
      update newLeads;
    }
 }
DailyLeadProcessorTest
@isTest
private class DailyLeadProcessorTest{
  //Seconds Minutes Hours Day_of_month Month Day_of_week optional_year
  public static String CRON_EXP = '0 0 0 2 6 ? 2022';
```

```
static testmethod void testScheduledJob(){
    List<Lead> leads = new List<Lead>();
    for(Integer i = 0; i < 200; i++){
      Lead lead = new Lead(LastName = 'Test ' + i, LeadSource = ", Company = 'Test
Company ' + i, Status = 'Open - Not Contacted');
      leads.add(lead);
    }
    insert leads;
    Test.startTest();
    // Schedule the test job
    String jobId = System.schedule('Update LeadSource to DreamForce', CRON_EXP,
new DailyLeadProcessor());
    // Stopping the test will run the job synchronously
    Test.stopTest();
 }
}
```

Apex Integration Services

```
AnimalLocator
public class AnimalLocator
```

{

```
public static String getAnimalNameById(Integer id)
{
    Http http = new Http();
    HttpRequest request = new HttpRequest();
    request.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/'+id);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    String strResp = ";
```

```
system.debug('****response '+response.getStatusCode());
     system.debug('*****response '+response.getBody());
    // If the request is successful, parse the JSON response.
    if (response.getStatusCode() == 200)
      // Deservalizes the JSON string into collections of primitive data types.
      Map<String, Object> results = (Map<String, Object>)
JSON.deserializeUntyped(response.getBody());
      // Cast the values in the 'animals' key as a list
      Map<string,object> animals = (map<string,object>) results.get('animal');
      System.debug('Received the following animals:' + animals );
      strResp = string.valueof(animals.get('name'));
      System.debug('strResp >>>>' + strResp );
    return strResp;
 }
}
AnimalLocatorTest
@isTest
private class AnimalLocatorTest{
  @isTest static void AnimalLocatorMock1() {
    Test.SetMock(HttpCallOutMock.class, new AnimalLocatorMock());
    string result=AnimalLocator.getAnimalNameById(3);
    string expectedResult='chicken';
    System.assertEquals(result, expectedResult);
 }
}
AnimalLocatorMock
@isTest
global class AnimalLocatorMock implements HttpCalloutMock {
  global HTTPResponse respond(HTTPRequest request) {
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
    response.setBody('{"animal":{"id":1,"name":"chicken","eats":"chicken
```

```
food","says":"cluck cluck"}}');
    response.setStatusCode(200);
    return response;
}
ParkService
//Generated by wsdl2apex
public class ParkService {
  public class byCountryResponse {
     public String[] return_x;
    private String return_x_type_info = new
String[]{'return','http://parks.services/',null,'0','-1','false'};
    private String[] apex_schema_type_info = new
String[]{'http://parks.services/','false','false'};
    private String[] field_order_type_info = new String[]{'return_x'};
  }
  public class byCountry {
    public String arg0;
    private String[] arg0_type_info = new
String[]{'arg0','http://parks.services/',null,'0','1','false'};
     private String[] apex_schema_type_info = new
String[]{'http://parks.services/','false','false'};
    private String[] field_order_type_info = new String[]{'arg0'};
  }
  public class ParksImplPort {
    public String endpoint_x = 'https://th-apex-soap-
service.herokuapp.com/service/parks';
    public Map<String,String> inputHttpHeaders_x;
    public Map<String,String> outputHttpHeaders_x;
    public String clientCertName_x;
    public String clientCert_x;
    public String clientCertPasswd_x;
    public Integer timeout_x;
    private String[] ns_map_type_info = new String[]{'http://parks.services/',
'ParkService'};
```

```
public String[] byCountry(String arg0) {
      ParkService.byCountry request_x = new ParkService.byCountry();
      request_x.arg0 = arg0;
      ParkService.byCountryResponse response_x;
      Map<String, ParkService.byCountryResponse> response_map_x = new
Map<String, ParkService.byCountryResponse>();
      response_map_x.put('response_x', response_x);
      WebServiceCallout.invoke(
       this.
       request_x,
       response_map_x,
       new String[]{endpoint_x,
       'http://parks.services/',
       'byCountry',
       'http://parks.services/',
       'byCountryResponse',
       'ParkService.byCountryResponse'}
      );
      response_x = response_map_x.get('response_x');
      return response_x.return_x;
    }
  }
}
ParkLocator 

public class ParkLocator {
  public static String[] country(String country){
    ParkService.ParksImplPort parks = new ParkService.ParksImplPort();
    String[] parksname = parks.byCountry(country);
    return parksname;
 }
}
ParkLocatorTest
@isTest
private class ParkLocatorTest{
```

```
@isTest
  static void testParkLocator() {
    Test.setMock(WebServiceMock.class, new ParkServiceMock());
    String[] arrayOfParks = ParkLocator.country('India');
    System.assertEquals('Park1', arrayOfParks[0]);
 }
}
ParkServiceMock
@isTest
global class ParkServiceMock implements WebServiceMock {
  global void doInvoke(
     Object stub,
     Object request,
     Map<String, Object> response,
     String endpoint,
     String soapAction,
     String requestName,
     String responseNS,
     String responseName,
     String responseType) {
    ParkService.byCountryResponse response_x = new
ParkService.byCountryResponse();
    List<String> lstOfDummyParks = new List<String> {'Park1','Park2','Park3'};
    response_x.return_x = lstOfDummyParks;
    response.put('response_x', response_x);
 }
}
AccountManager
@RestResource(urlMapping='/Accounts/*/contacts')
global with sharing class AccountManager {
  @HttpGet
```

```
global static account getAccount() {
    RestRequest request = RestContext.request;
    String accountId =
request.requestURI.substring(request.requestURI.lastIndexOf('/')-18,
     request.requestURI.lastIndexOf('/'));
    List<Account> a = [select id, name, (select id, name from contacts) from account
where id = :accountId];
    List<contact> co = [select id, name from contact where account.id = :accountId];
    system.debug('** a[0] = '+ a[0]);
    return a[0];
 }
}
AccountManagerTest
@istest
public class AccountManagerTest {
@istest static void testGetContactsByAccountId() {
Id recordId = createTestRecord();
// Set up a test request
RestRequest request = new RestRequest();
request.requestUri =
'https://yourInstance.salesforce.com/services/apexrest/Accounts/'+
recordId+'/Contacts';
request.httpMethod = 'GET';
RestContext.request = request;
// Call the method to test
Account this Account = Account Manager.get Account();
// Verify results
System.assert(thisAccount!= null);
System.assertEquals('Test record', thisAccount.Name);
// Helper method
static Id createTestRecord() {
```

```
// Create test record
Account accountTest = new Account(
Name='Test record');
insert accountTest;
Contact contactTest = new Contact(
FirstName='John',
LastName='Doe',
AccountId=accountTest.Id
);
return accountTest.Id;
}
}
```

APEX SPECIALIST SUPERBADGE

MaintenanceRequestHelper

```
public with sharing class MaintenanceRequestHelper {
   public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();

        For (Case c : updWorkOrders){
        if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
        if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
            validIds.add(c.Id);

        }
      }
    }
   if (!validIds.isEmpty()){
        List<Case> newCases = new List<Case>();
        Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle_c, Equipment_c, Equipment_r.Maintenance_Cycle_c,(SELECT Id,Equipment_c,Quantity_c FROM Equipment_Maintenance_Items_r)
```

```
FROM Case WHERE Id IN :validIds]);
      Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment_r.Maintenance_Cycle_c)cycle FROM Equipment_Maintenance_Item_c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
    for (AggregateResult ar : results){
      maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
   }
      for(Case cc : closedCasesM.values()){
        Case nc = new Case (
          ParentId = cc.Id,
        Status = 'New',
          Subject = 'Routine Maintenance',
          Type = 'Routine Maintenance',
          Vehicle__c = cc.Vehicle__c,
          Equipment_c = cc. Equipment_c,
          Origin = 'Web',
          Date_Reported__c = Date.Today()
        );
        If (maintenanceCycles.containskey(cc.Id)){
          nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.ld));
        }
        newCases.add(nc);
      }
     insert newCases:
     List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
     for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
          Equipment_Maintenance_Item__c wpClone = wp.clone();
          wpClone.Maintenance_Request__c = nc.ld;
          ClonedWPs.add(wpClone);
```

```
}
      insert ClonedWPs;
    }
 }
MaintenanceRequest
trigger MaintenanceRequest on Case (before update, after update) {
  if(Trigger.isUpdate && Trigger.isAfter){
    MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
 }
}
WarehouseCalloutService
public with sharing class WarehouseCalloutService {
  private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
  //@future(callout=true)
  public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();
    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> warehouseEq = new List<Product2>();
    if (response.getStatusCode() == 200){
      List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
      System.debug(response.getBody());
      for (Object eq : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)eq;
        Product2 myEq = new Product2();
```

```
myEq.Replacement_Part_c = (Boolean) mapJson.get('replacement');
        myEq.Name = (String) mapJson.get('name');
        myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        myEq.Lifespan_Months_c = (Integer) mapJson.get('lifespan');
        myEq.Cost_c = (Decimal) mapJson.get('lifespan');
        myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
        myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
        warehouseEq.add(myEq);
      }
      if (warehouseEq.size() > 0){
        upsert warehouseEq;
        System.debug('Your equipment was synced with the warehouse one');
        System.debug(warehouseEq);
      }
   }
 }
WarehouseSyncSchedule
global class WarehouseSyncSchedule implements Schedulable {
  global void execute(SchedulableContext ctx) {
    WarehouseCalloutService.runWarehouseEquipmentSync();
 }
}
MaintenanceRequestHelperTest
@istest
public with sharing class MaintenanceRequestHelperTest {
  private static final string STATUS_NEW = 'New';
  private static final string WORKING = 'Working';
  private static final string CLOSED = 'Closed';
  private static final string REPAIR = 'Repair';
  private static final string REQUEST_ORIGIN = 'Web';
  private static final string REQUEST_TYPE = 'Routine Maintenance';
  private static final string REQUEST_SUBJECT = 'Testing subject';
  PRIVATE STATIC Vehicle_c createVehicle(){
```

```
Vehicle_c Vehicle = new Vehicle_C(name = 'SuperTruck');
    return Vehicle;
  }
  PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name = 'SuperEquipment',
                     lifespan_months__C = 10,
                     maintenance_cycle__C = 10,
                     replacement_part__c = true);
    return equipment;
  }
  PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
             Status=STATUS_NEW,
             Origin=REQUEST_ORIGIN,
             Subject=REQUEST_SUBJECT,
             Equipment_c=equipmentId,
             Vehicle_c=vehicleId);
    return cs;
  }
  PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id
requestId){
    Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
                                        Maintenance_Request__c = requestId);
    return wp;
  }
  @istest
  private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;
    Product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;
```

```
case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
    insert somethingToUpdate;
    Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
    insert workP;
    test.startTest();
    somethingToUpdate.status = CLOSED;
    update somethingToUpdate;
    test.stopTest();
    Case newReq = [Select id, subject, type, Equipment_c, Date_Reported_c, Vehicle_c,
Date_Due__c
           from case
           where status =:STATUS_NEW];
    Equipment_Maintenance_Item__c workPart = [select id
                         from Equipment_Maintenance_Item__c
                         where Maintenance_Request__c =:newReq.ld];
    system.assert(workPart != null);
    system.assert(newReg.Subject != null);
    system.assertEquals(newReq.Type, REQUEST_TYPE);
    SYSTEM.assertEquals(newReq.Equipment_c, equipmentId);
    SYSTEM.assertEquals(newReq.Vehicle_c, vehicleId);
    SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
  }
  @istest
  private static void testMaintenanceRequestNegative(){
    Vehicle__C vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;
    product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;
    case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
    insert emptyReq;
```

```
Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);
    insert workP;
    test.startTest();
    emptyReq.Status = WORKING;
    update emptyReq;
    test.stopTest();
    list<case> allRequest = [select id
                  from casel;
    Equipment_Maintenance_Item__c workPart = [select id
                           from Equipment_Maintenance_Item__c
                           where Maintenance_Request__c = :emptyReq.Id];
    system.assert(workPart != null);
    system.assert(allRequest.size() == 1);
  }
  @istest
  private static void testMaintenanceRequestBulk(){
    list<Vehicle_C> vehicleList = new list<Vehicle_C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
    list<case> requestList = new list<case>();
    list<id> oldRequestIds = new list<id>();
    for(integer i = 0; i < 300; i++){
     vehicleList.add(createVehicle());
      equipmentList.add(createEq());
    }
    insert vehicleList;
    insert equipmentList;
    for(integer i = 0; i < 300; i++){
      requestList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
    }
    insert requestList;
```

```
for(integer i = 0; i < 300; i++){
      workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
    insert workPartList;
    test.startTest();
    for(case req : requestList){
      req.Status = CLOSED;
      oldRequestIds.add(req.Id);
    }
    update requestList;
    test.stopTest();
    list<case> allRequests = [select id
                  from case
                  where status =: STATUS_NEW];
    list<Equipment_Maintenance_Item__c> workParts = [select id
                               from Equipment_Maintenance_Item__c
                               where Maintenance_Request__c in: oldRequestIds];
    system.assert(allRequests.size() == 300);
 }
}
MaintenanceRequestHelper
public with sharing class MaintenanceRequestHelper {
  public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
    Set<Id> validIds = new Set<Id>();
    For (Case c : updWorkOrders){
      if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
         if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
           validIds.add(c.Id);
      }
    }
```

```
if (!validIds.isEmpty()){
      List<Case> newCases = new List<Case>();
      Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment_c, Equipment_r.Maintenance_Cycle_c,(SELECT Id,Equipment_c,Quantity_c
FROM Equipment_Maintenance_Items__r)
                              FROM Case WHERE Id IN :validIds]);
      Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment_r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
    for (AggregateResult ar : results){
      maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
   }
      for(Case cc : closedCasesM.values()){
        Case nc = new Case (
          ParentId = cc.Id,
        Status = 'New',
          Subject = 'Routine Maintenance',
          Type = 'Routine Maintenance',
          Vehicle__c = cc.Vehicle__c,
          Equipment_c = cc. Equipment_c,
          Origin = 'Web',
          Date_Reported__c = Date.Today()
        );
        If (maintenanceCycles.containskey(cc.ld)){
          nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
        }
        newCases.add(nc);
      }
     insert newCases;
     List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
     for (Case nc : newCases){
```

```
for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
          Equipment_Maintenance_Item__c wpClone = wp.clone();
          wpClone.Maintenance_Request__c = nc.ld;
          ClonedWPs.add(wpClone);
      insert ClonedWPs;
   }
MaintenanceRequest
trigger MaintenanceRequest on Case (before update, after update) {
  if(Trigger.isUpdate && Trigger.isAfter){
    MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
 }
}
WarehouseCalloutService
public with sharing class WarehouseCalloutService {
  private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
  //@future(callout=true)
  public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();
    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> warehouseEq = new List<Product2>();
    if (response.getStatusCode() == 200){
      List<Object> jsonResponse =
```

```
(List<Object>)JSON.deserializeUntyped(response.getBody());
      System.debug(response.getBody());
      for (Object eq : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)eq;
        Product2 myEq = new Product2();
        myEq.Replacement_Part_c = (Boolean) mapJson.get('replacement');
        myEq.Name = (String) mapJson.get('name');
        myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        myEq.Cost_c = (Decimal) mapJson.get('lifespan');
        myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
        myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
        warehouseEq.add(myEq);
      }
      if (warehouseEq.size() > 0){
        upsert warehouseEq;
        System.debug('Your equipment was synced with the warehouse one');
        System.debug(warehouseEq);
      }
    }
  }
}
WarehouseCalloutServiceTest
@isTest
private class WarehouseCalloutServiceTest {
  @isTest
  static void testWareHouseCallout(){
    Test.startTest();
    // implement mock callout test here
    Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
    WarehouseCalloutService.runWarehouseEquipmentSync();
    Test.stopTest();
    System.assertEquals(1, [SELECT count() FROM Product2]);
 }
}
```

```
WarehouseCalloutServiceMock
```

```
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
  // implement http mock callout
  global static HttpResponse respond(HttpRequest request){
    System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
    System.assertEquals('GET', request.getMethod());
    // Create a fake response
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":
"Generator 1000 kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
    response.setStatusCode(200);
    return response;
 }
}
WarehouseSyncSchedule
global class WarehouseSyncSchedule implements Schedulable {
  global void execute(SchedulableContext ctx) {
    WarehouseCalloutService.runWarehouseEquipmentSync();
 }
}
WarehouseSyncScheduleTest
@isTest
public class WarehouseSyncScheduleTest {
  @isTest static void WarehousescheduleTest(){
    String scheduleTime = '00 00 01 * * ?';
    Test.startTest();
    Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
    String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime, new
WarehouseSyncSchedule());
    Test.stopTest();
    //Contains schedule information for a scheduled job. CronTrigger is similar to a cron job on
```

```
UNIX systems.
    // This object is available in API version 17.0 and later.
    CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
    System.assertEquals(jobID, a.Id,'Schedule ');
}
```