APEX SPECIALIST SUPERBADGE

Challenge 2
Automated Record Creation

MaintenanceRequestHelper.apxc

```
public with sharing class MaintenanceRequestHelper {
  public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) {
    Set<Id> validIds = new Set<Id>();


    For (Case c : updWorkOrders){
      if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
        if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
          validIds.add(c.Id);


        }
      }
    }

    if (!validIds.isEmpty()){
      List<Case> newCases = new List<Case>();
      Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                           FROM Case WHERE Id IN :validIds]);
      Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c WHERE
Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];

      for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
      }

      for(Case cc : closedCasesM.values()){
        Case nc = new Case (
          ParentId = cc.Id,
         Status = 'New',
          Subject = 'Routine Maintenance',
          Type = 'Routine Maintenance',
          Vehicle__c = cc.Vehicle__c,
          Equipment__c =cc.Equipment__c,
          Origin = 'Web',
```

```
                Date_Reported__c = Date.Today()

        );

        If (maintenanceCycles.containskey(cc.Id)){
           nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
        } else {
           nc.Date_Due__c = Date.today().addDays((Integer) cc.Equipment__r.maintenance_Cycle__c);
        }

        newCases.add(nc);
     }

    insert newCases;

    List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
     for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
           Equipment_Maintenance_Item__c wpClone = wp.clone();
           wpClone.Maintenance_Request__c = nc.Id;
           ClonedWPs.add(wpClone);

        }
     }
     insert ClonedWPs;
   }
  }
}
```

MaitenanceRequest.apxt

```
 trigger MaintenanceRequest on Case (before update, after update) {

  if(Trigger.isUpdate && Trigger.isAfter){

    MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);

  }

}
```

Now check challenge.

WarehouseCalloutService.apxc :-

```
public with sharing class WarehouseCalloutService implements Queueable {
    private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';

    //class that makes a REST callout to an external warehouse system to get a list of equipment that
needs to be updated.
    //The callout's JSON response returns the equipment records that you upsert in Salesforce.

    @future(callout=true)
    public static void runWarehouseEquipmentSync(){
        Http http = new Http();
        HttpRequest request = new HttpRequest();

        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);

        List<Product2> warehouseEq = new List<Product2>();

        if (response.getStatusCode() == 200){
            List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
            System.debug(response.getBody());

            //class maps the following fields: replacement part (always true), cost, current inventory,
lifespan, maintenance cycle, and warehouse SKU
            //warehouse SKU will be external ID for identifying which equipment records to update
within Salesforce
            for (Object eq : jsonResponse){
                Map<String,Object> mapJson = (Map<String,Object>)eq;
                Product2 myEq = new Product2();
                myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
                myEq.Name = (String) mapJson.get('name');
                myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
                myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
                myEq.Cost__c = (Integer) mapJson.get('cost');
                myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
                myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
                myEq.ProductCode = (String) mapJson.get('_id');
                warehouseEq.add(myEq);
```

```
        }

        if (warehouseEq.size() > 0){
            upsert warehouseEq;
            System.debug('Your equipment was synced with the warehouse one');
        }
    }
}

    public static void execute (QueueableContext context){
        runWarehouseEquipmentSync();
    }

}
```

After saving the code open execute anonymous window (CTRl+E) and run this method ,

System.enqueueJob(new WarehouseCalloutService());

Now check Challenge.

Challenge 4
Schedule synchronization using Apex code

- Go to the developer console use below code ,

WarehouseSyncShedule.apxc :-
```
global with sharing class WarehouseSyncSchedule implements Schedulable{
global void execute(SchedulableContext ctx){
System.enqueueJob(new WarehouseCalloutService());
}
}
```

Challenge 5
Test automation logic

- Go to the developer console use below code ,

MaintenanceRequestHelperTest.apxc :-
```
@istest
public with sharing class MaintenanceRequestHelperTest {

    private static final string STATUS_NEW = 'New';
    private static final string WORKING = 'Working';
    private static final string CLOSED = 'Closed';
```

```apex
    private static final string REPAIR = 'Repair';
    private static final string REQUEST_ORIGIN = 'Web';
    private static final string REQUEST_TYPE = 'Routine Maintenance';
    private static final string REQUEST_SUBJECT = 'Testing subject';

    PRIVATE STATIC Vehicle__c createVehicle(){
        Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
        return Vehicle;
    }

    PRIVATE STATIC Product2 createEq(){
        product2 equipment = new product2(name = 'SuperEquipment',
                            lifespan_months__C = 10,
                            maintenance_cycle__C = 10,
                            replacement_part__c = true);
        return equipment;
    }

    PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
        case cs = new case(Type=REPAIR,
                    Status=STATUS_NEW,
                    Origin=REQUEST_ORIGIN,
                    Subject=REQUEST_SUBJECT,
                    Equipment__c=equipmentId,
                    Vehicle__c=vehicleId);
        return cs;
    }

    PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id requestId){
        Equipment_Maintenance_Item__c wp = new Equipment_Maintenance_Item__c(Equipment__c
= equipmentId,
                                        Maintenance_Request__c = requestId);
        return wp;
    }


    @istest
    private static void testMaintenanceRequestPositive(){
        Vehicle__c vehicle = createVehicle();
        insert vehicle;
        id vehicleId = vehicle.Id;

        Product2 equipment = createEq();
        insert equipment;
        id equipmentId = equipment.Id;
```

```apex
        case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
        insert somethingToUpdate;

        Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
        insert workP;

        test.startTest();
        somethingToUpdate.status = CLOSED;
        update somethingToUpdate;
        test.stopTest();

        Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c, Vehicle__c,
Date_Due__c
                from case
                where status =:STATUS_NEW];

        Equipment_Maintenance_Item__c workPart = [select id
                        from Equipment_Maintenance_Item__c
                        where Maintenance_Request__c =:newReq.Id];

        system.assert(workPart != null);
        system.assert(newReq.Subject != null);
        system.assertEquals(newReq.Type, REQUEST_TYPE);
        SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
        SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
        SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
    }

    @istest
    private static void testMaintenanceRequestNegative(){
        Vehicle__C vehicle = createVehicle();
        insert vehicle;
        id vehicleId = vehicle.Id;

        product2 equipment = createEq();
        insert equipment;
        id equipmentId = equipment.Id;

        case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
        insert emptyReq;

        Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);
        insert workP;
```

```
        test.startTest();
        emptyReq.Status = WORKING;
        update emptyReq;
        test.stopTest();

        list<case> allRequest = [select id
                      from case];

        Equipment_Maintenance_Item__c workPart = [select id
                             from Equipment_Maintenance_Item__c
                             where Maintenance_Request__c = :emptyReq.Id];

        system.assert(workPart != null);
        system.assert(allRequest.size() == 1);
    }

    @istest
    private static void testMaintenanceRequestBulk(){
        list<Vehicle__C> vehicleList = new list<Vehicle__C>();
        list<Product2> equipmentList = new list<Product2>();
        list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
        list<case> requestList = new list<case>();
        list<id> oldRequestIds = new list<id>();

        for(integer i = 0; i < 300; i++){
          vehicleList.add(createVehicle());
           equipmentList.add(createEq());
        }
        insert vehicleList;
        insert equipmentList;

        for(integer i = 0; i < 300; i++){
           requestList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
        }
        insert requestList;

        for(integer i = 0; i < 300; i++){
           workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
        }
        insert workPartList;

        test.startTest();
        for(case req : requestList){
```

```
            req.Status = CLOSED;
            oldRequestIds.add(req.Id);
        }
        update requestList;
        test.stopTest();

        list<case> allRequests = [select id
                        from case
                        where status =: STATUS_NEW];

        list<Equipment_Maintenance_Item__c> workParts = [select id
                            from Equipment_Maintenance_Item__c
                            where Maintenance_Request__c in: oldRequestIds];

        system.assert(allRequests.size() == 300);
    }
}
```

MaintenanceRequestHelper.apxc :-

```
public with sharing class MaintenanceRequestHelper {
    public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();


        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);


                }
            }
        }

        if (!validIds.isEmpty()){
            List<Case> newCases = new List<Case>();
            Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                                FROM Case WHERE Id IN :validIds]);
            Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
            AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c WHERE
Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
```

```
    for (AggregateResult ar : results){
      maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
    }

      for(Case cc : closedCasesM.values()){
        Case nc = new Case (
          ParentId = cc.Id,
        Status = 'New',
          Subject = 'Routine Maintenance',
          Type = 'Routine Maintenance',
          Vehicle__c = cc.Vehicle__c,
          Equipment__c =cc.Equipment__c,
          Origin = 'Web',
          Date_Reported__c = Date.Today()

        );

        If (maintenanceCycles.containskey(cc.Id)){
          nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
        }

        newCases.add(nc);
      }

      insert newCases;

      List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
      for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
          Equipment_Maintenance_Item__c wpClone = wp.clone();
          wpClone.Maintenance_Request__c = nc.Id;
          ClonedWPs.add(wpClone);

        }
      }
      insert ClonedWPs;
    }
  }
}
```

MaintenanceRequest.apxt :-

```
trigger MaintenanceRequest on Case (before update, after update) {
if(Trigger.isUpdate && Trigger.isAfter){
```

MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
}
}
run all

Now check challenge

Challenge 6
Test callout logic

- Go to the developer console use below code ,

WarehouseCalloutService.apxc :-

```
public with sharing class WarehouseCalloutService {

  private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';

  //@future(callout=true)
  public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();
    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> warehouseEq = new List<Product2>();
    if (response.getStatusCode() == 200){
      List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
      System.debug(response.getBody());

      for (Object eq : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)eq;
        Product2 myEq = new Product2();
        myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
        myEq.Name = (String) mapJson.get('name');
        myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        myEq.Cost__c = (Decimal) mapJson.get('lifespan');
        myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
        myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
        warehouseEq.add(myEq);
      }

      if (warehouseEq.size() > 0){
        upsert warehouseEq;
        System.debug('Your equipment was synced with the warehouse one');
```

```
        System.debug(warehouseEq);
    }

  }
 }
}
```

WarehouseCalloutServiceTest.apxc :-

@isTest

private class WarehouseCalloutServiceTest {

@isTest
static void testWareHouseCallout(){
Test.startTest();
// implement mock callout test here
Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
WarehouseCalloutService.runWarehouseEquipmentSync();
Test.stopTest();
System.assertEquals(1, [SELECT count() FROM Product2]);
}
}

WarehouseCalloutServiceMock.apxc :-

@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
// implement http mock callout
global static HttpResponse respond(HttpRequest request){
System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
System.assertEquals('GET', request.getMethod());
// Create a fake response
HttpResponse response = new HttpResponse();
response.setHeader('Content-Type', 'application/json');
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":"
Generator 1000 kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
response.setStatusCode(200);
return response;
}
}

run all

Now check challenge.

Challenge 7
Test scheduling logic

- Go to the developer console use below code ,

WarehouseSyncSchedule.apxc :-

```
global class WarehouseSyncSchedule implements Schedulable {
global void execute(SchedulableContext ctx) {
WarehouseCalloutService.runWarehouseEquipmentSync();
}
}
```

WarehouseSyncScheduleTest.apxc :-

```
@isTest
public class WarehouseSyncScheduleTest {
@isTest static void WarehousescheduleTest(){
String scheduleTime = '00 00 01 * * ?';
Test.startTest();
Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime, new
WarehouseSyncSchedule());
Test.stopTest();
//Contains schedule information for a scheduled job. CronTrigger is similar to a cron job on UNIX
systems.
// This object is available in API version 17.0 and later.
CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
System.assertEquals(jobID, a.Id,'Schedule ');
}
}
```

run all
Now check challenge.