Apex Triggers

AccountAddressTrigger

```
trigger AccountAddressTrigger on Account (before insert, before update) {
   For(Account accountAddress: Trigger.new){
      if(accountAddress.BillingPostalCode !=null &&
accountAddress.Match_Billing_Address__c ==true){
         accountAddress.ShippingPostalCode=accountAddress.BillingPostalCode;
      }
   }

}
```

ClosedOpportunityTrigger

```
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {
   List<Task> newtsk = new List<Task>();
   if(trigger.IsAfter && (trigger.IsInsert || trigger.IsUpdate)){
   for(Opportunity op:Trigger.New){
      if(op.StageName == 'Closed Won'){
         Task tsk = new Task();
         tsk.Subject = 'Follow Up Test Task';
         tsk.WhatId = op.id;
         newtsk.add(tsk);
         }
         }
   }
   if(newtsk.size()>0){
      insert newtsk;
   }
}
```

Apex Testing

VerifyDate

```
public class VerifyDate {
```

```
        //method to handle potential checks against two dates
        public static Date CheckDates(Date date1, Date date2) {
                //if date2 is within the next 30 days of date1, use date2.  Otherwise use
the end of the month
                if(DateWithin30Days(date1,date2)) {
                        return date2;
                } else {
                        return SetEndOfMonthDate(date1);
                }
        }

        //method to check if date2 is within the next 30 days of date1
        private static Boolean DateWithin30Days(Date date1, Date date2) {
                //check for date2 being in the past
        if( date2 < date1) { return false; }

        //check that date2 is within (>=) 30 days of date1
        Date date30Days = date1.addDays(30); //create a date 30 days away from date1
                if( date2 >= date30Days ) { return false; }
                else { return true; }
        }

        //method to return the end of the month of a given date
        private static Date SetEndOfMonthDate(Date date1) {
                Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
                Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);
                return lastDay;
        }

}
```

TestVerifyDate

```
@isTest
public class TestVerifyDate {
   @isTest static void testOldDate(){
      Date dateTest = VerifyDate.CheckDates(date.today(), date.today().addDays(-1));
      System.assertEquals(date.newInstance(2022, 4, 31), dateTest);
   }
```

```
    @isTest static void testLessThan30Days(){
        Date dateTest = VerifyDate.CheckDates(date.today(), date.today().addDays(20));
        System.assertEquals(date.today().addDays(20), dateTest);
    }

    @isTest static void testMoreThan30Days(){
        Date dateTest = VerifyDate.CheckDates(date.today(), date.today().addDays(31));
        System.assertEquals(date.newInstance(2022, 4, 31), dateTest);
    }

}
```

RestrictContactByName

```
trigger RestrictContactByName on Contact (before insert, before update) {

        //check contacts prior to insert or update for invalid data
        For (Contact c : Trigger.New) {
                if(c.LastName == 'INVALIDNAME') {        //invalidname is invalid
                        c.AddError('The Last Name "'+c.LastName+'" is not allowed for
DML');
                }

        }



}
```

TestRestrictContactByName

```
@isTest
private class TestRestrictContactByName {

    @isTest static void testInvalidName() {
        //try inserting a Contact with INVALIDNAME
        Contact myConact = new Contact(LastName='INVALIDNAME');
        insert myConact;
```

```
        // Perform test
        Test.startTest();
        Database.SaveResult result = Database.insert(myConact, false);
        Test.stopTest();
        // Verify
        // In this case the creation should have been stopped by the trigger,
        // so verify that we got back an error.
        System.assert(!result.isSuccess());
        System.assert(result.getErrors().size() > 0);
        System.assertEquals('Cannot create contact with invalid last name.',
                             result.getErrors()[0].getMessage());

    }
}
```

RandomContactFactory

```
//@isTest
public class RandomContactFactory {
    public static List<Contact> generateRandomContacts(Integer
numContactsToGenerate, String FName) {
        List<Contact> contactList = new List<Contact>();

        for(Integer i=0;i<numContactsToGenerate;i++) {
            Contact c = new Contact(FirstName=FName + ' ' + i, LastName = 'Contact '+i);
            contactList.add(c);
            System.debug(c);
        }
        //insert contactList;
        System.debug(contactList.size());
        return contactList;
    }
```

Asynchronous Apex

AccountProcessor

```
public class AccountProcessor {
```

```
    //Writting the countContacts method and marking it whit the @future label.
    @future
    public static void countContacts(Set<Id> accountIDs) {

        // Creating a list that will contain all those accounts that are referenced through the
accounIDs list.
        List<Account> accounts = [SELECT Id, Number_of_Contacts__c, (SELECT id FROM
Contacts) from Account where id in :accountIDs];

        //Assigment from the total contact number to the Number_of_Contacts__c field for
each account at accounts list.
        for( Account account : accounts ) {
          account.Number_of_Contacts__c = account.contacts.size();
        }

        //Updating all accounts in list
        update accounts;

    }

}
```

AccountProcessorTest

```
@isTest
public class AccountProcessorTest {

    @isTest
    public static void countContactsTest(){
        //Creating an account and inserting it
        Account account = New Account(Name = 'Account Number 1');
        insert account;

        //Creating some contacts related to the account and inserting them
        List<Contact> contacts = new List<Contact>();
        contacts.add(New Contact(lastname = 'Related Contact 1', AccountId =
account.Id));
        contacts.add(New Contact(lastname = 'Related Contact 2', AccountId =
```

```
account.Id));
        contacts.add(New Contact(lastname = 'Related Contact 3', AccountId =
account.Id));
        contacts.add(New Contact(lastname = 'Related Contact 4', AccountId =
account.Id));
        insert contacts;

        //Creating a List with account Ids to pass them throught the
AccountProcessor.countContacts method
        Set<Id> accountIds = new Set<Id>();
        accountIds.add(account.id);

        //Starting Test:
        Test.startTest();

        //Calling the AccountProcessor.countContacts method
        AccountProcessor.countContacts(accountIds);

        //Finishing Test:
        Test.stopTest();
        Account ACC = [SELECT Number_of_Contacts__c FROM Account WHERE id =
:account.Id LIMIT 1];

        //Setting Assert (We have to parse the account.Number_of_Contacts__c
        //to integer to avoid some comparasion error between decimal and integer)
        System.assertEquals( Integer.valueOf(ACC.Number_of_Contacts__c) , 4);
    }


}
```

LeadProcessor

```
global class LeadProcessor implements
Database.Batchable<sObject>, Database.Stateful {

// instance member to retain state across transactions
global Integer recordsProcessed = 0;
```

```
global Database.QueryLocator start(Database.BatchableContext bc) {
return Database.getQueryLocator('SELECT Id, LeadSource FROM Lead');
}

global void execute(Database.BatchableContext bc, List<Lead> scope){
// process each batch of records
List<Lead> leads = new List<Lead>();
for (Lead lead : scope) {

lead.LeadSource = 'Dreamforce';
// increment the instance member counter
recordsProcessed = recordsProcessed + 1;

}
update leads;
}

global void finish(Database.BatchableContext bc){
System.debug(recordsProcessed + ' records processed. Shazam!');

}
}
```

LeadProcessorTest

```
@isTest
public class LeadProcessorTest {
@testSetup
static void setup() {
List<Lead> leads = new List<Lead>();
// insert 200 leads
for (Integer i=0;i<200;i++) {
leads.add(new Lead(LastName='Lead '+i,
Company='Lead', Status='Open - Not Contacted'));
}
insert leads;
}
```

```
static testmethod void test() {
Test.startTest();
LeadProcessor lp = new LeadProcessor();
Id batchId = Database.executeBatch(lp, 200);
Test.stopTest();

// after the testing stops, assert records were updated properly
System.assertEquals(200, [select count() from lead where LeadSource = 'Dreamforce']);
}
}
```

AddPrimaryContact

```
public class AddPrimaryContact implements Queueable {
   public contact c;
   public String state;

   public AddPrimaryContact(Contact c, String state) {
      this.c = c;
      this.state = state;
   }

   public void execute(QueueableContext qc) {
      system.debug('this.c = '+this.c+' this.state = '+this.state);
      List<Account> acc_lst = new List<account>([select id, name, BillingState from
account where account.BillingState = :this.state limit 200]);
      List<contact> c_lst = new List<contact>();
      for(account a: acc_lst) {
         contact c = new contact();
         c = this.c.clone(false, false, false, false);
         c.AccountId = a.Id;
         c_lst.add(c);
      }
      insert c_lst;
   }

}
```

AddPrimaryContactTest

```
@IsTest
public class AddPrimaryContactTest {

    @IsTest
    public static void testing() {
        List<account> acc_lst = new List<account>();
        for (Integer i=0; i<50;i++) {
            account a = new account(name=string.valueOf(i),billingstate='NY');
            system.debug('account a = '+a);
            acc_lst.add(a);
        }
        for (Integer i=0; i<50;i++) {
            account a = new account(name=string.valueOf(50+i),billingstate='CA');
            system.debug('account a = '+a);
            acc_lst.add(a);
        }
        insert acc_lst;
        Test.startTest();
        contact c = new contact(lastname='alex');
        AddPrimaryContact apc = new AddPrimaryContact(c,'CA');
        system.debug('apc = '+apc);
        System.enqueueJob(apc);
        Test.stopTest();
        List<contact> c_lst = new List<contact>([select id from contact]);
        Integer size = c_lst.size();
        system.assertEquals(50, size);
    }

}
```

DailyLeadProcessor

```
global class DailyLeadProcessor implements Schedulable{
    global void execute(SchedulableContext ctx){
        List<Lead> leads = [SELECT Id, LeadSource FROM Lead WHERE LeadSource = ''];
```

```
        if(leads.size() > 0){
            List<Lead> newLeads = new List<Lead>();

            for(Lead lead : leads){
                lead.LeadSource = 'DreamForce';
                newLeads.add(lead);
            }

            update newLeads;
        }
    }
}
```

DailyLeadProcessorTest

```
@isTest
private class DailyLeadProcessorTest{
    //Seconds Minutes Hours Day_of_month Month Day_of_week optional_year
    public static String CRON_EXP = '0 0 0 2 6 ? 2022';

    static testmethod void testScheduledJob(){
        List<Lead> leads = new List<Lead>();

        for(Integer i = 0; i < 200; i++){
            Lead lead = new Lead(LastName = 'Test ' + i, LeadSource = '', Company = 'Test
Company ' + i, Status = 'Open - Not Contacted');
            leads.add(lead);
        }

        insert leads;

        Test.startTest();
        // Schedule the test job
        String jobId = System.schedule('Update LeadSource to DreamForce', CRON_EXP,
new DailyLeadProcessor());

        // Stopping the test will run the job synchronously
        Test.stopTest();
```

```
    }
}
```

Apex Integration Services

AnimalLocator

```
public class AnimalLocator{
    public static String getAnimalNameById(Integer x){
        Http http = new Http();
        HttpRequest req = new HttpRequest();
        req.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/'
 + x);
        req.setMethod('GET');
        Map<String, Object> animal= new Map<String, Object>();
        HttpResponse res = http.send(req);
           if (res.getStatusCode() == 200) {
        Map<String, Object> results = (Map<String,
Object>)JSON.deserializeUntyped(res.getBody());
      animal = (Map<String, Object>) results.get('animal');
        }
return (String)animal.get('name');
    }
}
```

AnimalLocatorTest

```
@isTest
private class AnimalLocatorTest{
    @isTest static void AnimalLocatorMock1() {
        Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());
        string result = AnimalLocator.getAnimalNameById(3);
        String expectedResult = 'chicken';
        System.assertEquals(result,expectedResult );
    }
}
```

AnimalLocatorMock

```
@isTest
global class AnimalLocatorMock implements HttpCalloutMock {
    // Implement this interface method
   global HTTPResponse respond(HTTPRequest request) {
      // Create a fake response
      HttpResponse response = new HttpResponse();
      response.setHeader('Content-Type', 'application/json');
      response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear",
"chicken", "mighty moose"]}');
      response.setStatusCode(200);
      return response;
   }
}
```

ParkService

```
//Generated by wsdl2apex
public class ParkService {
   public class byCountryResponse {
      public String[] return_x;
      private String[] return_x_type_info = new
String[]{'return','http://parks.services/',null,'0','-1','false'};
      private String[] apex_schema_type_info = new
String[]{'http://parks.services/','false','false'};
      private String[] field_order_type_info = new String[]{'return_x'};
   }
   public class byCountry {
      public String arg0;
      private String[] arg0_type_info = new
String[]{'arg0','http://parks.services/',null,'0','1','false'};
      private String[] apex_schema_type_info = new
String[]{'http://parks.services/','false','false'};
      private String[] field_order_type_info = new String[]{'arg0'};
   }
   public class ParksImplPort {
      public String endpoint_x = 'https://th-apex-soap-
service.herokuapp.com/service/parks';
      public Map<String,String> inputHttpHeaders_x;
```

```
        public Map<String,String> outputHttpHeaders_x;
        public String clientCertName_x;
        public String clientCert_x;
        public String clientCertPasswd_x;
        public Integer timeout_x;
        private String[] ns_map_type_info = new String[]{'http://parks.services/',
'ParkService'};
        public String[] byCountry(String arg0) {
            ParkService.byCountry request_x = new ParkService.byCountry();
            request_x.arg0 = arg0;
            ParkService.byCountryResponse response_x;
            Map<String, ParkService.byCountryResponse> response_map_x = new
Map<String, ParkService.byCountryResponse>();
            response_map_x.put('response_x', response_x);
            WebServiceCallout.invoke(
              this,
              request_x,
              response_map_x,
              new String[]{endpoint_x,
              '',
              'http://parks.services/',
              'byCountry',
              'http://parks.services/',
              'byCountryResponse',
              'ParkService.byCountryResponse'}
            );
            response_x = response_map_x.get('response_x');
            return response_x.return_x;
        }
    }
}
```

ParkServiceMock

```
@isTest
global class ParkServiceMock implements WebServiceMock {
    global void doInvoke(
            Object stub,
```

```
        Object request,
        Map<String, Object> response,
        String endpoint,
        String soapAction,
        String requestName,
        String responseNS,
        String responseName,
        String responseType) {
      // start - specify the response you want to send
      ParkService.byCountryResponse response_x = new
ParkService.byCountryResponse();
      response_x.return_x = new List<String>{'Yellowstone', 'Mackinac National Park',
'Yosemite'};
      // end
      response.put('response_x', response_x);
  }
}
```

ParkLocator

```
public class ParkLocator {
   public static string[] country(string theCountry) {
      ParkService.ParksImplPort  parkSvc = new  ParkService.ParksImplPort(); // remove
space
      return parkSvc.byCountry(theCountry);
   }
}
```

ParkLocatorTest

```
@isTest
private class ParkLocatorTest {
   @isTest static void testCallout() {
      Test.setMock(WebServiceMock.class, new ParkServiceMock ());
      String country = 'United States';
      List<String> result = ParkLocator.country(country);
      List<String> parks = new List<String>{'Yellowstone', 'Mackinac National Park',
'Yosemite'};
       System.assertEquals(parks, result);
```

```
    }
}
```

AccountManager

```
@RestResource(urlMapping='/Accounts/*/contacts')
global class AccountManager {
    @HttpGet
    global static Account getAccount() {
        RestRequest req = RestContext.request;
        String accId = req.requestURI.substringBetween('Accounts/', '/contacts');
        Account acc = [SELECT Id, Name, (SELECT Id, Name FROM Contacts)
                       FROM Account WHERE Id = :accId];
        return acc;
    }
}
```

AccountManagerTest

```
@isTest
private class AccountManagerTest {

    private static testMethod void getAccountTest1() {
        Id recordId = createTestRecord();
        // Set up a test request
        RestRequest request = new RestRequest();
        request.requestUri = 'https://na1.salesforce.com/services/apexrest/Accounts/'+
 recordId +'/contacts' ;
        request.httpMethod = 'GET';
        RestContext.request = request;
        // Call the method to test
        Account thisAccount = AccountManager.getAccount();
        // Verify results
        System.assert(thisAccount != null);
        System.assertEquals('Test record', thisAccount.Name);

    }

    // Helper method
```

```
    static Id createTestRecord() {
    // Create test record
    Account TestAcc = new Account(
      Name='Test record');
    insert TestAcc;
    Contact TestCon= new Contact(
    LastName='Test',
    AccountId = TestAcc.id);
    return TestAcc.Id
;
  }
}
```

Apex Specialist

MaintenanceRequest

```
trigger MaintenanceRequest on Case (before update, after update) {

  if(Trigger.isUpdate && Trigger.isAfter){

    MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);

  }

}
```

MaintenanceRequestHelper

```
public with sharing class MaintenanceRequestHelper {
  public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
    Set<Id> validIds = new Set<Id>();


    For (Case c : updWorkOrders){
      if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
        if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
          validIds.add(c.Id);
```

```
            }
        }
    }

    if (!validIds.isEmpty()){
        List<Case> newCases = new List<Case>();
        Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT
Id,Equipment__c,Quantity__c FROM Equipment_Maintenance_Items__r)
                                        FROM Case WHERE Id IN :validIds]);
        Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
        AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM
Equipment_Maintenance_Item__c WHERE Maintenance_Request__c IN :ValidIds GROUP
BY Maintenance_Request__c];

    for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
    }

        for(Case cc : closedCasesM.values()){
            Case nc = new Case (
                ParentId = cc.Id,
            Status = 'New',
                Subject = 'Routine Maintenance',
                Type = 'Routine Maintenance',
                Vehicle__c = cc.Vehicle__c,
                Equipment__c =cc.Equipment__c,
                Origin = 'Web',
                Date_Reported__c = Date.Today()

            );

            If (maintenanceCycles.containskey(cc.Id)){
```

```
                nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.Id));
            }

            newCases.add(nc);
        }

        insert newCases;

        List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
        for (Case nc : newCases){
            for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
                Equipment_Maintenance_Item__c wpClone = wp.clone();
                wpClone.Maintenance_Request__c = nc.Id;
                ClonedWPs.add(wpClone);

            }
        }
        insert ClonedWPs;
    }
  }
}
```

MaintenanceRequestHelperTest

```
@istest
public with sharing class MaintenanceRequestHelperTest {

  private static final string STATUS_NEW = 'New';
  private static final string WORKING = 'Working';
  private static final string CLOSED = 'Closed';
  private static final string REPAIR = 'Repair';
  private static final string REQUEST_ORIGIN = 'Web';
  private static final string REQUEST_TYPE = 'Routine Maintenance';
  private static final string REQUEST_SUBJECT = 'Testing subject';
```

```
  PRIVATE STATIC Vehicle__c createVehicle(){
    Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
    return Vehicle;
  }

  PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name = 'SuperEquipment',
                        lifespan_months__C = 10,
                        maintenance_cycle__C = 10,
                        replacement_part__c = true);
    return equipment;
  }

  PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
              Status=STATUS_NEW,
              Origin=REQUEST_ORIGIN,
              Subject=REQUEST_SUBJECT,
              Equipment__c=equipmentId,
              Vehicle__c=vehicleId);
    return cs;
  }

  PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id
requestId){
    Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
                                          Maintenance_Request__c = requestId);
    return wp;
  }


  @istest
  private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;
```

```
        Product2 equipment = createEq();
        insert equipment;
        id equipmentId = equipment.Id;

        case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
        insert somethingToUpdate;

        Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
        insert workP;

        test.startTest();
        somethingToUpdate.status = CLOSED;
        update somethingToUpdate;
        test.stopTest();

        Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c,
Vehicle__c, Date_Due__c
                from case
                where status =:STATUS_NEW];

        Equipment_Maintenance_Item__c workPart = [select id
                                    from Equipment_Maintenance_Item__c
                                    where Maintenance_Request__c =:newReq.Id];

        system.assert(workPart != null);
        system.assert(newReq.Subject != null);
        system.assertEquals(newReq.Type, REQUEST_TYPE);
        SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
        SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
        SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
    }

    @istest
    private static void testMaintenanceRequestNegative(){
        Vehicle__C vehicle = createVehicle();
```

```
        insert vehicle;
        id vehicleId = vehicle.Id;

        product2 equipment = createEq();
        insert equipment;
        id equipmentId = equipment.Id;

        case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
        insert emptyReq;

        Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId,
emptyReq.Id);
        insert workP;

        test.startTest();
        emptyReq.Status = WORKING;
        update emptyReq;
        test.stopTest();

        list<case> allRequest = [select id
                                 from case];

        Equipment_Maintenance_Item__c workPart = [select id
                                                  from Equipment_Maintenance_Item__c
                                                  where Maintenance_Request__c = :emptyReq.Id];

        system.assert(workPart != null);
        system.assert(allRequest.size() == 1);
    }

    @istest
    private static void testMaintenanceRequestBulk(){
        list<Vehicle__C> vehicleList = new list<Vehicle__C>();
        list<Product2> equipmentList = new list<Product2>();
        list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
        list<case> requestList = new list<case>();
```

```
        list<id> oldRequestIds = new list<id>();

        for(integer i = 0; i < 300; i++){
          vehicleList.add(createVehicle());
           equipmentList.add(createEq());
        }
        insert vehicleList;
        insert equipmentList;

        for(integer i = 0; i < 300; i++){
           requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
        }
        insert requestList;

        for(integer i = 0; i < 300; i++){
           workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
        }
        insert workPartList;

        test.startTest();
        for(case req : requestList){
           req.Status = CLOSED;
           oldRequestIds.add(req.Id);
        }
        update requestList;
        test.stopTest();

        list<case> allRequests = [select id
                                  from case
                                  where status =: STATUS_NEW];

        list<Equipment_Maintenance_Item__c> workParts = [select id
                                                         from Equipment_Maintenance_Item__c
                                                         where Maintenance_Request__c in: oldRequestIds];

        system.assert(allRequests.size() == 300);
```

```
    }
}
```

CreateDefaultData

```
public with sharing class CreateDefaultData{
    Static Final String TYPE_ROUTINE_MAINTENANCE = 'Routine Maintenance';
    //gets value from custom metadata How_We_Roll_Settings__mdt to know if Default
data was created
    @AuraEnabled
    public static Boolean isDataCreated() {
        How_We_Roll_Settings__c      customSetting =
How_We_Roll_Settings__c.getOrgDefaults();
        return customSetting.Is_Data_Created__c;
    }

    //creates Default Data for How We Roll application
    @AuraEnabled
    public static void createDefaultData(){
        List<Vehicle__c> vehicles = createVehicles();
        List<Product2> equipment = createEquipment();
        List<Case> maintenanceRequest = createMaintenanceRequest(vehicles);
        List<Equipment_Maintenance_Item__c> joinRecords =
createJoinRecords(equipment, maintenanceRequest);

        updateCustomSetting(true);
    }


    public static void updateCustomSetting(Boolean isDataCreated){
        How_We_Roll_Settings__c      customSetting =
How_We_Roll_Settings__c.getOrgDefaults();
        customSetting.Is_Data_Created__c = isDataCreated;
        upsert customSetting;
    }

    public static List<Vehicle__c> createVehicles(){
        List<Vehicle__c> vehicles = new List<Vehicle__c>();
```

```
        vehicles.add(new Vehicle__c(Name = 'Toy Hauler RV', Air_Conditioner__c = true,
Bathrooms__c = 1, Bedrooms__c = 1, Model__c = 'Toy Hauler RV'));
        vehicles.add(new Vehicle__c(Name = 'Travel Trailer RV', Air_Conditioner__c = true,
Bathrooms__c = 2, Bedrooms__c = 2, Model__c = 'Travel Trailer RV'));
        vehicles.add(new Vehicle__c(Name = 'Teardrop Camper', Air_Conditioner__c = true,
Bathrooms__c = 1, Bedrooms__c = 1, Model__c = 'Teardrop Camper'));
        vehicles.add(new Vehicle__c(Name = 'Pop-Up Camper', Air_Conditioner__c = true,
Bathrooms__c = 1, Bedrooms__c = 1, Model__c = 'Pop-Up Camper'));
        insert vehicles;
        return vehicles;
    }

    public static List<Product2> createEquipment(){
        List<Product2> equipments = new List<Product2>();
        equipments.add(new Product2(Warehouse_SKU__c =
'55d66226726b611100aaf741',name = 'Generator 1000 kW', Replacement_Part__c =
true,Cost__c = 100 ,Maintenance_Cycle__c = 100));
        equipments.add(new Product2(name = 'Fuse 20B',Replacement_Part__c =
true,Cost__c = 1000, Maintenance_Cycle__c = 30  ));
        equipments.add(new Product2(name = 'Breaker 13C',Replacement_Part__c =
true,Cost__c = 100  , Maintenance_Cycle__c = 15));
        equipments.add(new Product2(name = 'UPS 20 VA',Replacement_Part__c =
true,Cost__c = 200  , Maintenance_Cycle__c = 60));
        insert equipments;
        return equipments;

    }

    public static List<Case> createMaintenanceRequest(List<Vehicle__c> vehicles){
        List<Case> maintenanceRequests = new List<Case>();
        maintenanceRequests.add(new Case(Vehicle__c = vehicles.get(1).Id, Type =
TYPE_ROUTINE_MAINTENANCE, Date_Reported__c = Date.today()));
        maintenanceRequests.add(new Case(Vehicle__c = vehicles.get(2).Id, Type =
TYPE_ROUTINE_MAINTENANCE, Date_Reported__c = Date.today()));
        insert maintenanceRequests;
        return maintenanceRequests;
    }
```

```
    public static List<Equipment_Maintenance_Item__c>
createJoinRecords(List<Product2> equipment, List<Case> maintenanceRequest){
        List<Equipment_Maintenance_Item__c> joinRecords = new
List<Equipment_Maintenance_Item__c>();
        joinRecords.add(new Equipment_Maintenance_Item__c(Equipment__c =
equipment.get(0).Id, Maintenance_Request__c = maintenanceRequest.get(0).Id));
        joinRecords.add(new Equipment_Maintenance_Item__c(Equipment__c =
equipment.get(1).Id, Maintenance_Request__c = maintenanceRequest.get(0).Id));
        joinRecords.add(new Equipment_Maintenance_Item__c(Equipment__c =
equipment.get(2).Id, Maintenance_Request__c = maintenanceRequest.get(0).Id));
        joinRecords.add(new Equipment_Maintenance_Item__c(Equipment__c =
equipment.get(0).Id, Maintenance_Request__c = maintenanceRequest.get(1).Id));
        joinRecords.add(new Equipment_Maintenance_Item__c(Equipment__c =
equipment.get(1).Id, Maintenance_Request__c = maintenanceRequest.get(1).Id));
        joinRecords.add(new Equipment_Maintenance_Item__c(Equipment__c =
equipment.get(2).Id, Maintenance_Request__c = maintenanceRequest.get(1).Id));
        insert joinRecords;
        return joinRecords;

    }
}
```

CreateDefaultDataTest

```
@isTest
private class CreateDefaultDataTest {
    @isTest
    static void createData_test(){
        Test.startTest();
        CreateDefaultData.createDefaultData();
        List<Vehicle__c> vehicles = [SELECT Id FROM Vehicle__c];
        List<Product2> equipment = [SELECT Id FROM Product2];
        List<Case> maintenanceRequest = [SELECT Id FROM Case];
        List<Equipment_Maintenance_Item__c> joinRecords = [SELECT Id FROM
Equipment_Maintenance_Item__c];

        System.assertEquals(4, vehicles.size(), 'There should have been 4 vehicles
```

```
created');
        System.assertEquals(4, equipment.size(), 'There should have been 4 equipment
created');
        System.assertEquals(2, maintenanceRequest.size(), 'There should have been 2
maintenance request created');
        System.assertEquals(6, joinRecords.size(), 'There should have been 6 equipment
maintenance items created');

    }

    @isTest
    static void updateCustomSetting_test(){
        How_We_Roll_Settings__c      customSetting =
How_We_Roll_Settings__c.getOrgDefaults();
        customSetting.Is_Data_Created__c = false;
        upsert customSetting;

        System.assertEquals(false, CreateDefaultData.isDataCreated(), 'The custom setting
How_We_Roll_Settings__c.Is_Data_Created__c should be false');

        customSetting.Is_Data_Created__c = true;
        upsert customSetting;

        System.assertEquals(true, CreateDefaultData.isDataCreated(), 'The custom setting
How_We_Roll_Settings__c.Is_Data_Created__c should be true');

    }
}
```

WarehouseCalloutService

```
public with sharing class WarehouseCalloutService {

    private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';

    //@future(callout=true)
    public static void runWarehouseEquipmentSync(){
```

```
        Http http = new Http();
        HttpRequest request = new HttpRequest();

        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);


        List<Product2> warehouseEq = new List<Product2>();

        if (response.getStatusCode() == 200){
            List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
            System.debug(response.getBody());

            for (Object eq : jsonResponse){
                Map<String,Object> mapJson = (Map<String,Object>)eq;
                Product2 myEq = new Product2();
                myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
                myEq.Name = (String) mapJson.get('name');
                myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
                myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
                myEq.Cost__c = (Decimal) mapJson.get('lifespan');
                myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
                myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
                warehouseEq.add(myEq);
            }

            if (warehouseEq.size() > 0){
                upsert warehouseEq;
                System.debug('Your equipment was synced with the warehouse one');
                System.debug(warehouseEq);
            }

        }
    }
```

```
}
```

WarehouseCalloutServiceMock

```
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    // implement http mock callout
    global static HttpResponse respond(HttpRequest request){

        System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
        System.assertEquals('GET', request.getMethod());

        // Create a fake response
        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');

response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5
,"name":"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
        response.setStatusCode(200);
        return response;
    }
}
```

WarehouseCalloutServiceTest

```
@isTest

private class WarehouseCalloutServiceTest {
    @isTest
    static void testWareHouseCallout(){
        Test.startTest();
        // implement mock callout test here
        Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
        WarehouseCalloutService.runWarehouseEquipmentSync();
        Test.stopTest();
        System.assertEquals(1, [SELECT count() FROM Product2]);
    }
```

```
}
```

WarehouseSyncSchedule

```
global class WarehouseSyncSchedule implements Schedulable {
   global void execute(SchedulableContext ctx) {

      WarehouseCalloutService.runWarehouseEquipmentSync();
   }
}
```

WarehouseSyncScheduleTest

```
@isTest
public class WarehouseSyncScheduleTest {

   @isTest static void WarehousescheduleTest(){
      String scheduleTime = '00 00 01 * * ?';
      Test.startTest();
      Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
      String jobID=System.schedule('Warehouse Time To Schedule to Test',
scheduleTime, new WarehouseSyncSchedule());
      Test.stopTest();
      //Contains schedule information for a scheduled job. CronTrigger is similar to a
cron job on UNIX systems.
      // This object is available in API version 17.0 and later.
      CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
      System.assertEquals(jobID, a.Id,'Schedule ');


   }
}
```