

# APEX SPECIALIST SUPERBADGE

## SOLUTIONS

### Automated Record Creation

#### MaintenanceRequestHelper.apxc

```
public with sharing class MaintenanceRequestHelper {
    public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case>
    nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);
                }
            }
        }
        if (!validIds.isEmpty()){
            List<Case> newCases = new List<Case>();
            Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
            Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT
            Id,Equipment__c,Quantity__c FROM Equipment_Maintenance_Items__r)
            FROM Case WHERE Id IN :validIds]);
            Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
            AggregateResult[] results = [SELECT Maintenance_Request__c,
            MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM
            Equipment_Maintenance_Item__c WHERE Maintenance_Request__c IN :ValidIds
            GROUP BY Maintenance_Request__c];
            for (AggregateResult ar : results){maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'),
            (Decimal)
            ar.get('cycle')));
        }
        for(Case cc : closedCasesM.values()){
            Case nc = new Case (
            ParentId = cc.Id,
```

```

Status = 'New',
Subject = 'Routine Maintenance',
Type = 'Routine Maintenance',
Vehicle__c = cc.Vehicle__c,
Equipment__c = cc.Equipment__c,
Origin = 'Web',
Date_Reported__c = Date.Today()
);
If (maintenanceCycles.containsKey(cc.Id)){
nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.Id));
} else {
nc.Date_Due__c = Date.today().addDays((Integer)
cc.Equipment__r.maintenance_Cycle__c);
}
newCases.add(nc);
}
insert newCases;
List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
for (Case nc : newCases){
for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
Equipment_Maintenance_Item__c wpClone = wp.clone();
wpClone.Maintenance_Request__c = nc.Id;ClonedWPs.add(wpClone);
}
}
insert ClonedWPs;
}
}
}

```

### **MaintenanceRequest.apxt**

```
trigger MaintenanceRequest on Case (before update, after update) {  
    if(Trigger.isUpdate && Trigger.isAfter){  
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);  
    }  
}
```

### **Synchronize Salesforce data with an external system**

#### **WarehouseCalloutService.apxc :-**

```
public with sharing class WarehouseCalloutService implements Queueable {  
    private static final String WAREHOUSE_URL = 'https://th-superbadge-  
    apex.herokuapp.com/equipment';  
    //class that makes a REST callout to an external warehouse system to get a list of  
    equipment that needs to be updated.  
    //The callout's JSON response returns the equipment records that you upsert in  
    Salesforce.  
    @future(callout=true)  
    public static void runWarehouseEquipmentSync(){  
        Http http = new Http();  
        HttpRequest request = new HttpRequest();request.setEndpoint(WAREHOUSE_URL);  
        request.setMethod('GET');  
        HttpResponse response = http.send(request);  
        List<Product2> warehouseEq = new List<Product2>();  
        if (response.getStatusCode() == 200){  
            List<Object> jsonResponse =  
            (List<Object>)JSON.deserializeUntyped(response.getBody());  
            System.debug(response.getBody());  
            //class maps the following fields: replacement part (always true), cost, current  
            inventory, lifespan, maintenance cycle, and warehouse SKU  
            //warehouse SKU will be external ID for identifying which equipment records  
            to update within Salesforce  
            for (Object eq : jsonResponse){  
                Map<String,Object> mapJson = (Map<String,Object>)eq;  
                Product2 myEq = new Product2();
```

```

myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
myEq.Name = (String) mapJson.get('name');
myEq.Maintenance_Cycle__c = (Integer)
mapJson.get('maintenanceperiod');
myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
myEq.Cost__c = (Integer) mapJson.get('cost');
myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
myEq.ProductCode = (String) mapJson.get('_id');
warehouseEq.add(myEq);
}
if (warehouseEq.size() > 0){
upsert warehouseEq;
System.debug('Your equipment was synced with the warehouse one');
}
}
}public static void execute (QueueableContext context){
runWarehouseEquipmentSync();
}
}

```

**After saving the code open execute anonymous window ( CTRL+E ) and run this method ,**

```
System.enqueueJob(new WarehouseCalloutService());
```

## **Schedule synchronization using Apex code**

### **WarehouseSyncSchedule.apxc :-**

```

global with sharing class WarehouseSyncSchedule implements Schedulable{
global void execute(SchedulableContext ctx){
System.enqueueJob(new WarehouseCalloutService());
}
}

```

## **Test automation logic**

### **MaintenanceRequestHelperTest.apxc :-**

```
@istest
```

```

public with sharing class MaintenanceRequestHelperTest {
private static final string STATUS_NEW = 'New';
private static final string WORKING = 'Working';
private static final string CLOSED = 'Closed';
private static final string REPAIR = 'Repair';
private static final string REQUEST_ORIGIN = 'Web';
private static final string REQUEST_TYPE = 'Routine Maintenance';
private static final string REQUEST_SUBJECT = 'Testing subject';PRIVATE STATIC
Vehicle__c createVehicle(){
Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
return Vehicle;
}
PRIVATE STATIC Product2 createEq(){
product2 equipment = new product2(name = 'SuperEquipment',
lifespan_months__C = 10,
maintenance_cycle__C = 10,
replacement_part__c = true);
return equipment;
}
PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
case cs = new case(Type=REPAIR,
Status=STATUS_NEW,
Origin=REQUEST_ORIGIN,
Subject=REQUEST_SUBJECT,
Equipment__c=equipmentId,
Vehicle__c=vehicleId);
return cs;
}
PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id
equipmentId,id requestId){
Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
Maintenance_Request__c = requestId);
return wp;
}
@istest
private static void testMaintenanceRequestPositive(){

```

```

Vehicle__c vehicle = createVehicle();
insert vehicle; id vehicleId = vehicle.Id;
Product2 equipment = createEq();
insert equipment;
id equipmentId = equipment.Id;
case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
insert somethingToUpdate;
Equipment__Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
insert workP;
test.startTest();
somethingToUpdate.status = CLOSED;
update somethingToUpdate;
test.stopTest();
Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c,
Vehicle__c, Date_Due__c
from case
where status =:STATUS_NEW];
Equipment__Maintenance_Item__c workPart = [select id
from Equipment__Maintenance_Item__c
where Maintenance_Request__c =:newReq.Id];
system.assert(workPart != null);
system.assert(newReq.Subject != null);
system.assertEquals(newReq.Type, REQUEST_TYPE);
SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
}
@istest
private static void testMaintenanceRequestNegative(){ Vehicle__C vehicle = createVehicle();
insert vehicle;
id vehicleId = vehicle.Id;
product2 equipment = createEq();
insert equipment;
id equipmentId = equipment.Id;
case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
insert emptyReq;

```

```

Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId,
emptyReq.Id);
insert workP;
test.startTest();
emptyReq.Status = WORKING;
update emptyReq;
test.stopTest();
list<case> allRequest = [select id
from case];
Equipment_Maintenance_Item__c workPart = [select id
from Equipment_Maintenance_Item__c
where Maintenance_Request__c = :emptyReq.Id];
system.assert(workPart != null);
system.assert(allRequest.size() == 1);
}
@istest
private static void testMaintenanceRequestBulk(){
list<Vehicle__C> vehicleList = new list<Vehicle__C>();
list<Product2> equipmentList = new list<Product2>();
list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();list<case> requestList = new list<case>();
list<id> oldRequestIds = new list<id>();
for(integer i = 0; i < 300; i++){
vehicleList.add(createVehicle());
equipmentList.add(createEq());
}
insert vehicleList;
insert equipmentList;
for(integer i = 0; i < 300; i++){
requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
}
insert requestList;
for(integer i = 0; i < 300; i++){
workPartList.add(createWorkPart(equipmentList.get(i).id,
requestList.get(i).id));
}
}

```

```

insert workPartList;
test.startTest();
for(case req : requestList){
req.Status = CLOSED;
oldRequestIds.add(req.Id);
}
update requestList;
test.stopTest();
list<case> allRequests = [select id
from case
where status =: STATUS_NEW];
list<Equipment_Maintenance_Item__c> workParts = [select id
from Equipment_Maintenance_Item__c
where Maintenance_Request__c in: oldRequestIds];system.assert(allRequests.size() == 300);
}
}

```

### **MaintenanceRequestHelper.apxc :-**

```

public with sharing class MaintenanceRequestHelper {
public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
Set<Id> validIds = new Set<Id>();
For (Case c : updWorkOrders){
if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
validIds.add(c.Id);
}
}
}
if (!validIds.isEmpty()){
List<Case> newCases = new List<Case>();
Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT
Id,Equipment__c,Quantity__c FROM Equipment_Maintenance_Items__r)
FROM Case WHERE Id IN :validIds]);
Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();

```



```

AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM
Equipment_Maintenance_Item__c WHERE Maintenance_Request__c IN :ValidIds
GROUP BY Maintenance_Request__c];
for (AggregateResult ar : results){
maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)ar.get('cycle'));
}
for(Case cc : closedCasesM.values()){
Case nc = new Case (
ParentId = cc.Id,
Status = 'New',
Subject = 'Routine Maintenance',
Type = 'Routine Maintenance',
Vehicle__c = cc.Vehicle__c,
Equipment__c =cc.Equipment__c,
Origin = 'Web',
Date_Reported__c = Date.Today()
);
If (maintenanceCycles.containsKey(cc.Id)){
nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.Id));
}
newCases.add(nc);
}
insert newCases;
List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
for (Case nc : newCases){
for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
Equipment_Maintenance_Item__c wpClone = wp.clone();
wpClone.Maintenance_Request__c = nc.Id;
ClonedWPs.add(wpClone);
}
}insert ClonedWPs;
}
}

```

```
}
```

### **MaintenanceRequest.apxt :-**

```
trigger MaintenanceRequest on Case (before update, after update) {  
    if(Trigger.isUpdate && Trigger.isAfter){  
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);  
    }  
}
```

### **Test callout logic**

### **WarehouseCalloutService.apxc :-**

```
public with sharing class WarehouseCalloutService {  
    private static final String WAREHOUSE_URL = 'https://th-superbadge-  
apex.herokuapp.com/equipment';  
    //@future(callout=true)  
    public static void runWarehouseEquipmentSync(){  
        Http http = new Http();  
        HttpRequest request = new HttpRequest();  
        request.setEndpoint(WAREHOUSE_URL);  
        request.setMethod('GET');  
        HttpResponse response = http.send(request);  
        List<Product2> warehouseEq = new List<Product2>();  
        if (response.getStatusCode() == 200){  
            List<Object> jsonResponse =  
                (List<Object>)JSON.deserializeUntyped(response.getBody());System.debug(response.getBody()  
                );  
            for (Object eq : jsonResponse){  
                Map<String,Object> mapJson = (Map<String,Object>)eq;  
                Product2 myEq = new Product2();  
                myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');  
                myEq.Name = (String) mapJson.get('name');  
                myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');  
                myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');  
                myEq.Cost__c = (Decimal) mapJson.get('lifespan');
```

```

myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
warehouseEq.add(myEq);
}
if (warehouseEq.size() > 0){
upsert warehouseEq;
System.debug('Your equipment was synced with the warehouse one');
System.debug(warehouseEq);
}
}
}
}

```

### **WarehouseCalloutServiceTest.apxc :-**

```

@isTest
private class WarehouseCalloutServiceTest {
@isTest
static void testWareHouseCallout(){
Test.startTest();
// implement mock callout test here
Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
WarehouseCalloutService.runWarehouseEquipmentSync();
Test.stopTest();
System.assertEquals(1, [SELECT count() FROM Product2]);
}}

```

### **WarehouseCalloutServiceMock.apxc :-**

```

@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
// implement http mock callout
global static HttpResponse respond(HttpRequest request){
System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
System.assertEquals('GET', request.getMethod());
// Create a fake response

```

```

HttpResponse response = new HttpResponse();
response.setHeader('Content-Type', 'application/json');
response.setBody(['{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":"Generator 1000 kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}']);
response.setStatusCode(200);
return response;
}
}

```

## Test scheduling logic

### WarehouseSyncSchedule.apxc :-

```

global class WarehouseSyncSchedule implements Schedulable {
global void execute(SchedulableContext ctx) {
WarehouseCalloutService.runWarehouseEquipmentSync();
}
}

```

### WarehouseSyncScheduleTest.apxc :-

```

@isTest
public class WarehouseSyncScheduleTest {@isTest static void WarehousescheduleTest(){
String scheduleTime = '00 00 01 * * ?';
Test.startTest();
Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
String jobID=System.schedule('Warehouse Time To Schedule to Test',
scheduleTime, new WarehouseSyncSchedule());
Test.stopTest();
//Contains schedule information for a scheduled job. CronTrigger is similar to a
cron job on UNIX systems.
// This object is available in API version 17.0 and later.
CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
System.assertEquals(jobID, a.Id,'Schedule ');
}
}

```

## PROCESS AUTOMATION SPECIALIST - SUPERBADGE

### Automata leads

#### error condition formula

```
OR(AND(LEN(State) > 2,  
NOT(CONTAINS("AL:AK:AZ:AR:CA:CO:CT:DE:DC:FL:GA:HI:ID:IL:IN:IA:KS:KY:LA:ME  
:MD:M  
A:MI:MN:MS:MO:MT:NE:NV:NH:NJ:NM:NY:NC:ND:OH:OK:OR:PA:RI:SC:SD:TN:TX:UT:  
VT:  
VA:WA:WV:WI:WY", State )) ), NOT(OR(Country ="US",Country ="USA",Country ="United  
States", ISBLANK(Country))))
```

#### Automate accounts

```
error condition formula1OR(AND(LEN(BillingState) > 2,  
NOT(CONTAINS("AL:AK:AZ:AR:CA:CO:CT:DE:DC:FL:GA:HI:ID:IL:IN:IA:KS:KY:LA:ME  
:MD:M  
A:MI:MN:MS:MO:MT:NE:NV:NH:NJ:NM:NY:NC:ND:OH:OK:OR:PA:RI:SC:SD:TN:TX:UT:  
VT:  
VA:WA:WV:WI:WY", BillingState ))  
,AND(LEN(ShippingState) > 2,  
NOT(CONTAINS("AL:AK:AZ:AR:CA:CO:CT:DE:DC:FL:GA:HI:ID:IL:IN:IA:KS:KY:LA:ME  
:MD:M  
A:MI:MN:MS:MO:MT:NE:NV:NH:NJ:NM:NY:NC:ND:OH:OK:OR:PA:RI:SC:SD:TN:TX:UT:  
VT:  
VA:WA:WV:WI:WY", ShippingState))  
,NOT(OR(BillingCountry ="US",BillingCountry ="USA",BillingCountry ="United States",  
ISBLANK(BillingCountry))),  
NOT(OR(ShippingCountry ="US",ShippingCountry ="USA",ShippingCountry ="United  
States", ISBLANK(ShippingCountry))))
```

#### error condition formula1

```
ISCHANGED( Name ) && ( OR( ISPICKVAL( Type ,'Customer - Direct') ,ISPICKVAL( Type  
, 'Customer - Channel') ))
```

### Automata steps

#### formula

```
Case ( WEEKDAY( Date__c ),  
1, "Sunday",
```

2,"Monday",  
3,"Tuesday",  
4,"Wednesday",  
5,"Thursday",  
6,"Friday",  
7,"Saturday",  
Text(WEEKDay(Date\_\_c)))