

CreateDefaultDataTest.apxc:

```
@isTest
private class CreateDefaultDataTest {
    @isTest
    static void createData_test(){
        Test.startTest();
        CreateDefaultData.createDefaultData();
        List<Vehicle__c> vehicles = [SELECT Id FROM Vehicle__c];
        List<Product2> equipment = [SELECT Id FROM Product2];
        List<Case> maintenanceRequest = [SELECT Id FROM Case];
        List<Equipment_Maintenance_Item__c> joinRecords = [SELECT Id
        FROM Equipment_Maintenance_Item__c];
        System.assertEquals(4, vehicles.size(), 'There should have been 4
        vehicles created');
        System.assertEquals(4, equipment.size(), 'There should have been 4
        equipment created');
        System.assertEquals(2, maintenanceRequest.size(), 'There should
        have been 2 maintenance request created');
        System.assertEquals(6, joinRecords.size(), 'There should have been
        6 equipment maintenance items created');
    }
    @isTest
    static void updateCustomSetting_test(){
        How_We_Roll_Settings__c customSetting =
        How_We_Roll_Settings__c.getOrgDefaults();
        customSetting.Is_Data_Created__c = false;
        upsert customSetting;
        System.assertEquals(false, CreateDefaultData.isDataCreated(), 'The
        custom setting How_We_Roll_Settings__c.Is_Data_Created__c should be
        false');
        customSetting.Is_Data_Created__c = true;
        upsert customSetting;
        System.assertEquals(true, CreateDefaultData.isDataCreated(), 'The
        custom setting How_We_Roll_Settings__c.Is_Data_Created__c should be
        true');
    }
}
```