APEX SPECIALIST SUPER BADGE CODES

APEX TRIGGERS

AccountAddressTrigger.apxt:-

```
trigger AccountAddressTrigger on Account (before insert,before update) {
   for(Account a:Trigger.New){
      if(a.Match_Billing_Address__c==true){
         a.ShippingPostalCode=a.BillingPostalCode;
      }
   }

}
```

ClosedOpportunityTrigger.apxt:-

```
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {

   List<Task> taskList = new List <task>();

   for(Opportunity opp : Trigger.New){
      if(opp.StageName == 'Closed Won'){
         taskList.add(new Task(Subject = 'Follow Up Test Task', WhatId = opp.Id));
      }
     }
   if(taskList.size()>0){
      insert taskList;
   }
}
```

Apex Testing

VerifyDate.apxc:-

```
public class VerifyDate {
   public static Date CheckDates(Date date1, Date date2) {
   if(DateWithin30Days(date1,date2)) {
    return date2;
   }
```

```
else {
    return SetEndOfMonthDate(date1);
  }
 }

 private static Boolean DateWithin30Days(Date date1, Date date2) {
      if( date2 < date1) { return false; }

      Date date30Days = date1.addDays(30);
  if( date2 >= date30Days ) { return false; }
  else { return true; }
 }

 private static Date SetEndOfMonthDate(Date date1) {
  Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
  Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);
  return lastDay;
 }
}
```

TestVerifyDate.apxc

```
@isTest
public class TestVerifyDate
{
  static testMethod void testMethod1()
  {
    Date d = VerifyDate.CheckDates(System.today(),System.today()+1);
    Date d1 = VerifyDate.CheckDates(System.today(),System.today()+60);
  }
}
```

RestrictContactByName.apxt

```
trigger RestrictContactByName on Contact (before insert, before update) {

        for (Contact c : Trigger.New) {

                if(c.LastName == 'INVALIDNAME') {

                c.AddError('The Last Name "'+c.LastName+'" is not allowed for DML');

                }

          }

}
```

```
@isTest
private class TestRestrictContactByName {
        static testMethod void  metodoTest() {
            List<Contact> listContact= new List<Contact>();
            Contact c1 = new Contact(FirstName='Francesco', LastName='Riggio' ,
        email='Test@test.com');
            Contact c2 = new Contact(FirstName='Francesco1', LastName =
        'INVALIDNAME',email='Test@test.com');
            listContact.add(c1);
            listContact.add(c2);
            Test.startTest();
              try{
                 insert listContact;
              }
              catch(Exception ee){}
            Test.stopTest();
          }
}
```

RandomContactFactory.apxc:

```
public class RandomContactFactory {
   public static List<Contact> generateRandomContacts(Integer numContactsToGenerate, String
FName) {
      List<Contact> contactList = new List<Contact>();
      for(Integer i=0;i<numContactsToGenerate;i++) {
         Contact c = new Contact(FirstName=FName + ' ' + i, LastName = 'Contact '+i);
         contactList.add(c);
         System.debug(c);
      }
```

```
        System.debug(contactList.size());
        return contactList;
    }
}
```

Asynchronous Apex

AccountProcessor.apxc

```
public class AccountProcessor {
    @future
    public static void countContacts(List<Id> accountIds){
        List<Account> accounts = [Select Id, Name from Account Where Id IN : accountIds];
        List<Account> updatedAccounts = new List<Account>();
        for(Account account : accounts){
          account.Number_of_Contacts__c = [Select count() from Contact Where AccountId =:
account.Id];
          System.debug('No Of Contacts = ' + account.Number_of_Contacts__c);
          updatedAccounts.add(account);
        }
        update updatedAccounts;
    }
}
```

AccountProcessorTest.apxc

```
@isTest
public class AccountProcessorTest {
    @isTest
    public static void testNoOfContacts(){
        Account a = new Account();
        a.Name = 'Test Account';
```

```
        Insert a;
        Contact c = new Contact();
        c.FirstName = 'Bob';
        c.LastName =  'Willie';
        c.AccountId = a.Id;
        Contact c2 = new Contact();
        c2.FirstName = 'Tom';
        c2.LastName = 'Cruise';
        c2.AccountId = a.Id;
        List<Id> acctIds = new List<Id>();
        acctIds.add(a.Id);
        Test.startTest();
        AccountProcessor.countContacts(acctIds);
        Test.stopTest();
    }
}
```

LeadProcessor.apxc:

```
public class LeadProcessor implements Database.Batchable<sObject> {
    public Database.QueryLocator start(Database.BatchableContext bc) {
        return Database.getQueryLocator([Select LeadSource From Lead ]);
    }
    public void execute(Database.BatchableContext bc, List<Lead> leads){
          for (Lead Lead : leads) {
             lead.LeadSource = 'Dreamforce';
          }
        update leads;
    }
```

```
    public void finish(Database.BatchableContext bc){
     }
}
```

LeadProcessorTest.apxc

```
@isTest
public class LeadProcessorTest {
      @testSetup
   static void setup() {
      List<Lead> leads = new List<Lead>();
      for(Integer counter=0 ;counter <200;counter++){
         Lead lead = new Lead();
         lead.FirstName ='FirstName';
         lead.LastName ='LastName'+counter;
         lead.Company ='demo'+counter;
         leads.add(lead);
      }
      insert leads;
   }
   @isTest static void test() {
      Test.startTest();
      LeadProcessor leadProcessor = new LeadProcessor();
      Id batchId = Database.executeBatch(leadProcessor);
      Test.stopTest();
   }
}
```

AddPrimaryContact.apxc

```
public class AddPrimaryContact implements Queueable
```

```
{
   private Contact c;
   private String state;
   public  AddPrimaryContact(Contact c, String state)
   {
      this.c = c;
      this.state = state;
   }
   public void execute(QueueableContext context)
   {
      List<Account> ListAccount = [SELECT ID, Name ,(Select id,FirstName,LastName from
contacts ) FROM ACCOUNT WHERE BillingState = :state LIMIT 200];
      List<Contact> lstContact = new List<Contact>();
      for (Account acc:ListAccount)
      {
            Contact cont = c.clone(false,false,false,false);
            cont.AccountId =  acc.id;
            lstContact.add( cont );
      }
      if(lstContact.size() >0 )
      {
         insert lstContact;
      }
   }
}
```

AddPrimaryContactTest.apxc

```
@isTest
public class AddPrimaryContactTest
```

```
{
    @isTest static void TestList()
    {
       List<Account> Teste = new List <Account>();
       for(Integer i=0;i<50;i++)
       {
          Teste.add(new Account(BillingState = 'CA', name = 'Test'+i));
       }
       for(Integer j=0;j<50;j++)
       {
          Teste.add(new Account(BillingState = 'NY', name = 'Test'+j));
       }
       insert Teste;
       Contact co = new Contact();
       co.FirstName='demo';
       co.LastName ='demo';
       insert co;
       String state = 'CA';
        AddPrimaryContact apc = new AddPrimaryContact(co, state);
        Test.startTest();
          System.enqueueJob(apc);
        Test.stopTest();
    }
}
```

DailyLeadProcessor.apxc

```
public class DailyLeadProcessor implements Schedulable  {
   Public void execute(SchedulableContext SC){
```

```
        List<Lead> LeadObj=[SELECT Id from Lead where LeadSource=null limit 200];
        for(Lead l:LeadObj){
            l.LeadSource='Dreamforce';
            update l;
        }
    }
}
```

DailyLeadProcessorTest.apxc

```
@isTest
private class DailyLeadProcessorTest {
        static testMethod void testDailyLeadProcessor() {
                String CRON_EXP = '0 0 1 * * ?';
                List<Lead> lList = new List<Lead>();
            for (Integer i = 0; i < 200; i++) {
                        lList.add(new Lead(LastName='Dreamforce'+i, Company='Test1 Inc.',
Status='Open - Not Contacted'));
                }
                insert lList;

                Test.startTest();
                String jobId = System.schedule('DailyLeadProcessor', CRON_EXP, new
DailyLeadProcessor());
        }
}
```

Apex Integration Services

AnimalLocator.apxc:

```
public class AnimalLocator{
```

```
    public static String getAnimalNameById(Integer x){
        Http http = new Http();
        HttpRequest req = new HttpRequest();
        req.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/' + x);
        req.setMethod('GET');
        Map<String, Object> animal= new Map<String, Object>();
        HttpResponse res = http.send(req);
          if (res.getStatusCode() == 200) {
        Map<String, Object> results = (Map<String,
Object>)JSON.deserializeUntyped(res.getBody());
      animal = (Map<String, Object>) results.get('animal');
        }
return (String)animal.get('name');
    }
}
```

AnimalLocatorTest.apxc

```
@isTest
private class AnimalLocatorTest{
    @isTest static void AnimalLocatorMock1() {
        Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());
        string result = AnimalLocator.getAnimalNameById(3);
        String expectedResult = 'chicken';
        System.assertEquals(result,expectedResult );
    }
}
```

AnimalLocatorMock.apxc

```
@isTest
```

```
global class AnimalLocatorMock implements HttpCalloutMock {
    // Implement this interface method
   global HTTPResponse respond(HTTPRequest request) {
      // Create a fake response
      HttpResponse response = new HttpResponse();
      response.setHeader('Content-Type', 'application/json');
      response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear", "chicken",
"mighty moose"]}');
      response.setStatusCode(200);
      return response;
   }
}
```

ParkLocator.apxc

```
public class ParkLocator {
   public static string[] country(string theCountry) {
      ParkService.ParksImplPort  parkSvc = new  ParkService.ParksImplPort(); // remove space
      return parkSvc.byCountry(theCountry);
   }
}
```

ParkLocatorTest.apxc

```
@isTest
private class ParkLocatorTest {
   @isTest static void testCallout() {
      Test.setMock(WebServiceMock.class, new ParkServiceMock ());
      String country = 'United States';
      List<String> result = ParkLocator.country(country);
```

```
        List<String> parks = new List<String>{'Yellowstone', 'Mackinac National Park', 'Yosemite'};
         System.assertEquals(parks, result);
    }
}
```

ParkServiceMock.apxc

```
@isTest
global class ParkServiceMock implements WebServiceMock {
  global void doInvoke(
          Object stub,
          Object request,
          Map<String, Object> response,
          String endpoint,
          String soapAction,
          String requestName,
          String responseNS,
          String responseName,
          String responseType) {
        // start - specify the response you want to send
        ParkService.byCountryResponse response_x = new ParkService.byCountryResponse();
        response_x.return_x = new List<String>{'Yellowstone', 'Mackinac National Park',
'Yosemite'};
        // end
        response.put('response_x', response_x);
  }
}
```

AccountManager.apxc

```
@RestResource(urlMapping='/Accounts/*/contacts')
global with sharing class AccountManager {
```

```
    @HttpGet
    global static Account getAccount(){
        RestRequest request=RestContext.request;
        string accountId=request.requestURI.substringBetween('Accounts/','/contacts');
        Account result=[SELECT Id,Name,(Select Id,Name from Contacts) from Account where
Id=:accountId Limit 1];
        return result;
    }
}
```

AccountManagerTest.apxc

```
@IsTest
private class AccountManagerTest {
    @isTest static void testGetContactsByAccountId(){
        Id recordId=createTestRecord();
        RestRequest request=new RestRequest();
        request.requestUri='https://yourInstance.my.salesforce.com/services/apexrest/Accounts/'+
recordId+'/contacts';
        request.httpMethod='GET';
        RestContext.request=request;
        Account thisAccount=AccountManager.getAccount();
        System.assert(thisAccount != null);
        System.assertEquals('Test record',thisAccount.Name);
    }
    static Id createTestRecord(){
        Account accountTest=new Account(
        Name='Test record'
        );
        insert accountTest;
```

```
        Contact contactTest=new Contact(
        FirstName='John',LastName='Doe',AccountId=accountTest.Id);
        insert contactTest;
        return accountTest.Id;
    }
}
```

APEX SPECIALIST SUPER BADGE

Challenge 1:

MaintenanceRequestHelper.apxc

```
public with sharing class MaintenanceRequestHelper {
    public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();

        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);

                }
            }
        }

        if (!validIds.isEmpty()){
```

```
        List<Case> newCases = new List<Case>();
        Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                                                    FROM Case WHERE Id IN :validIds]);
        Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
        AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c WHERE
Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];

    for (AggregateResult ar : results){
      maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
    }

      for(Case cc : closedCasesM.values()){
        Case nc = new Case (
          ParentId = cc.Id,
        Status = 'New',
          Subject = 'Routine Maintenance',
          Type = 'Routine Maintenance',
          Vehicle__c = cc.Vehicle__c,
          Equipment__c =cc.Equipment__c,
          Origin = 'Web',
          Date_Reported__c = Date.Today()

        );

        If (maintenanceCycles.containskey(cc.Id)){
          nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
```

```
                }

                newCases.add(nc);
            }

            insert newCases;

            List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
            for (Case nc : newCases){
                for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
                    Equipment_Maintenance_Item__c wpClone = wp.clone();
                    wpClone.Maintenance_Request__c = nc.Id;
                    ClonedWPs.add(wpClone);

                }
            }
            insert ClonedWPs;
        }
    }
}
```

MaintenanceRequest.apxt

```
trigger MaintenanceRequest on Case (before update, after update) {
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}
```

Challenge-2:

WarehouseCalloutService.apxc

```
public with sharing class WarehouseCalloutService implements Queueable {

    private static final String WAREHOUSE_URL = 'https://th-superbadge-apex.herokuapp.com/equipment';


    @future(callout=true)

    public static void runWarehouseEquipmentSync(){

        Http http = new Http();

        HttpRequest request = new HttpRequest();

        request.setEndpoint(WAREHOUSE_URL);

        request.setMethod('GET');

        HttpResponse response = http.send(request);


        List<Product2> warehouseEq = new List<Product2>();


        if (response.getStatusCode() == 200){

            List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());

            System.debug(response.getBody());


            for (Object eq : jsonResponse){

                Map<String,Object> mapJson = (Map<String,Object>)eq;

                Product2 myEq = new Product2();

                myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');

                myEq.Name = (String) mapJson.get('name');
```

```
            myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
            myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
            myEq.Cost__c = (Integer) mapJson.get('cost');
            myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
            myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
            myEq.ProductCode = (String) mapJson.get('_id');
            warehouseEq.add(myEq);
          }

          if (warehouseEq.size() > 0){
            upsert warehouseEq;
            System.debug('Your equipment was synced with the warehouse one');
          }
        }
    }

    public static void execute (QueueableContext context){
        runWarehouseEquipmentSync();
    }
}
```

Challenge-3:

WarehouseSyncSchedule.apxc

```
global class WarehouseSyncSchedule implements Schedulable {
    global void execute(SchedulableContext ctx) {
```

```
        WarehouseCalloutService.runWarehouseEquipmentSync();
    }
}
```

Challenge-4:

MaintenanceRequestHelperTest.apxc

```
@istest
public with sharing class MaintenanceRequestHelperTest {

    private static final string STATUS_NEW = 'New';
    private static final string WORKING = 'Working';
    private static final string CLOSED = 'Closed';
    private static final string REPAIR = 'Repair';
    private static final string REQUEST_ORIGIN = 'Web';
    private static final string REQUEST_TYPE = 'Routine Maintenance';
    private static final string REQUEST_SUBJECT = 'Testing subject';

    PRIVATE STATIC Vehicle__c createVehicle(){
        Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
        return Vehicle;
    }

    PRIVATE STATIC Product2 createEq(){
        product2 equipment = new product2(name = 'SuperEquipment',
                                          lifespan_months__C = 10,
                                          maintenance_cycle__C = 10,
                                          replacement_part__c = true);
```

```
    return equipment;
}

PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
                Status=STATUS_NEW,
                Origin=REQUEST_ORIGIN,
                Subject=REQUEST_SUBJECT,
                Equipment__c=equipmentId,
                Vehicle__c=vehicleId);
    return cs;
}

PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id
requestId){
    Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
                                        Maintenance_Request__c = requestId);
    return wp;
}

@istest
private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;
```

```
        Product2 equipment = createEq();
        insert equipment;
        id equipmentId = equipment.Id;

        case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
        insert somethingToUpdate;

        Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
        insert workP;

        test.startTest();
        somethingToUpdate.status = CLOSED;
        update somethingToUpdate;
        test.stopTest();

        Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c, Vehicle__c,
Date_Due__c
                from case
                where status =:STATUS_NEW];

        Equipment_Maintenance_Item__c workPart = [select id
                                from Equipment_Maintenance_Item__c
                                where Maintenance_Request__c =:newReq.Id];

        system.assert(workPart != null);
        system.assert(newReq.Subject != null);
        system.assertEquals(newReq.Type, REQUEST_TYPE);
```

```
    SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
    SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
    SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
}

@istest
private static void testMaintenanceRequestNegative(){
    Vehicle__C vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;

    case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
    insert emptyReq;

    Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);
    insert workP;

    test.startTest();
    emptyReq.Status = WORKING;
    update emptyReq;
    test.stopTest();

    list<case> allRequest = [select id
```

```
                    from case];

        Equipment_Maintenance_Item__c workPart = [select id
                                                  from Equipment_Maintenance_Item__c
                                                  where Maintenance_Request__c = :emptyReq.Id];

        system.assert(workPart != null);
        system.assert(allRequest.size() == 1);
    }

    @istest
    private static void testMaintenanceRequestBulk(){
        list<Vehicle__C> vehicleList = new list<Vehicle__C>();
        list<Product2> equipmentList = new list<Product2>();
        list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
        list<case> requestList = new list<case>();
        list<id> oldRequestIds = new list<id>();

        for(integer i = 0; i < 300; i++){
          vehicleList.add(createVehicle());
           equipmentList.add(createEq());
        }
        insert vehicleList;
        insert equipmentList;

        for(integer i = 0; i < 300; i++){
           requestList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
```

```
        }
        insert requestList;

        for(integer i = 0; i < 300; i++){
           workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
        }
        insert workPartList;

        test.startTest();
        for(case req : requestList){
           req.Status = CLOSED;
           oldRequestIds.add(req.Id);
        }
        update requestList;
        test.stopTest();

        list<case> allRequests = [select id
                                  from case
                                  where status =: STATUS_NEW];

        list<Equipment_Maintenance_Item__c> workParts = [select id
                                                         from Equipment_Maintenance_Item__c
                                                         where Maintenance_Request__c in: oldRequestIds];

        system.assert(allRequests.size() == 300);
    }
}
```

MaintenanceRequestHelper.apxc

```
public with sharing class MaintenanceRequestHelper {
   public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
      Set<Id> validIds = new Set<Id>();


      For (Case c : updWorkOrders){
         if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
            if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
               validIds.add(c.Id);


            }
         }
      }

      if (!validIds.isEmpty()){
         List<Case> newCases = new List<Case>();
         Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                                                FROM Case WHERE Id IN :validIds]);
         Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
         AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];

      for (AggregateResult ar : results){
         maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
      }

         for(Case cc : closedCasesM.values()){
            Case nc = new Case (
               ParentId = cc.Id,
            Status = 'New',
               Subject = 'Routine Maintenance',
               Type = 'Routine Maintenance',
               Vehicle__c = cc.Vehicle__c,
               Equipment__c =cc.Equipment__c,
               Origin = 'Web',
               Date_Reported__c = Date.Today()

            );
```

```
            If (maintenanceCycles.containskey(cc.Id)){
               nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
            }

            newCases.add(nc);
         }

        insert newCases;

        List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
        for (Case nc : newCases){
           for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
              Equipment_Maintenance_Item__c wpClone = wp.clone();
              wpClone.Maintenance_Request__c = nc.Id;
              ClonedWPs.add(wpClone);

           }
        }
         insert ClonedWPs;
      }
   }
}
```

MaintenanceRequest.apxt

```
trigger MaintenanceRequest on Case (before update, after update) {
   if(Trigger.isUpdate && Trigger.isAfter){
      MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
   }
}
```

Challenge-5:

WarehouseCalloutService.apxc

```
public with sharing class WarehouseCalloutService {

    private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';

   //@future(callout=true)

   public static void runWarehouseEquipmentSync(){
```

```
Http http = new Http();

HttpRequest request = new HttpRequest();


request.setEndpoint(WAREHOUSE_URL);

request.setMethod('GET');

HttpResponse response = http.send(request);



List<Product2> warehouseEq = new List<Product2>();


if (response.getStatusCode() == 200){
   List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
   System.debug(response.getBody());


   for (Object eq : jsonResponse){
      Map<String,Object> mapJson = (Map<String,Object>)eq;
      Product2 myEq = new Product2();
      myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
      myEq.Name = (String) mapJson.get('name');
      myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
      myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
      myEq.Cost__c = (Decimal) mapJson.get('lifespan');
      myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
      myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
      warehouseEq.add(myEq);
```

```
            }


            if (warehouseEq.size() > 0){
                upsert warehouseEq;
                System.debug('Your equipment was synced with the warehouse one');
                System.debug(warehouseEq);
            }
        }
    }
}
```

WarehouseCalloutServiceTest.apxc

```
@isTest
private class WarehouseCalloutServiceTest {
    @isTest
    static void testWareHouseCallout(){
        Test.startTest();
        // implement mock callout test here
        Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
        WarehouseCalloutService.runWarehouseEquipmentSync();
        Test.stopTest();
        System.assertEquals(1, [SELECT count() FROM Product2]);
    }
}
```

WarehouseCalloutServiceMock.apxc

```
@isTest
```

```
global class WarehouseCalloutServiceMock implements HttpCalloutMock {

   global static HttpResponse respond(HttpRequest request){

      System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());

      System.assertEquals('GET', request.getMethod());

      HttpResponse response = new HttpResponse();

      response.setHeader('Content-Type', 'application/json');


response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"na
me":"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');

      response.setStatusCode(200);

      return response;

   }

}
```

Challenge-6:

WarehouseSyncSchedule.apxc

```
global class WarehouseSyncSchedule implements Schedulable {

   global void execute(SchedulableContext ctx) {

      WarehouseCalloutService.runWarehouseEquipmentSync();

   }

}
```

WarehouseSyncScheduleTest.apxc

```
@isTest

public class WarehouseSyncScheduleTest {

   @isTest static void WarehousescheduleTest(){
```

```
        String scheduleTime = '00 00 01 * * ?';

        Test.startTest();

        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());

        String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime, new
WarehouseSyncSchedule());

        Test.stopTest();

        CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];

        System.assertEquals(jobID, a.Id,'Schedule ');

    }

}
```