APEX SPECIALIST SUPER BADGE CODES

APEX TRIGGERS

AccountAddressTrigger.axpt:

```
trigger AccountAddressTriggeron Account (before insert,before update) {
for(Account account:Trigger.New){
  if(account.Match_Billing_Addressc == True){
    account.ShippingPostalCode = account.BillingPostalCode;
   }
 }
}
```

ClosedOpportunityTrigger.axpt:

```
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {
List<Task> taskList = new List<Task>();
for(Opportunity opp : Trigger.new) {

//Only create Follow Up Task only once when Opp StageName is to 'Closed Won' on Create
if(Trigger.isInsert) {
 if(Opp.StageName == 'Closed Won') {
  taskList.add(new Task(Subject = 'Follow Up Test Task', WhatId = opp.Id));
 }
}
//Only create Follow Up Task only once when Opp StageName changed to 'Closed Won' on Update
if(Trigger.isUpdate) {
 if(Opp.StageName == 'Closed Won'
 && Opp.StageName != Trigger.oldMap.get(opp.Id).StageName) {
  taskList.add(new Task(Subject = 'Follow Up Test Task', WhatId = opp.Id));
```

```
        }
      }
      }
      if(taskList.size()>0) {
         insert taskList;
      }
   }

    public class VerifyDate {
```

APEX TESTING

VerifyData.apxc:

```
public static Date CheckDates(Date date1, Date date2) { if(DateWithin30Days(date1,date2)) {
                return date2;

              }else {

             }
                                                  }

return SetEndOfMonthDate(date1);

        @TestVisible privatestatic Boolean DateWithin30Days(Datedate1, Date date2) {
            /check for date2being in the
        past if( date2 < date1) { return false; }

         /check that date2 is within (>=)30days of date1
        Date date30Days = date1.addDays(30);  /create a date 30 days away from date1 if(
            date2>=date30Days ) { return false;}
```

```
                else { return true;}
            }

             /method to returnthe end of the monthof a given date

             @TestVisible privatestaticDate SetEndOfMonthDate(Date date1){
                IntegertotalDays  =Date.daysInMonth(date1.year(),  date1.month());
                Date lastDay = Date.newInstance(date1.year(), date1.month(),
                totalDays); return lastDay;
            }
}
```

TestVerifyData.apxc:

```
@isTest
  private class TestVerifyDate {
    @isTest staticvoid Test_CheckDates_case1(){
      Date D = VerifyDate.CheckDates(date.parse('01/01/2022'),date.parse('01/05/2022'));
      System.assertEquals(date.parse('01/05/2022'), D);
  }
    @isTest staticvoid Test_CheckDates_case2(){
      Date D = VerifyDate.CheckDates(date.parse('01/01/2022'), date.parse('05/05/2022'));
      System.assertEquals(date.parse('01/31/2022'), D);
    }
    @isTest static void Test_Within30Days_case1(){
      Boolean flag =
  VerifyDate.DateWithin30Days(date.parse('01/01/2022'),
  date.parse('12/30/2021'));
      System.assertEquals(false, flag);
    }
  @isTest static void Test_Within30Days_case2(){ Boolean
```

```
        flag =
VerifyDate.DateWithin30Days(date.parse('01/01/2022'),
date.parse('02/02/2021'));
        System.assertEquals(false, flag);
    }
@isTest staticvoid Test_Within30Days_case3()
{
```

RestrictContactByName.apxt:

```
trigger RestrictContactByName on Contact(beforeinsert, before update){

        /check contacts prior to insert or update for invalid
        data For (Contact c : Trigger.New) {
            if(c.LastName == 'INVALIDNAME') {                    /invalidname is
                invalid c.AddError('The Last Name "'+c.LastName+'" is not allowedfor
                DML');
            }

        }
}
```

TestRestrictContactByName.apxc:

```
@isTest
private class TestRestrictContactByName
    { @isTeststatic void
    Test_insertupdateContact(){
        Contact cnt = new Contact(); cnt.LastName
```

```
        = 'INVALIDNAME';

        Test.startTest();
        Database.SaveResult result =
        Database.insert(cnt,false);Test.stopTest();
        System.assert(!result.isSuccess());
        System.assert(result.getErrors().size() > 0);
        System.assertEquals('The Last Name "INVALIDNAME" is not allowed for  DML',
  result.getErrors()[0].getMessage());
    }
}
```

RandomContactFactory.apxc:

```
public class RandomContactFactory {

    public static List<Contact> generateRandomContacts(Integer num_cnts, string lastname) {
      List<Contact> contacts = new List<Contact>();
        for(Integer i = 0; i < num_cnts; i++) {

            Contact cnt = new Contact(FirstName = 'Test' +i,LastName = lastname);
            contacts.add(cnt);


        }

        return contacts;

                }

}
```

APEXSPECIALIST SUPER BADGE CODES

ASYNCHRONOUSAPEX

AccountProcessor.apxc:

```
public class AccountProcessor {

                @future

    public static void countContacts(List<Id> accountIds){
```

```
        List<Account> accountsToUpdate = new List<Account>();

        List<Account> accounts = [Select Id, Name, (Select Id from Contacts)from Account Where Id in
:accountIds];
        For(Account acc: accounts) {
                                        List<Contact> contactList = acc.contacts;
           acc.Number_Of_Contacts  c = contactList.size();
           accountsToUpdate.add(acc);
        }
        update accountsToUpdate;
    }
}
```

AccountProcessorTest.apxc:

```
@isTest
public class AccountProcessorTest {
                @isTest
    private static void testCountContacts() {
        Account newAccount = new Account(Name = 'Test
        Account'); insert newAccount;
        Contact newContact1 = new Contact(FirstName = 'John',LastName = 'Doe',AccountId
        =newAccount.id);

        Contact newContact2 = new Contact(FirstName = 'John',LastName = 'Doe',AccountId =
newAccount.Id);
        insert newContact2;
        List<Id> accountIds = new List<Id>();
        accountIds.add(newAccount.Id);
        Test.startTest();
        AccountProcessor.countContacts(acco
        untIds); Test.stopTest();
```

```
    }
}
```

LeadProcessor.apxc:

```
global class LeadProcessor implements
            Database.Batchable<sObject>{ global Integercount = 0;


    global Database.QueryLocator start(Database.BatchableContext bc) {
    returnDatabase.getQueryLocator('SELECT ID,LeadSource FROM Lead');
    }
    global void execute(Database.BatchableContext bc, List<Lead>
        L_list){ List<lead> L_list_new = new List<lead>();
        for(lead L: L_list){
            L.leadSource=
            'Dreamforce';
            L_list_new.add(L);
            count += 1;
        }
        update L_list_new;
    }
    global void
        finish(Database=BatchableContext bc){
        system.debug('count = ' + count);
    }
}
```

LeadProcessorTest.apxc:

```
@isTest
public class LeadProcessorTest {


        @testSetup
    static void setup() {
        List<Lead> leads = new List<Lead>();
```

```
        for(Integer counter=0 ;counter <200;counter++){
            Lead lead = new Lead();
            lead.FirstName ='FirstName';
            lead.LastName ='LastName'+counter;
            lead.Company
 ='demo'+counter;
            leads.add(lead);
        }
        insert leads;
    }

    @isTest static void test() {
        Test.startTest();
        LeadProcessor leadProcessor = new LeadProcessor();
        Id batchId = Database.executeBatch(leadProcessor);
        Test.stopTest();
    }

}
```

AddPrimaryContact.apxc:

```
public class AddPrimaryContact implements
                Queueable{ private Contactcon;
    private String state;
    public AddPrimaryContact(Contact con, String state) {
        this.con = con;
        this.state =state;
        }
    public void execute(QueueableContext context) {
        List<Account> accounts = [Select Id,Name,(Select FirstName,LastName, Id from contacts)
                        from Accountwhere BillingState = :state Limit 200];
```

```
    List<Contact> primaryContacts = new List<Contact>();
    for(Account acc : accounts) {
      Contact c =
      con.clone();
      c.AccountId =
      acc.Id;
      primaryContacts.add
      (c);
    }
    if(primaryContacts.size
      () > 0) { insert
      primaryContacts;
    }
  }
```

AddPrimaryContactTest.apxc:

```
@isTest publicclass
    AddPrimaryContactTest{
    testmethod void
    testQueueable() {
      List<Account> testAccounts = new
      List<Account>(); for(Integer i = 0; i < 50; i++) {
        testAccounts.add(new Account (Name = 'Account' + i,BillingState = 'CA'));
      }
      for(Integer j =0; j < 50; j++) {
        testAccounts.add(new Account(Name = 'Account'+ j, BillingState ='NY'));
      }
      insert testAccounts;
      Contact testContact = new Contact(FirstName = 'John', LastName = 'Doe');
      insert testContact;
      AddPrimaryContact addit = new AddPrimaryContact(testContact,'CA');
      Test.startTest(); system.enqueueJob(ad
```

```
dit); Test.stopTest();
System.assertEquals(50, [Select count()from Contact where accountId in (Select Id from Account where BillingState = 'CA')]);
  }
}
```

DailyLeadProcessor.apxc:

```
public class DailyLeadProcessor implements Schedulable  {
  Public void execute(SchedulableContext SC){
    List<Lead> LeadObj=[SELECT Id from Lead where LeadSource=null limit 200];
     for(Lead l:LeadObj){
       l.LeadSource='Dreamforce';
       update l;
     }
  }
}
```

DailyLeadProcessorTest.apxc:

```
@isTest
private class DailyLeadProcessorTest {
  static testMethod void testDailyLeadProcessor() {
            String CRON_EXP = '0 0 1 * * ?';
            List<Lead> lList = new List<Lead>();
      for (Integer i = 0; i < 200; i++) {
                  lList.add(new Lead(LastName='Dreamforce'+i, Company='Test1 Inc.', Status='Open - Not Contacted'));
            }
            insert lList;
```

```
        Test.startTest();
        String jobId = System.schedule('DailyLeadProcessor', CRON_EXP, new
    DailyLeadProcessor());
     }
    }
```

APEXSPECIALIST SUPER BADGE CODES

APEX INTEGRATION SERVICES

AnimalLocator.apxc:

```
  public static String
    getAnimalNameById(Integer x){ Http http
    = new Http();
    HttpRequest req =new HttpRequest();
    req.setEndpoint('https:  /th-apex-http-callout.herokuapp.com/animals/'
    +x); req.setMethod('GET');
    Map<String, Object> animal=new Map<String,
    Object>(); HttpResponse res = http.send(req);
      if (res.getStatusCode() == 200) {



     Map<String, Object> results = (Map<String,
    Object>)JSON.deserializeUntyped(res.getBody()); animal = (Map<String, Object>)
    results.get('animal');
     }
  return (String)animal.get('name');
      }
}
  @isTest
```

```
private classAnimalLocatorTest{
```

AnimalLocatorTest.apxc:

```
    @isTest static void AnimalLocatorMock1() {
        Test.setMock(HttpCalloutMock.class, new
        AnimalLocatorMock()); string result =
        AnimalLocator.getAnimalNameById(3);   String
        expectedResult = 'chicken';
        System.assertEquals(result,expectedResult );
    }
}
```

AnimalLocatorMock.apxc:

```
@isTest
global class AnimalLocatorMock implementsHttpCalloutMock {
     /Implement this interface method
    global HTTPResponse respond(HTTPRequest request){
         /Create a fake response
        HttpResponse response = new
        HttpResponse();
        response.setHeader('Content-Type',
        'application/json');
        response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear", "chicken",
"mighty moose"]}');
        response.setStatusCod
        e(200); return
        response;
    }
}
```

ParkLocator.apxc:

```
public class ParkLocator {
    publicstatic string[]country(string theCountry) {
```

```
        ParkService.ParksImplPort parkSvc= new ParkService.ParksImplPort(); /remove space
        return parkSvc.byCountry(theCountry);
    }
  }
```

ParkLocatorTest.apxc:

```
@isTest
private class
ParkLocatorTest { @isTest staticvoid testCallout() {
        Test.setMock(WebServiceMock.class, new ParkServiceMock ());
        String country = 'United States';
        List<String> result=ParkLocator.country(country);
        List<String> parks = new List<String>{'Yellowstone', 'MackinacNationalPark', 'Yosemite'};
         System.assertEquals(parks, result);
    }
}
```

-

-

-

ParkServiceMock.apxc:

```
  @isTest
  global class ParkServiceMock implements WebServiceMock {
    global void doInvoke(
          Object stub,
          Object request,
          Map<String, Object> response,
          String endpoint,
          String soapAction,
          String requestName,
          String responseNS,
```

```
        String responseName,
        String responseType) {
      // start - specify the response you want to send
      ParkService.byCountryResponse response_x = new ParkService.byCountryResponse();
      response_x.return_x = new List<String>{'Yellowstone', 'Mackinac National Park', 'Yosemite'};
      // end
      response.put('response_x', response_x);
  }
}
```

AccountManager.apxc:

```
@RestResource(urlMapping='/Accounts/*/co
ntacts') global class AccountManager {
  @HttpGet
  global static AccountgetAccount() {
    RestRequest req =
    RestContext.request;
    String accId =req.requestURI.substringBetween('Accounts/', '/contacts');


    Account acc = [SELECT Id, Name, (SELECT Id, Name FROM
            Contacts) FROM Account WHERE Id = :accId];
    return acc;
  }
}
```

AccountManagerTest.apxc:

```
@isTest
private class AccountManagerTest {
```

```
    private static testMethod void
        getAccountTest1() { Id recordId=
        createTestRecord();
         /Set up a test request
        RestRequest request=new RestRequest();
        request.requestUri = 'https:/na1.salesforce.com/services/apexrest/Accounts/'+ recordId
+'/contacts' ;
        request.httpMethod = 'GET';
        RestContext.request = request;
         /Call the methodtotest
        Account thisAccount = AccountManager.getAccount();
         / Verify results
        System.assert(thisAccount !=
        null);
        System.assertEquals('Test record', thisAccount.Name);


    }


     / Helper method
        static Id createTestRecord() {
         /Create test record
        Account TestAcc = new Account( Name='Test
          record');
        insert TestAcc;
        Contact TestCon= new Contact(
        LastName='Test',
        AccountId=Test
        Acc.id);
        return
        TestAcc.Id;
    }
```

}

APEXSPECIALIST SUPER BADGE CODES

APEX SPECIALIST SUPER BADGE

Challenge
e-1

MaintenanceRequestHelper.apxc:

```
public with sharing class MaintenanceRequestHelper {
    public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);
                }
            }
        }
          if (!validIds.isEmpty()){
            List<Case> newCases = new List<Case>();
            Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                                                          FROM Case WHERE Id IN :validIds]);
            Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
            AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c WHERE
```

```
Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];


    for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
    }


        for(Case cc : closedCasesM.values()){
            Case nc = new Case (
                ParentId = cc.Id,
            Status = 'New',
                Subject = 'Routine Maintenance',
                Type = 'Routine Maintenance',
                Vehicle__c = cc.Vehicle__c,
                Equipment__c =cc.Equipment__c,
                Origin = 'Web',
                Date_Reported__c = Date.Today()


            );
            If (maintenanceCycles.containskey(cc.Id)){
                nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
            } else {
                nc.Date_Due__c = Date.today().addDays((Integer) cc.Equipment__r.maintenance_Cycle__c);
            }
            newCases.add(nc);
        }
        insert newCases;
        List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
```

```
        for (Case nc : newCases){
            for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
                Equipment_Maintenance_Item__c wpClone = wp.clone();
                wpClone.Maintenance_Request__c = nc.Id;
                ClonedWPs.add(wpClone);
            }
        }
        insert ClonedWPs;
    }
  }
}
```

MaintenanceRequest.apxt:

```
trigger MaintenanceRequest on Case (before update, after update) {
  if(Trigger.isUpdate && Trigger.isAfter){
MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
  }
}
```

Challenge-2

WarehouseCalloutService.apxc:

```
public with sharing class WarehouseCalloutService implements Queueable {
  private static final String WAREHOUSE_URL = 'https://th-superbadge-apex.herokuapp.com/equipment';

  //class that makes a REST callout to an external warehouse system to get a list of equipment that needs to be updated.
  //The callout's JSON response returns the equipment records that you upsert in Salesforce.
```

```
@future(callout=true)
public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();

    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);

    List<Product2> warehouseEq = new List<Product2>();

    if (response.getStatusCode() == 200){
        List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
        System.debug(response.getBody());

        //class maps the following fields: replacement part (always true), cost, current inventory, lifespan, maintenance cycle, and warehouse SKU
        //warehouse SKU will be external ID for identifying which equipment records to update within Salesforce
        for (Object eq : jsonResponse){
            Map<String,Object> mapJson = (Map<String,Object>)eq;
            Product2 myEq = new Product2();
            myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
            myEq.Name = (String) mapJson.get('name');
            myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
            myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
            myEq.Cost__c = (Integer) mapJson.get('cost');
```

```
            myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
            myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
            myEq.ProductCode = (String) mapJson.get('_id');
            warehouseEq.add(myEq);
        }

        if (warehouseEq.size() > 0){
            upsert warehouseEq;
            System.debug('Your equipment was synced with the warehouse one');
        }
    }
  }

  public static void execute (QueueableContext context){
    runWarehouseEquipmentSync();
  }

}
```

Challenge-3

WarehouseSyncSchedule.apxc:

```
global with sharing class WarehouseSyncSchedule implements Schedulable{
  global void execute(SchedulableContext ctx){
    System.enqueueJob(new WarehouseCalloutService());
  }
}
```

WarehouseSyncSchedduuleTest.apxc:

```
  @isTest
  public class WarehouseSyncScheduleTest {
```

```
    @isTest static void
        WarehousescheduleTest(){ String
        scheduleTime = '00 00 01 * * ?';
        Test.startTest();
        Test.setMock(HttpCalloutMock.class,  new  WarehouseCalloutServiceMock());

        String jobID=System.schedule('Warehouse Time To Scheduleto Test', scheduleTime, new
WarehouseSyncSchedule());
        Test.stopTest();

         /Contains schedule information for a scheduledjob. CronTrigger is similartoa cron job on UNIX
systems.
         / This object is available in API version 17.0 and later.

        CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime >
        today]; System.assertEquals(jobID, a.Id,'Schedule ');



    }
}
```

Challenge-4

MaintenanceRequestHelperTest.apxc:

```
@istest
public with sharing class MaintenanceRequestHelperTest {

    private static final string STATUS_NEW = 'New';
    private static final string WORKING = 'Working';
    private static final string CLOSED = 'Closed';
    private static final string REPAIR = 'Repair';
    private static final string REQUEST_ORIGIN = 'Web';
    private static final string REQUEST_TYPE = 'Routine Maintenance';
    private static final string REQUEST_SUBJECT = 'Testing subject';
```

```
PRIVATE STATIC Vehicle__c createVehicle(){
    Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
    return Vehicle;
}

PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name = 'SuperEquipment',
                                      lifespan_months__C = 10,
                                      maintenance_cycle__C = 10,
                                      replacement_part__c = true);
    return equipment;
}

PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
                       Status=STATUS_NEW,
                       Origin=REQUEST_ORIGIN,
                       Subject=REQUEST_SUBJECT,
                       Equipment__c=equipmentId,
                       Vehicle__c=vehicleId);
    return cs;
}

PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id requestId){
    Equipment_Maintenance_Item__c wp = new Equipment_Maintenance_Item__c(Equipment__c =
equipmentId,
                                                        Maintenance_Request__c = requestId);
```

```
    return wp;
}


@istest
private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    Product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;

    case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
    insert somethingToUpdate;

    Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId,somethingToUpdate.id);
    insert workP;

    test.startTest();
    somethingToUpdate.status = CLOSED;
    update somethingToUpdate;
    test.stopTest();

    Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c, Vehicle__c, Date_Due__c
                   from case
                   where status =:STATUS_NEW];
```

```
    Equipment_Maintenance_Item__c workPart = [select id
                                              from Equipment_Maintenance_Item__c
                                              where Maintenance_Request__c =:newReq.Id];

    system.assert(workPart != null);
    system.assert(newReq.Subject != null);
    system.assertEquals(newReq.Type, REQUEST_TYPE);
    SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
    SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
    SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
}

@istest
private static void testMaintenanceRequestNegative(){
    Vehicle__C vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;

    case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
    insert emptyReq;

    Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);
    insert workP;
```

```
        test.startTest();
        emptyReq.Status = WORKING;
        update emptyReq;
        test.stopTest();

        list<case> allRequest = [select id
                                 from case];

        Equipment_Maintenance_Item__c workPart = [select id
                                                  from Equipment_Maintenance_Item__c
                                                  where Maintenance_Request__c = :emptyReq.Id];

        system.assert(workPart != null);
        system.assert(allRequest.size() == 1);
    }

    @istest
    private static void testMaintenanceRequestBulk(){
        list<Vehicle__C> vehicleList = new list<Vehicle__C>();
        list<Product2> equipmentList = new list<Product2>();
        list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
        list<case> requestList = new list<case>();
        list<id> oldRequestIds = new list<id>();

        for(integer i = 0; i < 300; i++){
            vehicleList.add(createVehicle());
```

```
    equipmentList.add(createEq());
}
insert vehicleList;
insert equipmentList;

for(integer i = 0; i < 300; i++){
    requestList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
}
insert requestList;

for(integer i = 0; i < 300; i++){
    workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
}
insert workPartList;

test.startTest();
for(case req : requestList){
    req.Status = CLOSED;
    oldRequestIds.add(req.Id);
}
update requestList;
test.stopTest();

list<case> allRequests = [select id
                          from case
                          where status =: STATUS_NEW];

list<Equipment_Maintenance_Item__c> workParts = [select id
```

```
                                    from Equipment_Maintenance_Item__c
                                    where Maintenance_Request__c in: oldRequestIds];

        system.assert(allRequests.size() == 300);
    }
}
```

MaintenanceRequestHelper.apxc :-

```
public with sharing class MaintenanceRequestHelper {
    public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();



        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);


                }
            }
        }


        if (!validIds.isEmpty()){
            List<Case> newCases = new List<Case>();
            Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                                    FROM Case WHERE Id IN :validIds]);
```

```
    Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
    AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c WHERE
Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];

  for (AggregateResult ar : results){
    maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
  }

    for(Case cc : closedCasesM.values()){
      Case nc = new Case (
        ParentId = cc.Id,
      Status = 'New',
        Subject = 'Routine Maintenance',
        Type = 'Routine Maintenance',
        Vehicle__c = cc.Vehicle__c,
        Equipment__c =cc.Equipment__c,
        Origin = 'Web',
        Date_Reported__c = Date.Today()

      );

      If (maintenanceCycles.containskey(cc.Id)){
        nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
      }

      newCases.add(nc);
    }
```

```
        insert newCases;


        List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
        for (Case nc : newCases){
            for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
                Equipment_Maintenance_Item__c wpClone = wp.clone();
                wpClone.Maintenance_Request__c = nc.Id;
                ClonedWPs.add(wpClone);


            }
         }
         insert ClonedWPs;
      }
   }
}
```

MaintenanceRequestHelper.apxc:

```
trigger MaintenanceRequest on Case (before update, after update) {
   if(Trigger.isUpdate && Trigger.isAfter){
      MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
   }
}
```

Challenge-5

WarehouseCalloutService.apxc:

```
public with sharing class WarehouseCalloutService {

   private static final String WAREHOUSE_URL = 'https://th-superbadge-
```

```
apex.herokuapp.com/equipment';

    //@future(callout=true)
    public static void runWarehouseEquipmentSync(){

        Http http = new Http();
        HttpRequest request = new HttpRequest();

        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);


        List<Product2> warehouseEq = new List<Product2>();

        if (response.getStatusCode() == 200){
            List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
            System.debug(response.getBody());

            for (Object eq : jsonResponse){
                Map<String,Object> mapJson = (Map<String,Object>)eq;
                Product2 myEq = new Product2();
                myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
                myEq.Name = (String) mapJson.get('name');
                myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
                myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
                myEq.Cost__c = (Decimal) mapJson.get('lifespan');
                myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
                myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
                warehouseEq.add(myEq);
            }

            if (warehouseEq.size() > 0){
                upsert warehouseEq;
                System.debug('Your equipment was synced with the warehouse one');
                System.debug(warehouseEq);
            }

        }
```

```
    }
}
```

WarehouseCalloutServiceMock.apxc:

```
@isTest

private class WarehouseCalloutServiceTest {
    @isTest
    static void testWareHouseCallout(){
        Test.startTest();
        // implement mock callout test here
        Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
        WarehouseCalloutService.runWarehouseEquipmentSync();
        Test.stopTest();
        System.assertEquals(1, [SELECT count() FROM Product2]);
    }
}
```

WarehouseCalloutServiceTest.apxc:

```
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    // implement http mock callout
    global static HttpResponse respond(HttpRequest request){

        System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment', request.getEndpoint());
        System.assertEquals('GET', request.getMethod());

        // Create a fake response
        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');

response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":"Gene
```

```
rator 1000 kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
        response.setStatusCode(200);
        return response;
    }
}
```

Challenge-6

WarehouseSyncSchedule.apxc:

```
global class WarehouseSyncSchedule implements Schedulable {
    global void execute(SchedulableContext ctx) {

        WarehouseCalloutService.runWarehouseEquipmentSync();
    }
}
```

WarehouseSyncScheduleTest.apxc:

```
@isTest
public class WarehouseSyncScheduleTest {

    @isTest static void WarehouseschedulеTest(){
        String scheduleTime = '00 00 01 * * ?';
        Test.startTest();
        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
        String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime, new
WarehouseSyncSchedule());
        Test.stopTest();
        //Contains schedule information for a scheduled job. CronTrigger is similar to a cron job on UNIX
systems.
        // This object is available in API version 17.0 and later.
        CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
        System.assertEquals(jobID, a.Id,'Schedule ');


    }
}
```