

## Apex Super Badge-

### Code for Step -2

#### ->Code for Maintenance Request helper class-

```
public with sharing class MaintenanceRequestHelper {
    public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);
                }
            }
        }
    }

    //When an existing maintenance request of type Repair or Routine Maintenance is closed,
    //create a new maintenance request for a future routine checkup.
    if (!validIds.isEmpty()){
        Map<Id,Case> closedCases = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,
                (SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                FROM Case WHERE Id IN :validIds]);
        Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();

        //calculate the maintenance request due dates by using the maintenance cycle defined
on the related equipment records.
        AggregateResult[] results = [SELECT Maintenance_Request__c,
                MIN(Equipment__r.Maintenance_Cycle__c)cycle
                FROM Equipment_Maintenance_Item__c
                WHERE Maintenance_Request__c IN :ValidIds GROUP BY
Maintenance_Request__c];

        for (AggregateResult ar : results){
            maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
        }
    }
}
```

```

List<Case> newCases = new List<Case>();
for(Case cc : closedCases.values()){
    Case nc = new Case (
        ParentId = cc.Id,
        Status = 'New',
        Subject = 'Routine Maintenance',
        Type = 'Routine Maintenance',
        Vehicle__c = cc.Vehicle__c,
        Equipment__c =cc.Equipment__c,
        Origin = 'Web',
        Date_Reported__c = Date.Today()
    );

    //If multiple pieces of equipment are used in the maintenance request,
    //define the due date by applying the shortest maintenance cycle to today's date.
    If (maintenanceCycles.containsKey(cc.Id)){
        nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
    } else {
        nc.Date_Due__c = Date.today().addDays((Integer)
cc.Equipment__r.maintenance_Cycle__c);
    }

    newCases.add(nc);
}

insert newCases;

List<Equipment_Maintenance_Item__c> clonedList = new
List<Equipment_Maintenance_Item__c>();
for (Case nc : newCases){
    for (Equipment_Maintenance_Item__c clonedListItem :
closedCases.get(nc.ParentId).Equipment_Maintenance_Items__r){
        Equipment_Maintenance_Item__c item = clonedListItem.clone();
        item.Maintenance_Request__c = nc.Id;
        clonedList.add(item);
    }
}
insert clonedList;
}
}
}

```

### ->Code for Maintenance Request Trigger

```
trigger MaintenanceRequest on Case (before update, after update) {
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}
```

### Code for Step-3

#### ->Code for warehouse service

```
public with sharing class WarehouseCalloutService implements Queueable {
    private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
```

//Write a class that makes a REST callout to an external warehouse system to get a list of equipment that needs to be updated.

//The callout's JSON response returns the equipment records that you upsert in Salesforce.

```
@future(callout=true)
public static void runWarehouseEquipmentSync(){
    System.debug('go into runWarehouseEquipmentSync');
    Http http = new Http();
    HttpRequest request = new HttpRequest();

    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);

    List<Product2> product2List = new List<Product2>();
    System.debug(response.getStatusCode());
    if (response.getStatusCode() == 200){
        List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
        System.debug(response.getBody());

        //class maps the following fields:
        //warehouse SKU will be external ID for identifying which equipment records to update
```

within Salesforce

```
for (Object jR : jsonResponse){
    Map<String,Object> mapJson = (Map<String,Object>)jR;
    Product2 product2 = new Product2();
    //replacement part (always true),
    product2.Replacement_Part__c = (Boolean) mapJson.get('replacement');
    //cost
    product2.Cost__c = (Integer) mapJson.get('cost');
    //current inventory
    product2.Current_Inventory__c = (Double) mapJson.get('quantity');
    //lifespan
    product2.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
    //maintenance cycle
    product2.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
    //warehouse SKU
    product2.Warehouse_SKU__c = (String) mapJson.get('sku');

    product2.Name = (String) mapJson.get('name');
    product2.ProductCode = (String) mapJson.get('_id');
    product2List.add(product2);
}
```

```
if (product2List.size() > 0){
    upsert product2List;
    System.debug('Your equipment was synced with the warehouse one');
}
```

```
}
```

```
public static void execute (QueueableContext context){
    System.debug('start runWarehouseEquipmentSync');
    runWarehouseEquipmentSync();
    System.debug('end runWarehouseEquipmentSync');
}
```

```
}
```

For execute

```
System.enqueueJob(new WarehouseCalloutService());
```

## Code for STEP-4

### ->Code for ware house

```
global with sharing class WarehouseSyncSchedule implements Schedulable{
    //implement scheduled code here
    global void execute(SchedulableContext ctx){
        System.enqueueJob(new WarehouseCalloutService());
    }
}
```

### Step-5

Code for Maintenance request help

```
public with sharing class MaintenanceRequestHelper {
    public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);
                }
            }
        }
    }

    //When an existing maintenance request of type Repair or Routine Maintenance is closed,
    //create a new maintenance request for a future routine checkup.
    if (!validIds.isEmpty()){
        Map<Id,Case> closedCases = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,
                (SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                FROM Case WHERE Id IN :validIds]);
        Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();

        //calculate the maintenance request due dates by using the maintenance cycle defined
on the related equipment records.
        AggregateResult[] results = [SELECT Maintenance_Request__c,
                MIN(Equipment__r.Maintenance_Cycle__c)cycle
                FROM Equipment_Maintenance_Item__c
                WHERE Maintenance_Request__c IN :ValidIds GROUP BY
Maintenance_Request__c];
    }
}
```

```

        for (AggregateResult ar : results){
            maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
        }

List<Case> newCases = new List<Case>();
for(Case cc : closedCases.values()){
    Case nc = new Case (
        ParentId = cc.Id,
        Status = 'New',
        Subject = 'Routine Maintenance',
        Type = 'Routine Maintenance',
        Vehicle__c = cc.Vehicle__c,
        Equipment__c =cc.Equipment__c,
        Origin = 'Web',
        Date_Reported__c = Date.Today()
    );

    //If multiple pieces of equipment are used in the maintenance request,
    //define the due date by applying the shortest maintenance cycle to today's date.
    If (maintenanceCycles.containsKey(cc.Id)){
        nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
    }

    newCases.add(nc);
}

insert newCases;

List<Equipment_Maintenance_Item__c> clonedList = new
List<Equipment_Maintenance_Item__c>();
for (Case nc : newCases){
    for (Equipment_Maintenance_Item__c clonedListItem :
closedCases.get(nc.ParentId).Equipment_Maintenance_Items__r){
        Equipment_Maintenance_Item__c item = clonedListItem.clone();
        item.Maintenance_Request__c = nc.Id;
        clonedList.add(item);
    }
}
insert clonedList;

```

```

    }
}
}

```

### ->Code for testr maintenance test helper

```

@Test
public with sharing class MaintenanceRequestHelperTest {

    // createVehicle
    private static Vehicle__c createVehicle(){
        Vehicle__c vehicle = new Vehicle__C(name = 'Testing Vehicle');
        return vehicle;
    }

    // createEquipment
    private static Product2 createEquipment(){
        product2 equipment = new product2(name = 'Testing equipment',
            lifespan_months__c = 10,
            maintenance_cycle__c = 10,
            replacement_part__c = true);
        return equipment;
    }

    // createMaintenanceRequest
    private static Case createMaintenanceRequest(id vehicleId, id equipmentId){
        case cse = new case(Type='Repair',
            Status='New',
            Origin='Web',
            Subject='Testing subject',
            Equipment__c=equipmentId,
            Vehicle__c=vehicleId);
        return cse;
    }

    // createEquipmentMaintenanceItem
    private static Equipment_Maintenance_Item__c createEquipmentMaintenanceItem(id
equipmentId,id requestId){
        Equipment_Maintenance_Item__c equipmentMaintenanceItem = new
Equipment_Maintenance_Item__c(
            Equipment__c = equipmentId,

```

```

        Maintenance_Request__c = requestId);
    return equipmentMaintenanceltem;
}

```

@isTest

```

private static void testPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

```

```

    Product2 equipment = createEquipment();
    insert equipment;
    id equipmentId = equipment.Id;

```

```

    case createdCase = createMaintenanceRequest(vehicleId,equipmentId);
    insert createdCase;

```

```

    Equipment_Maintenance_Item__c equipmentMaintenanceltem =
createEquipmentMaintenanceltem(equipmentId,createdCase.id);
    insert equipmentMaintenanceltem;

```

```

test.startTest();
createdCase.status = 'Closed';
update createdCase;
test.stopTest();

```

```

Case newCase = [Select id,
                    subject,
                    type,
                    Equipment__c,
                    Date_Reported__c,
                    Vehicle__c,
                    Date_Due__c
                from case
                where status ='New'];

```

```

Equipment_Maintenance_Item__c workPart = [select id
                                            from Equipment_Maintenance_Item__c
                                            where Maintenance_Request__c =:newCase.Id];

```

```

list<case> allCase = [select id from case];
system.assert(allCase.size() == 2);

```



```

system.assert(newCase != null);
system.assert(newCase.Subject != null);
system.assertEquals(newCase.Type, 'Routine Maintenance');
SYSTEM.assertEquals(newCase.Equipment__c, equipmentId);
SYSTEM.assertEquals(newCase.Vehicle__c, vehicleId);
SYSTEM.assertEquals(newCase.Date_Reported__c, system.today());
}

```

```

@Test
private static void testNegative(){
    Vehicle__C vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    product2 equipment = createEquipment();
    insert equipment;
    id equipmentId = equipment.Id;

    case createdCase = createMaintenanceRequest(vehicleId,equipmentId);
    insert createdCase;

    Equipment_Maintenance_Item__c workP = createEquipmentMaintenanceItem(equipmentId,
createdCase.Id);
    insert workP;

    test.startTest();
    createdCase.Status = 'Working';
    update createdCase;
    test.stopTest();

    list<case> allCase = [select id from case];

    Equipment_Maintenance_Item__c equipmentMaintenanceItem = [select id
                                                                from Equipment_Maintenance_Item__c
                                                                where Maintenance_Request__c = :createdCase.Id];

    system.assert(equipmentMaintenanceItem != null);
    system.assert(allCase.size() == 1);
}

```

```

@isTest
private static void testBulk(){
    list<Vehicle__C> vehicleList = new list<Vehicle__C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment_Maintenance_Item__c> equipmentMaintenanceltemList = new
list<Equipment_Maintenance_Item__c>();
    list<case> caseList = new list<case>();
    list<id> oldCaselds = new list<id>();

    for(integer i = 0; i < 300; i++){
        vehicleList.add(createVehicle());
        equipmentList.add(createEquipment());
    }
    insert vehicleList;
    insert equipmentList;

    for(integer i = 0; i < 300; i++){
        caseList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
    }
    insert caseList;

    for(integer i = 0; i < 300; i++){

equipmentMaintenanceltemList.add(createEquipmentMaintenanceltem(equipmentList.get(i).id,
caseList.get(i).id));
    }
    insert equipmentMaintenanceltemList;

    test.startTest();
    for(case cs : caseList){
        cs.Status = 'Closed';
        oldCaselds.add(cs.Id);
    }
    update caseList;
    test.stopTest();

    list<case> newCase = [select id
                        from case
                        where status ='New'];

```

```

list<Equipment_Maintenance_Item__c> workParts = [select id
                                                from Equipment_Maintenance_Item__c
                                                where Maintenance_Request__c in: oldCaseIds];

system.assert(newCase.size() == 300);

list<case> allCase = [select id from case];
system.assert(allCase.size() == 600);
}
}

```

### Code for maintenance help

```

trigger MaintenanceRequest on Case (before update, after update) {
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}

```

### Code for Step-6

#### ->Code for WarehouseCallout Service

```

public with sharing class WarehouseCalloutService implements Queueable {
    private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';

```

//Write a class that makes a REST callout to an external warehouse system to get a list of equipment that needs to be updated.

//The callout's JSON response returns the equipment records that you upsert in Salesforce.

```

@future(callout=true)
public static void runWarehouseEquipmentSync(){
    System.debug('go into runWarehouseEquipmentSync');
    Http http = new Http();
    HttpRequest request = new HttpRequest();

    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);

```

```

List<Product2> product2List = new List<Product2>();
System.debug(response.getStatusCode());
if (response.getStatusCode() == 200){
    List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
    System.debug(response.getBody());

    //class maps the following fields:
    //warehouse SKU will be external ID for identifying which equipment records to update
within Salesforce
    for (Object jR : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)jR;
        Product2 product2 = new Product2();
        //replacement part (always true),
        product2.Replacement_Part__c = (Boolean) mapJson.get('replacement');
        //cost
        product2.Cost__c = (Integer) mapJson.get('cost');
        //current inventory
        product2.Current_Inventory__c = (Double) mapJson.get('quantity');
        //lifespan
        product2.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        //maintenance cycle
        product2.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        //warehouse SKU
        product2.Warehouse_SKU__c = (String) mapJson.get('sku');

        product2.Name = (String) mapJson.get('name');
        product2.ProductCode = (String) mapJson.get('_id');
        product2List.add(product2);
    }

    if (product2List.size() > 0){
        upsert product2List;
        System.debug("Your equipment was synced with the warehouse one");
    }
}

public static void execute (QueueableContext context){
    System.debug('start runWarehouseEquipmentSync');
    runWarehouseEquipmentSync();
}

```

```

        System.debug('end runWarehouseEquipmentSync');
    }

}

```

#### ->Code for warehousecalloutservice mock

```

@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    // implement http mock callout
    global static HttpResponse respond(HttpRequest request) {

        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');

        response.setBody('[{ "_id": "55d66226726b611100aaf741", "replacement": false, "quantity": 5, "name": "Generator 1000 kW", "maintenanceperiod": 365, "lifespan": 120, "cost": 5000, "sku": "100003"}, {" _id": "55d66226726b611100aaf742", "replacement": true, "quantity": 183, "name": "Cooling Fan", "maintenanceperiod": 0, "lifespan": 0, "cost": 300, "sku": "100004"}, {" _id": "55d66226726b611100aaf743", "replacement": true, "quantity": 143, "name": "Fuse 20A", "maintenanceperiod": 0, "lifespan": 0, "cost": 22, "sku": "100005"}]');
        response.setStatusCode(200);

        return response;
    }
}

```

#### ->Code for warehouseservice test

```

@IsTest
private class WarehouseCalloutServiceTest {
    // implement your mock callout test here
    @isTest
    static void testWarehouseCallout() {
        test.startTest();
        test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
        WarehouseCalloutService.execute(null);
        test.stopTest();

        List<Product2> product2List = new List<Product2>();
        product2List = [SELECT ProductCode FROM Product2];
    }
}

```

```

        System.assertEquals(3, product2List.size());
        System.assertEquals('55d66226726b611100aaf741', product2List.get(0).ProductCode);
        System.assertEquals('55d66226726b611100aaf742', product2List.get(1).ProductCode);
        System.assertEquals('55d66226726b611100aaf743', product2List.get(2).ProductCode);
    }
}

```

### ->Code for Step-7

Code for ware house Sync Schedule test.apxc

```

@Test
public with sharing class WarehouseSyncScheduleTest {
    // implement scheduled code here
    //
    @Test static void test() {
        String scheduleTime = '00 00 00 * * ? *';
        Test.startTest();
        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
        String jobId = System.schedule('Warehouse Time to Schedule to test', scheduleTime, new
WarehouseSyncSchedule());
        CronTrigger c = [SELECT State FROM CronTrigger WHERE Id =: jobId];
        System.assertEquals('WAITING', String.valueOf(c.State), 'JobId does not match');

        Test.stopTest();
    }
}

```

Code for Ware house Callout Service Mock

```

@Test
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    // implement http mock callout
    global static HttpResponse respond(HttpRequest request) {

        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');

        response.setBody('{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":
"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"},{"_id":"55d66226726b611
100aaf742","replacement":true,"quantity":183,"name":"Cooling
Fan","maintenanceperiod":0,"lifespan":0,"cost":300,"sku":"100004"},{"_id":"55d66226726b611100a

```

```

af743","replacement":true,"quantity":143,"name":"Fuse
20A","maintenanceperiod":0,"lifespan":0,"cost":22,"sku":"100005"}]");
    response.StatusCode(200);

    return response;
}
}

```

#### **->Code for warehousesync schedule**

```

global with sharing class WarehouseSyncSchedule implements Schedulable{
    //implement scheduled code here
    global void execute(SchedulableContext ctx){
        System.enqueueJob(new WarehouseCalloutService());
    }
}

```