

APEX TRIGGERS MODULE:

ACCOUNTADDRESSTRIGGER.apxt:-

```
trigger AccountAddressTrigger on Account (before insert, before update) {
```

```
    for(Account account:Trigger.New){
        if(account.Match_Billing_Address__c == True){
            account.Shippingpostalcode = account.BillingPostalCode;
        }
    }
}
```

CLOSEDOPPORTUNITYTRIGGER:

```
trigger ClosedOpportunityTrigger on Opportunity (after insert,after update) {
```

```
    List<Task> taskList = new List<Task>();

    for(Opportunity opp : Trigger.New){
        if(opp.StageName == 'Closed Won'){
            taskList.add(new Task(Subject = 'Follow up Test Task',WhatId = opp.Id));
        }
    }

    if(taskList.size()>0){
        insert tasklist;
    }
}
```

APEX TESTING MODULES:

GET STARTED WITH APEX UNIT TESTS ASSESSMENT:

VERIFYDATE APEX CLASS:

```
public class VerifyDate {

    //method to handle potential checks against two dates
    public static Date CheckDates(Date date1, Date date2) {
        //if date2 is within the next 30 days of date1, use date2. Otherwise use the end of the
month
        if(DateWithin30Days(date1,date2)) {
            return date2;
        } else {
            return SetEndOfMonthDate(date1);
        }
    }

    //method to check if date2 is within the next 30 days of date1
    @TestVisible private static Boolean DateWithin30Days(Date date1, Date date2) {
        //check for date2 being in the past
        if( date2 < date1) { return false; }

        //check that date2 is within (>=) 30 days of date1
        Date date30Days = date1.addDays(30); //create a date 30 days away from date1
        if( date2 >= date30Days ) { return false; }
        else { return true; }
    }
}
```

```

//method to return the end of the month of a given date

@TestVisible private static Date SetEndOfMonthDate(Date date1) {

    Integer totalDays = Date.daysInMonth(date1.year(), date1.month());

    Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);

    return lastDay;

}

}

```

TESTVERIFYDATE APEX CLASS:

```

@Test
public class TestVerifyDate {

    @isTest static void Test_CheckDates_case1(){

        Date D = VerifyDate.CheckDates(date.parse('01/01/2020'),date.parse('01/05/2020'));

        System.assertEquals(date.parse('01/05/2020'), D);

    }

    @isTest static void Test_CheckDates_case2(){

        Date D = VerifyDate.CheckDates(date.parse('01/01/2020'),date.parse('05/05/2020'));

        System.assertEquals(date.parse('01/31/2020'), D);

    }

    @isTest static void Test_DateWithin30Days_case1(){

        Boolean flag = VerifyDate.DateWithin30Days(date.parse('01/01/2020'), date.parse('12/30/2019'));

        System.assertEquals(false, flag);

    }

    @isTest static void Test_DateWithin30Days_case2(){

        Boolean flag = VerifyDate.DateWithin30Days(date.parse('01/01/2020'), date.parse('02/02/2019'));
    }
}

```

```

        System.assertEquals(false, flag);
    }

    @isTest static void Test_DateWithin30Days_case3(){
        Boolean flag = VerifyDate.DateWithin30Days(date.parse('01/01/2020'), date.parse('01/15/2020'));
        System.assertEquals(true, flag);
    }

    @isTest static void Test_SetEndOfMonthDate(){
        Date returndate = VerifyDate.SetEndOfMonthDate(date.parse('01/01/2020'));
    }

}

```

TEST APEX TRIGGERS ASSESSMENT:

RestrictContactByName TRIGGER on Contact Object:

```

trigger RestrictContactByName on Contact (before insert, before update) {
    //check contacts prior to insert or update for invalid data
    For (Contact c : Trigger.New) {
        if(c.LastName == 'INVALIDNAME') { //invalidname is invalid
            c.AddError('The Last Name "'+c.LastName+'" is not allowed for
DML');
        }
    }
}

```

CREATE TEST DATA FOR APEX CLASS:

TestRestrictContactByName APEX CLASS:

@isTest

```

public class TestRestrictContactByName {

    @isTest static void Test_insertupdateContact(){

        Contact cnt = new Contact();

        cnt.LastName = 'INVALIDNAME';


        Test.startTest();

        Database.SaveResult result = Database.insert(cnt,false);

        Test.stopTest();

        System.assert(!result.isSuccess()) ;

        System.assert(result.getErrors().size() > 0);

        System.assertEquals('The Last Name "INVALIDNAME" is not allowed for DML',
result.getErrors()[0].getMessage());
    }

}

```

RandomContactFactory APEX CLASS:

```

public class RandomContactFactory {

    public static List <Contact>generateRandomContacts(Integer numcnt,string
lastname){

        List<contacts> = new List<Contact>();

        for(Integer i=0;i<numcnt;i++){

            Contact cnt = new Contact(FirstName = 'Test' +i,LastName = lastname);

            Contacts.add(cnt);

        }

        Return contacts;

    }

}

```

ASYNCHOROUS APEX MODULE:

USE FUTURE METHODS ASSESSMENT:

AccountProcessor APEX CLASS:

```
public class AccountProcessor {  
    @future  
    public static void countContacts(List<Id> accountIds){  
  
        List<Account> accountsToUpdate = new List<Account>();  
  
        List<Account> accounts = [Select Id, Name, (Select Id from Contacts) from Account Where Id in  
:accountIds];  
  
        For(Account acc:accounts){  
            List<Contact> contactList = acc.Contacts;  
            acc.number_of_contacts__c = contactList.size();  
            accountsToUpdate.add(acc);  
  
        }  
        update accountsToUpdate;  
    }  
}
```

USE BATCH APEX ASSESSMENT:

LEADPROCESSOR APEX CLASS:

```
global class LeadProcessor implements Database.Batchable<sObject>{  
    global Integer count = 0;  
  
    global Database.QueryLocator start(Database.BatchableContext bc){  
        return Database.getQueryLocator('SELECT ID, LeadSource FROM Lead');  
    }  
  
    global void execute (Database.BatchableContext bc, List<Lead> L_list){
```

```

List<Lead> L_list_new = new List<Lead>();

for(lead L:L_list){
    L.leadsource = 'Dreamforce';
    L_list_new.add(L);
    count += 1;
}

update L_list_new;
}

global void finish(Database.BatchableContext bc){
    system.debug('count =' + count);
}

}

```

LEADPROCESSORTEST APEX CLASS:

@isTest

```
public class LeadProcessorTest {
```

@isTest

```
public static void testit(){
```

```
    List<lead> L_list = new List<lead>();
```

```
    for(Integer i=0; i<200; i++){
```

```
        Lead L = new lead();
```

```
        L.LastName = 'name' + i;
```

```
        L.Company = 'Company';
```

```
        L.Status = 'Random Status';
```

```
        L_list.add(L);
```

```

    }

    insert L_list;

    Test.startTest();

    LeadProcessor lp = new LeadProcessor();

    Id batchId = Database.executeBatch(lp);

    Test.stopTest();

}
}

```

Control Processes with Queueable Apex Module:

AddPrimaryContact APEX CLASS:

```

public class AddPrimaryContact implements Queueable{

    private Contact con;

    private String state;

    public AddPrimaryContact(Contact con, String state){

        this.con = con;

        this.state = state;

    }

    public void execute(QueueableContext context){

        List<Account> accounts = [Select Id,Name,(Select FirstName,LastName,Id from contacts)

                                from Account where BillingState = :state Limit 200];

        List<Contact> primaryContacts = new List<Contact>();

        for(Account acc:accounts){

```



```

        Contact c = con.clone();

        c.AccountId = acc.Id;
        primaryContacts.add(c);
    }

    if(primaryContacts.size() > 0){
        insert primaryContacts;
    }
}
}
}

```

AddPrimaryContactTEST APEX CLASS:

```

@isTest

public class AddPrimaryContactTest {

    static testmethod void testQueueable(){
        List<Account> testAccounts = new List<Account>();
        for(Integer i=0;i<50;i++){
            testAccounts.add(new Account(Name='Account '+i,BillingState='CA'));
        }
        for(Integer j=0;j<50;j++){
            testAccounts.add(new Account(Name='Account '+j,BillingState='NY'));
        }
        insert testAccounts;

        Contact testContact = new Contact(FirstName = 'John',LastName='Doe');
        insert testContact;
    }
}

```

```
AddPrimaryContact addit = new addPrimaryContact(testContact,'CA');
```

```
Test.startTest();
```

```
system.enqueueJob(addit);
```

```
Test.stopTest();
```

```
System.assertEquals(50, [Select count() from Contact where accountId in (Select Id from Account  
where BillingState='CA')]);
```

```
}
```

```
}
```

```
-
```

```
-
```

```
-
```

Schedule Jobs Using the Apex Scheduler ASSESSMENT:

DailyLeadProcessor APEX CLASS:

```
public class DailyLeadProcessor implements Schedulable {
```

```
    Public void execute(SchedulableContext SC){
```

```
        List<Lead> LeadObj=[SELECT Id from Lead where LeadSource=null limit 200];
```

```
        for(Lead l:LeadObj){
```

```
            l.LeadSource='Dreamforce';
```

```
            update l;
```

```
        }
```

```
    }
```

```
}
```

DailyLeadProcessorTest:

```
@isTest
```

```
private class DailyLeadProcessorTest {
```

```

static testMethod void testDailyLeadProcessor() {
    String CRON_EXP = '0 0 1 * * ?';
    List<Lead> lList = new List<Lead>();
    for (Integer i = 0; i < 200; i++) {
        lList.add(new Lead(LastName='Dreamforce'+i, Company='Test1 Inc.',
Status='Open - Not Contacted'));
    }
    insert lList;

    Test.startTest();

    String jobId = System.schedule('DailyLeadProcessor', CRON_EXP, new
DailyLeadProcessor());
}
}

```

APEX INTEGRATION SERVICES MODULE:

APEX REST CALLOUTS ASSESSMENT:

AnimalLocator class

```

public class AnimalLocator{

    public static String getAnimalNameById(Integer x){

        Http http = new Http();

        HttpRequest req = new HttpRequest();

        req.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/'
+ x);

        req.setMethod('GET');

        Map<String, Object> animal= new Map<String, Object>();

        HttpResponse res = http.send(req);

        if (res.getStatusCode() == 200) {

            Map<String, Object> results = (Map<String, Object>)JSON.deserializeUntyped(res.getBody());

            animal = (Map<String, Object>) results.get('animal');

```

```

    }
    return (String)animal.get('name');
}
}

```

ANIMALLOCATORTEST APEX CLASS:

```

@Test
private class AnimalLocatorTest{

    @Test static void AnimalLocatorMock1() {

        Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());

        string result = AnimalLocator.getAnimalNameById(3);

        String expectedResult = 'chicken';

        System.assertEquals(result,expectedResult );

    }
}

```

AnimalLocatorMock:

```

@Test
global class AnimalLocatorMock implements HttpCalloutMock {

    // Implement this interface method

    global HTTPResponse respond(HTTPRequest request) {

        // Create a fake response

        HttpResponse response = new HttpResponse();

        response.setHeader('Content-Type', 'application/json');

        response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear", "chicken", "mighty moose"]}');

        response.setStatusCode(200);

        return response;

    }
}

```

APEX SOAP CALLOUTS:

ParkLocator APEX CLASS:

```
public class ParkLocator {  
    public static string[] country(string theCountry) {  
        ParkService.ParksImplPort parkSvc = new ParkService.ParksImplPort(); // remove space  
        return parkSvc.byCountry(theCountry);  
    }  
}
```

ParkLocatorTest APEX CLASS:

```
@isTest  
private class ParkLocatorTest {  
    @isTest static void testCallout() {  
        Test.setMock(WebServiceMock.class, new ParkServiceMock ());  
        String country = 'United States';  
        List<String> result = ParkLocator.country(country);  
        List<String> parks = new List<String>{'Yellowstone', 'Mackinac National Park', 'Yosemite'};  
        System.assertEquals(parks, result);  
    }  
}
```

ParkLocatorMock APEX CLASS:

```
@isTest  
global class ParkServiceMock implements WebServiceMock {  
    global void doInvoke(  
        Object stub,  
        Object request,  
        Map<String, Object> response,  
        String endpoint,  
        String soapAction,  
        String requestName,  
        String responseNS,
```

```

        String responseName,
        String responseType) {
    // start - specify the response you want to send
    ParkService.byCountryResponse response_x = new ParkService.byCountryResponse();
    response_x.return_x = new List<String>{'Yellowstone', 'Mackinac National Park', 'Yosemite'};
    // end
    response.put('response_x', response_x);
}
}

```

APEX WEB SERVICES ASSESSMENT:

```

@RestResource(urlMapping='/Accounts/*/contacts')
global class AccountManager {
    @HttpGet
    global static Account getAccount() {
        RestRequest req = RestContext.request;
        String accId = req.requestURI.substringBetween('Accounts/', '/contacts');
        Account acc = [SELECT Id, Name, (SELECT Id, Name FROM Contacts)
            FROM Account WHERE Id = :accId];
        return acc;
    }
}

```

AccountManagerTest:

```

@Test
private class AccountManagerTest {

    private static testMethod void getAccountTest1() {
        Id recordId = createTestRecord();
        // Set up a test request
        RestRequest request = new RestRequest();
    }
}

```

```

        request.requestUri = 'https://na1.salesforce.com/services/apexrest/Accounts/'+
recordId +'/contacts' ;

        request.httpMethod = 'GET';

        RestContext.request = request;

        // Call the method to test
        Account thisAccount = AccountManager.getAccount();

        // Verify results
        System.assert(thisAccount != null);

        System.assertEquals('Test record', thisAccount.Name);

    }

```

```

// Helper method
static Id createTestRecord() {
    // Create test record

    Account TestAcc = new Account(
        Name='Test record');
    insert TestAcc;

    Contact TestCon= new Contact(
        LastName='Test',
        AccountId = TestAcc.id);

    return TestAcc.Id;
}
}

```

-
-

APEX SUPERBADGE SPECIALIST:

Challenge 2

Automated Record Creation

MaintenanceRequestHelper.apxc

```
public with sharing class MaintenanceRequestHelper {

    public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) {

        Set<Id> validIds = new Set<Id>();

        For (Case c : updWorkOrders){

            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){

                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){

                    validIds.add(c.Id);

                }

            }

        }

        if (!validIds.isEmpty()){

            List<Case> newCases = new List<Case>();

            Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
            Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c FROM
            Equipment_Maintenance_Items__r)

                                FROM Case WHERE Id IN :validIds]);

            Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();

            AggregateResult[] results = [SELECT Maintenance_Request__c,
            MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c WHERE
            Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];

            for (AggregateResult ar : results){

                maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));

            }

        }

    }

}
```



```

for(Case cc : closedCasesM.values()){
    Case nc = new Case (
        ParentId = cc.Id,
        Status = 'New',
        Subject = 'Routine Maintenance',
        Type = 'Routine Maintenance',
        Vehicle__c = cc.Vehicle__c,
        Equipment__c = cc.Equipment__c,
        Origin = 'Web',
        Date_Reported__c = Date.Today()

    );

    If (maintenanceCycles.containsKey(cc.Id)){
        nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
    }

    newCases.add(nc);
}

insert newCases;

List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();

for (Case nc : newCases){
    for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
        Equipment_Maintenance_Item__c wpClone = wp.clone();

```

```

        wpClone.Maintenance_Request__c = nc.Id;

        ClonedWPs.add(wpClone);

    }

}

insert ClonedWPs;

}

}

```

MaintenanceRequest TRIGGER:

```

trigger MaintenanceRequest on Case (before update, after update) {

    if(Trigger.isUpdate && Trigger.isAfter){

        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);

    }

}

```

Challenge 3

Synchronize Salesforce data with an external system

WarehouseCalloutService.apxc:-

```

public with sharing class WarehouseCalloutService {

    private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';

    //@future(callout=true)

    public static void runWarehouseEquipmentSync(){

        Http http = new Http();

        HttpRequest request = new HttpRequest();
    }
}

```

```
request.setEndpoint(WAREHOUSE_URL);  
request.setMethod('GET');  
HttpResponse response = http.send(request);
```

```
List<Product2> warehouseEq = new List<Product2>();
```

```
if (response.getStatusCode() == 200){  
    List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());  
    System.debug(response.getBody());
```

```
    for (Object eq : jsonResponse){  
        Map<String,Object> mapJson = (Map<String,Object>)eq;  
        Product2 myEq = new Product2();  
        myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');  
        myEq.Name = (String) mapJson.get('name');  
        myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');  
        myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');  
        myEq.Cost__c = (Decimal) mapJson.get('lifespan');  
        myEq.Warehouse_SKU__c = (String) mapJson.get('sku');  
        myEq.Current_Inventory__c = (Double) mapJson.get('quantity');  
        warehouseEq.add(myEq);  
    }
```

```
    if (warehouseEq.size() > 0){  
        upsert warehouseEq;  
        System.debug('Your equipment was synced with the warehouse one');  
        System.debug(warehouseEq);  
    }
```

```

    }
}

```

(CTRL+E) and run this method

```
System.enqueueJob(new WarehouseCalloutService());
```

Challenge 4

Schedule synchronization using Apex code

WarehouseSyncSchedule.apxc :-

```

global class WarehouseSyncSchedule implements Schedulable {
    global void execute(SchedulableContext ctx) {

        WarehouseCalloutService.runWarehouseEquipmentSync();
    }
}

```

Challenge 5

Test automation logic

MaintenanceRequest.apxt :-

```

trigger MaintenanceRequest on Case (before update, after update) {
    if (Trigger.isUpdate && Trigger.isAfter) {
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}

```

MaintenanceRequestHelper.apxc :-

```

public with sharing class MaintenanceRequestHelper {
    public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
    }
}

```

```

For (Case c : updWorkOrders){
    if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
        if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
            validIds.add(c.Id);
        }
    }
}

if (!validIds.isEmpty()){
    List<Case> newCases = new List<Case>();

    Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
FROM Case WHERE Id IN :validIds]);

    Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();

    AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c WHERE
Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];

    for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
    }

    for(Case cc : closedCasesM.values()){
        Case nc = new Case (
            ParentId = cc.Id,
            Status = 'New',
            Subject = 'Routine Maintenance',

```

```
Type = 'Routine Maintenance',  
Vehicle__c = cc.Vehicle__c,  
Equipment__c = cc.Equipment__c,  
Origin = 'Web',  
Date_Reported__c = Date.Today()
```

```
);
```

```
If (maintenanceCycles.containsKey(cc.Id)){  
    nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));  
}
```

```
newCases.add(nc);  
}
```

```
insert newCases;
```

```
List<Equipment_Maintenance_Item__c> clonedWPs = new  
List<Equipment_Maintenance_Item__c>();  
for (Case nc : newCases){  
    for (Equipment_Maintenance_Item__c wp :  
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){  
        Equipment_Maintenance_Item__c wpClone = wp.clone();  
        wpClone.Maintenance_Request__c = nc.Id;  
        ClonedWPs.add(wpClone);  
    }  
}  
  
insert ClonedWPs;
```

```
    }  
    }  
}
```

MaintenanceRequestHelperTest.apxc :-

@istest

```
public with sharing class MaintenanceRequestHelperTest {
```

```
    private static final string STATUS_NEW = 'New';  
    private static final string WORKING = 'Working';  
    private static final string CLOSED = 'Closed';  
    private static final string REPAIR = 'Repair';  
    private static final string REQUEST_ORIGIN = 'Web';  
    private static final string REQUEST_TYPE = 'Routine Maintenance';  
    private static final string REQUEST_SUBJECT = 'Testing subject';
```

```
    PRIVATE STATIC Vehicle__c createVehicle(){  
        Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');  
        return Vehicle;  
    }
```

```
    PRIVATE STATIC Product2 createEq(){  
        product2 equipment = new product2(name = 'SuperEquipment',  
            lifespan_months__C = 10,  
            maintenance_cycle__C = 10,  
            replacement_part__c = true);  
        return equipment;  
    }
```

```
    PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
```

```

case cs = new case(Type=REPAIR,
    Status=STATUS_NEW,
    Origin=REQUEST_ORIGIN,
    Subject=REQUEST_SUBJECT,
    Equipment__c=equipmentId,
    Vehicle__c=vehicleId);

return cs;
}

```

```

PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id requestId){
    Equipment_Maintenance_Item__c wp = new Equipment_Maintenance_Item__c(Equipment__c =
equipmentId,
                                Maintenance_Request__c = requestId);

    return wp;
}

```

@istest

```

private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    Product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;

    case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
    insert somethingToUpdate;
}

```



```
Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId,somethingToUpdate.id);  
insert workP;
```

```
test.startTest();  
somethingToUpdate.status = CLOSED;  
update somethingToUpdate;  
test.stopTest();
```

```
Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c, Vehicle__c,  
Date_Due__c  
from case  
where status =:STATUS_NEW];
```

```
Equipment_Maintenance_Item__c workPart = [select id  
from Equipment_Maintenance_Item__c  
where Maintenance_Request__c =:newReq.Id];
```

```
system.assert(workPart != null);  
system.assert(newReq.Subject != null);  
system.assertEquals(newReq.Type, REQUEST_TYPE);  
SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);  
SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);  
SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());  
}
```

```
@istest  
private static void testMaintenanceRequestNegative(){  
    Vehicle__C vehicle = createVehicle();
```

```

insert vehicle;

id vehicleId = vehicle.Id;

product2 equipment = createEq();
insert equipment;
id equipmentId = equipment.Id;

case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
insert emptyReq;

Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);
insert workP;

test.startTest();
emptyReq.Status = WORKING;
update emptyReq;
test.stopTest();

list<case> allRequest = [select id
                        from case];

Equipment_Maintenance_Item__c workPart = [select id
                                           from Equipment_Maintenance_Item__c
                                           where Maintenance_Request__c = :emptyReq.Id];

system.assert(workPart != null);
system.assert(allRequest.size() == 1);
}

```

```
@istest

private static void testMaintenanceRequestBulk(){

    list<Vehicle__C> vehicleList = new list<Vehicle__C>();

    list<Product2> equipmentList = new list<Product2>();

    list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();

    list<case> requestList = new list<case>();

    list<id> oldRequestIds = new list<id>();


    for(integer i = 0; i < 300; i++){

        vehicleList.add(createVehicle());

        equipmentList.add(createEq());

    }

    insert vehicleList;

    insert equipmentList;


    for(integer i = 0; i < 300; i++){

        requestList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));

    }

    insert requestList;


    for(integer i = 0; i < 300; i++){

        workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));

    }

    insert workPartList;


    test.startTest();

    for(case req : requestList){

        req.Status = CLOSED;
```

```
        oldRequestIds.add(req.Id);
    }
}
```

```
update requestList;
```

```
test.stopTest();
```

```
list<case> allRequests = [select id
                        from case
                        where status =: STATUS_NEW];
```

```
list<Equipment_Maintenance_Item__c> workParts = [select id
                                                from Equipment_Maintenance_Item__c
                                                where Maintenance_Request__c in: oldRequestIds];
```

```
system.assert(allRequests.size() == 300);
```

```
}
```

```
}
```

Challenge 6

Test callout logic

WarehouseCalloutService.apxc :-

```
public with sharing class WarehouseCalloutService {
```

```
    private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
```

```
    //@future(callout=true)
```

```
    public static void runWarehouseEquipmentSync(){
```

```
        Http http = new Http();
```

```
        HttpRequest request = new HttpRequest();
```

```
request.setEndpoint(WAREHOUSE_URL);
request.setMethod('GET');
HttpResponse response = http.send(request);
```

```
List<Product2> warehouseEq = new List<Product2>();
```

```
if (response.getStatusCode() == 200){
    List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
    System.debug(response.getBody());
```

```
    for (Object eq : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)eq;
        Product2 myEq = new Product2();
        myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
        myEq.Name = (String) mapJson.get('name');
        myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        myEq.Cost__c = (Decimal) mapJson.get('lifespan');
        myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
        myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
        warehouseEq.add(myEq);
    }
```

```
    if (warehouseEq.size() > 0){
        upsert warehouseEq;
        System.debug('Your equipment was synced with the warehouse one');
        System.debug(warehouseEq);
    }
```

```

    }

    }

}

```

WarehouseCalloutServiceTest.apxc :-

@isTest

```

private class WarehouseCalloutServiceTest {

    @isTest

    static void testWareHouseCallout(){

        Test.startTest();

        // implement mock callout test here

        Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());

        WarehouseCalloutService.runWarehouseEquipmentSync();

        Test.stopTest();

        System.assertEquals(1, [SELECT count() FROM Product2]);

    }

}

```

WarehouseCalloutServiceMock.apxc :-

@isTest

```

global class WarehouseCalloutServiceMock implements HttpCalloutMock {

    // implement http mock callout

    global static HttpResponse respond(HttpRequest request){

        System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());

        System.assertEquals('GET', request.getMethod());

    }

}

```

```

// Create a fake response

HttpResponse response = new HttpResponse();

response.setHeader('Content-Type', 'application/json');

response.setBody('{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":"Generator 1000 kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}');

response.setStatusCode(200);

return response;
}
}

```

Challenge 7

Test scheduling logic

WarehouseSyncSchedule.apxc :-

```

global class WarehouseSyncSchedule implements Schedulable {

    global void execute(SchedulableContext ctx) {

        WarehouseCalloutService.runWarehouseEquipmentSync();

    }

}

```

WarehouseSyncScheduleTest.apxc :-

```

@Test
public class WarehouseSyncScheduleTest {

    @isTest static void WarehousescheduleTest(){

        String scheduleTime = '00 00 01 * * ?';

        Test.startTest();

        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());

        String jobId=System.schedule('Warehouse Time To Schedule to Test', scheduleTime, new WarehouseSyncSchedule());

        Test.stopTest();

    }

}

```

//Contains schedule information for a scheduled job. CronTrigger is similar to a cron job on UNIX systems.

// This object is available in API version 17.0 and later.

CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];

System.assertEquals(jobID, a.Id, 'Schedule ');

}

}

RUN ALL AND COMPLETE THE CHALLENGE AND THUS COMPLETE THE SPERBADGE

-

-