Apex Triggers:

https://trailhead.salesforce.com/content/learn/modules/apex_triggers?trailmix_creator_i d=trailblazerconnect&trailmix_slug=salesforce-developer-catalyst

1. Get Started With Apex Triggers

```
AccountAddressTrigger Code:
trigger AccountAddressTrigger on Account (before insert, before update) {
      for (Account a : Trigger.new) {
            if (a.Match Billing Address c == TRUE){
                  a.ShippingPostalCode = a.BillingPostalCode;
            }
      }
}
2) Bulk Apex Triggers Unit
ClosedOpportunityTrigger Code:
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {
  List<Task> taskList = new List<Task>();
  for (Opportunity o :[SELECT Id,Name FROM Opportunity
              WHERE Id IN :Trigger.New]){
    taskList.add(new Task(Subject='Follow Up Test Task',
                 WhatId=o.Id,
                  Status='Not Started',
                  Priority='Normal'));
  }
  if (taskList.size() > 0){
    insert taskList;
  }
}
```

Apex Testing:

https://trailhead.salesforce.com/content/learn/modules/apex_testing?trailmix_creator_id =trailblazerconnect&trailmix_slug=salesforce-developer-catalyst

```
1)Get Started with Apex Unit Testing
VerifyDate Code :
public class VerifyDate {
      //method to handle potential checks against two dates
      public static Date CheckDates(Date date1, Date date2) {
            //if date2 is within the next 30 days of date1, use date2. Otherwise use the
end of the month
            if(DateWithin30Days(date1,date2)) {
                   return date2;
            } else {
                   return SetEndOfMonthDate(date1);
            }
      }
      //method to check if date2 is within the next 30 days of date1
      private static Boolean DateWithin30Days(Date date1, Date date2) {
            //check for date2 being in the past
      if( date2 < date1) { return false; }</pre>
      //check that date2 is within (>=) 30 days of date1
      Date date30Days = date1.addDays(30); //create a date 30 days away from date1
            if( date2 >= date30Days ) { return false; }
            else { return true; }
      }
      //method to return the end of the month of a given date
      private static Date SetEndOfMonthDate(Date date1) {
            Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
            Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);
            return lastDay;
      }
}
TestVerifyDate Code:
@isTest
```

```
private class TestVerifyDate {
  @isTest static void testCheckDates() {
    Date now = Date.today();
    Date lastOfTheMonth = Date.newInstance(now.year(), now.month(),
Date.daysInMonth(now.year(), now.month()));
    Date plus60 = Date.today().addDays(60);
            Date d1 = VerifyDate.CheckDates(now, now);
    System.assertEquals(now, d1);
    Date d2 = VerifyDate.CheckDates(now, plus60);
    System.assertEquals(lastOfTheMonth, d2);
  }
}
2) Test Apex Triggers Unit
RestrictContactByName Code:
trigger RestrictContactByName on Contact (before insert, before update) {
      //check contacts prior to insert or update for invalid data
      For (Contact c : Trigger.New) {
            if(c.LastName == 'INVALIDNAME') {
                                                  //invalidname is invalid
                  c.AddError('The Last Name "'+c.LastName+" is not allowed for
DML');
            }
      }
}
TestRestrictContactByName Code:
@isTest
private class TestRestrictContactByName {
```

```
@isTest
  static void invalidName() {
    try {
      Contact c = new Contact(LastName='INVALIDNAME');
      insert c;
    }
    catch (Exception e) {
                  System.assert(true);
  }
}
3) Create Test Data for Apex Tests:
RandomContactFactory Code:
public class RandomContactFactory {
  public static List<Contact> generateRandomContacts(Integer num, String lastName)
{
    List<Contact> contacts = new List<Contact>();
    for (Integer i = 0; i < num; i++) {
       Contact c = new Contact(FirstName=i.format(), LastName=lastName);
       contacts.add(c);
    }
    return contacts;
  }
}
Asynchronous Apex:
https://trailhead.salesforce.com/content/learn/modules/asynchronous apex?trailmix cre
ator id=trailblazerconnect&trailmix slug=salesforce-developer-catalyst
1)Quiz
2)Use Future Methods
AccountProcessor Code:
```

```
public class AccountProcessor {
  @future
  public static void countContacts(List<Id> accountIds) {
    List<Account> accounts = [SELECT Id,
                        Name,
                        Number of Contacts c,
                          SELECT Contact.Id
                           FROM Contacts
                     FROM Account
                     WHERE Id in :accountIds];
    for (Account a : accounts) {
       a.Number of Contacts c = a.Contacts.size();
    }
    update accounts;
  }
}
AccountProcessorTest Code:
@isTest
private class AccountProcessorTest {
  static TestMethod void myTest() {
    List<Account> accounts = new List<Account>();
    for (Integer i=0; i<100; i++) {
       Account account = new Account();
       account.Name = 'AccountProcessorTest Account ' + i;
       accounts.add(account);
    insert accounts;
    List<Id> accountIds = new List<Id>();
    List<Contact> contacts = new List<Contact>();
    for (Account a : accounts) {
       accountIds.add(a.Id);
       for (Integer i=0; i<5; i++) {
         Contact contact = new Contact();
```

```
contact.FirstName = 'AccountProcessor Test Contact';
         contact.LastName = String.valueOf(i);
         contact.AccountId = a.Id;
         contacts.add(contact);
    }
    insert contacts;
    Test.startTest();
    AccountProcessor.countContacts(accountIds);
    Test.stopTest();
    List<Account> results = [SELECT Id, Number_of_Contacts__c
                    FROM Account
                    WHERE Id in :accountIds];
    for (Account a : results) {
       System.AssertEquals(5, a.Number of Contacts c);
    }
  }
}
3)Use Batch Apex
LeadProcessor Code:
global class LeadProcessor implements Database.Batchable<sObject>,
Database.Stateful {
  global Integer recs processed = 0;
  global Database.QueryLocator start(Database.BatchableContext bc) {
    String sQuery = ";
    sQuery += 'SELECT Id, Name, Status,';
    sQuery += 'LeadSource ';
    sQuery += 'FROM Lead ';
    sQuery += 'LIMIT 100000';
    return Database.getQueryLocator(sQuery);
  }
  global void execute(Database.BatchableContext bc, List<Lead> scope) {
    for (Lead I : scope) {
```

```
I.LeadSource = 'Dreamforce';
       recs processed += 1;
    update scope;
  }
  global void finish(Database.BatchableContext bc) {
    AsyncApexJob job = [SELECT Id,
                     Status,
                     NumberOfErrors,
                     TotalJobItems,
                     JobItemsProcessed,
                     CreatedBy.Email
                  FROM AsyncApexJob
                 WHERE Id = :bc.getJobId()];
    String s = ";
    s += job.JobItemsProcessed + ' job items processed ';
    s += 'out of ' + job.TotalJobItems + ' total job items. ';
    s += job.NumberOfErrors + ' error(s) encountered. ';
    System.debug(s);
    s = recs processed + 'record(s) processed.';
    System.debug(s);
  }
LeadProcessorTest Code:
@isTest
private class LeadProcessorTest {
  @testSetup
  static void createLeads() {
    List<Lead> leads = new List<Lead>();
    for (Integer i=0; i<200; i++) {
       Lead I = new Lead();
       I.FirstName = 'Test';
       I.LastName = 'Lead';
       I.Company = 'Test Lead ' + i;
       leads.add(l);
    insert leads;
```

}

```
}
  static TestMethod void myTest() {
    Test.startTest();
    LeadProcessor();
    Id batchId = Database.executeBatch(lp);
    Test.stopTest();
    System.assertEquals(200, [SELECT Count()
                     FROM Lead
                    WHERE Name = 'Test Lead'
                     AND LeadSource = 'Dreamforce']);
 }
4)Controp Processes with Queueable Apex
AddPrimaryContact Code:
public class AddPrimaryContact implements Queueable {
  private Contact contactObj;
  private String state_code;
  public AddPrimaryContact(Contact c, String s) {
    this.contactObj = c;
    this.state code = s;
  }
  public void execute(QueueableContext context) {
    List<Account> accounts = [SELECT Id
                     FROM Account
                    WHERE BillingState = :this.state code
                    LIMIT 200];
    List<Contact> contacts = new List<Contact>();
    for (Account a : accounts) {
       Contact c = this.contactObj.clone(false, false, false, false);
       c.AccountId = a.Id;
       contacts.add(c);
    }
```

```
if (contacts.size() > 0) {
      insert contacts;
    }
  }
}
AddPrimaryContactTest Code:
@isTest
private class AddPrimaryContactTest {
  @testSetup
  static void setup() {
    List<Account> accounts = new List<Account>();
    for (Integer i=0; i<50; i++) {
       Account ny = new Account();
       ny.Name = 'Test Account (NY)';
       ny.BillingState = 'NY';
       accounts.add(ny);
       Account ca = new Account();
       ca.Name = 'Test Account (CA)';
       ca.BillingState = 'CA';
       accounts.add(ca);
    insert accounts;
  }
  static TestMethod void myTest() {
    Contact contactObj = new Contact(
       FirstName = 'California',
       LastName = 'Bob'
    );
    String state abbrev = 'CA';
    Test.startTest();
    AddPrimaryContact apc = new AddPrimaryContact(contactObj, state_abbrev);
    Id jobId = System.enqueueJob(apc);
    Test.stopTest();
    List<Account> accounts = [SELECT Id, (SELECT Contact.Name FROM
Account.Contacts) FROM Account WHERE BillingState = 'CA'];
```

```
System.assertEquals(50, accounts.size());
    for (Account a : accounts) {
       System.assertEquals(a.Contacts.size(), 1);
    }
  }
}
5) Schedule Jobs Using the Apex Scheduler
DailyLeadProcessor Code:
global class DailyLeadProcessor implements Schedulable {
  global void execute(SchedulableContext ctx) {
    List<Lead> leads = [SELECT Id,
                 LeadSource
              FROM Lead
             WHERE LeadSource = " OR LeadSource = null
             LIMIT 200];
    for (Lead I : leads) {
       I.LeadSource = 'Dreamforce';
    }
    if (leads.size() > 0) {
       update leads;
    }
  }
}
DailyLeadProcessorTest Code:
@isTest
private class DailyLeadProcessorTest {
  @testSetup
  static void setup() {
    List<Lead> leads = new List<Lead>();
    for (Integer i=0; i<200; i++) {
```

```
Lead I = new Lead();
       I.FirstName = 'Test';
       I.LastName = 'Lead ' + i;
       I.Company = 'Test Company ' + i;
       leads.add(l);
    }
    insert leads;
  }
  static TestMethod void myTest() {
    String jobName = 'Daily Lead Processor - Test';
    String CRON EXP = '0 0 0 15 3 ? 2017'; // dummy cron entry
    test.startTest();
    DailyLeadProcessor dp = new DailyLeadProcessor();
    String JobId = System.schedule(jobName, CRON EXP, dp);
    test.stopTest();
    List<Lead> results = [SELECT Id FROM Lead WHERE LeadSource =
'Dreamforce'];
    System.assertEquals(200, results.size());
 }
}
Apex Integration Services
:https://trailhead.salesforce.com/content/learn/modules/apex integration services?trail
mix creator id=trailblazerconnect&trailmix slug=salesforce-developer-catalyst
1)Quiz
2)Apex REST Callouts
AnimalLocator Code:
public class AnimalLocator {
 public static HttpResponse makeGetCallout {
   Http http = new Http();
```

```
HttpRequest request = new HttpRequest();
   request.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/:id');
   request.setMethod('GET');
   HttpResponse response = http.send(request);
   // If the request is successful, parse the JSON response.
   if (response.getStatusCode() == 200) {
    // Deserialize the JSON string into collections of primitive data types.
    Map<Integer, Object> Results
   }
}
AnimalLocatorTest Code:
@isTest
private class AnimalLocatorTest{
  @isTest static void AnimalLocatorMock1() {
    Test.SetMock(HttpCallOutMock.class, new AnimalLocatorMock());
    string result=AnimalLocator.getAnimalNameById(3);
    string expectedResult='chicken';
    System.assertEquals(result, expectedResult);
  }
}
AnimalLocatorMock Code:
@isTest
global class AnimalLocatorMock implements HttpCalloutMock {
  global HTTPResponse respond(HTTPRequest request) {
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
    response.setBody('{"animal":{"id":1,"name":"chicken","eats":"chicken
food", "says": "cluck cluck"}}');
    response.setStatusCode(200);
    return response;
  }
}
```

```
2)Apex SOAP Callouts
ParkService Code:
//Generated by wsdl2apex
public class ParkService {
  public class byCountryResponse {
     public String[] return x;
     private String∏ return x type info = new
String[]{'return','http://parks.services/',null,'0','-1','false'};
     private String∏ apex schema type info = new
String[]{'http://parks.services/','false','false'};
     private String[] field order type info = new String[]{'return x'};
  }
  public class byCountry {
     public String arg0;
     private String∏ arg0 type info = new
String[]{'arg0','http://parks.services/',null,'0','1','false'};
     private String∏ apex schema type info = new
String[]{'http://parks.services/','false','false'};
     private String[] field order type info = new String[]{'arg0'};
  }
  public class ParksImplPort {
     public String endpoint x = \frac{\text{https://th-apex-soap-}}{\text{those}}
service.herokuapp.com/service/parks';
     public Map<String,String> inputHttpHeaders x;
```

```
public Map<String,String> outputHttpHeaders x;
    public String clientCertName x;
    public String clientCert x;
    public String clientCertPasswd x;
    public Integer timeout_x;
    private String[] ns map type info = new String[]{'http://parks.services/',
'ParkService'};
    public String[] byCountry(String arg0) {
       ParkService.byCountry request x = new ParkService.byCountry();
       request x.arg0 = arg0;
       ParkService.byCountryResponse response x;
       Map<String, ParkService.byCountryResponse> response map x = new
Map<String, ParkService.byCountryResponse>();
       response_map_x.put('response_x', response_x);
       WebServiceCallout.invoke(
        this,
        request x,
        response map x,
        new String[]{endpoint_x,
        'http://parks.services/',
        'byCountry',
        'http://parks.services/',
        'byCountryResponse',
```

```
'ParkService.byCountryResponse'}
       );
       response_x = response_map_x.get('response_x');
       return response x.return x;
    }
  }
}
ParkLocator Code:
public class ParkLocator {
  public static String[] country(String country){
    ParkService.ParksImplPort parks = new ParkService.ParksImplPort();
    String[] parksname = parks.byCountry(country);
    return parksname;
  }
}
ParkLocatorTest Code:
@isTest
private class ParkLocatorTest{
```

```
static void testParkLocator() {
    Test.setMock(WebServiceMock.class, new ParkServiceMock());
    String[] arrayOfParks = ParkLocator.country('India');
    System.assertEquals('Park1', arrayOfParks[0]);
  }
}
ParkServiceMock Code:
@isTest
global class ParkServiceMock implements WebServiceMock {
  global void doInvoke(
      Object stub,
      Object request,
      Map<String, Object> response,
      String endpoint,
      String soapAction,
      String requestName,
      String responseNS,
      String responseName,
      String responseType) {
    ParkService.byCountryResponse response x = new
ParkService.byCountryResponse();
```

@isTest

```
List<String> lstOfDummyParks = new List<String> {'Park1','Park2','Park3'};
    response x.return x = IstOfDummyParks;
    response.put('response x', response x);
  }
}
4) Apex Web Services
AccountManager Code:
@RestResource(urlMapping='/Accounts/*/contacts')
global with sharing class AccountManager {
  @HttpGet
  global static account getAccount() {
    RestRequest request = RestContext.request;
    String accountId =
request.requestURI.substring(request.requestURI.lastIndexOf('/')-18,
      request.requestURI.lastIndexOf('/'));
    List<Account> a = [select id, name, (select id, name from contacts) from account
where id = :accountId];
    List<contact> co = [select id, name from contact where account.id = :accountId];
    system.debug('** a[0] = '+ a[0]);
    return a[0];
  }
}
AccountManagerTest Code:
@Istest(SeeAllData=true)
```

```
public class AccountManagerTest {
  @IsTest
  public static void testaccountmanager() {
    RestReguest reguest = new RestReguest();
    request.requestUri = 'https://mannharleen-dev-
ed.my.salesforce.com/services/apexrest/Accounts/00190000016cw4tAAA/contacts';
    request.httpMethod = 'GET';
    RestContext.request = request;
            system.debug('test account result = '+ AccountManager.getAccount());
  }
}
APEX SPECIALIST SUPERBADGE:
https://trailhead.salesforce.com/content/learn/modules/apex integration services?trailm
ix creator id=trailblazerconnect&trailmix slug=salesforce-developer-catalyst
1)Quiz
2)Automate Record Creation
MaintenanceRequestHelper Code:
public with sharing class MaintenanceRequestHelper {
  public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
    Set<Id> validIds = new Set<Id>();
```

```
For (Case c : updWorkOrders){
      if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
         if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
           validIds.add(c.Id);
        }
      }
    }
    if (!validIds.isEmpty()){
      List<Case> newCases = new List<Case>();
      Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle c,
Equipment c, Equipment r.Maintenance Cycle c,(SELECT
Id, Equipment c, Quantity c FROM Equipment Maintenance Items r)
                                FROM Case WHERE Id IN :validIds]);
      Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      AggregateResult[] results = [SELECT Maintenance Request c,
MIN(Equipment r.Maintenance Cycle c)cycle FROM
Equipment Maintenance Item c WHERE Maintenance Request c IN: ValidIds
GROUP BY Maintenance Request c];
    for (AggregateResult ar : results){
      maintenanceCycles.put((Id) ar.get('Maintenance Request c'), (Decimal)
ar.get('cycle'));
```

```
for(Case cc : closedCasesM.values()){
         Case nc = new Case (
           ParentId = cc.Id,
         Status = 'New',
           Subject = 'Routine Maintenance',
           Type = 'Routine Maintenance',
           Vehicle__c = cc.Vehicle__c,
           Equipment__c =cc.Equipment__c,
           Origin = 'Web',
           Date_Reported__c = Date.Today()
         );
         If (maintenanceCycles.containskey(cc.Id)){
           nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.ld));
         }
         newCases.add(nc);
      }
      insert newCases;
```

}

```
List<Equipment Maintenance Item c> clonedWPs = new
List<Equipment Maintenance Item c>();
      for (Case nc : newCases){
         for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.Parentld).Equipment Maintenance Items r){
           Equipment Maintenance Item c wpClone = wp.clone();
           wpClone.Maintenance Request c = nc.ld;
           ClonedWPs.add(wpClone);
        }
      }
      insert ClonedWPs;
    }
  }
MaitenanceRequest Code:
trigger MaintenanceRequest on Case (before update, after update) {
  if(Trigger.isUpdate && Trigger.isAfter){
    MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
  }
```

```
}
3)Synchronize Salesforce Data
WarehouseCalloutService Code:
public with sharing class WarehouseCalloutService {
  private static final String WAREHOUSE URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
  //@future(callout=true)
  public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();
    request.setEndpoint(WAREHOUSE URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> warehouseEq = new List<Product2>();
    if (response.getStatusCode() == 200){
       List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
       System.debug(response.getBody());
       for (Object eq : jsonResponse){
         Map<String,Object> mapJson = (Map<String,Object>)eg;
         Product2 myEq = new Product2();
         myEq.Replacement Part c = (Boolean) mapJson.get('replacement');
         myEq.Name = (String) mapJson.get('name');
         myEq.Maintenance Cycle c = (Integer) mapJson.get('maintenanceperiod');
         myEq.Lifespan Months c = (Integer) mapJson.get('lifespan');
         myEq.Cost c = (Decimal) mapJson.get('lifespan');
         myEq.Warehouse SKU c = (String) mapJson.get('sku');
         myEq.Current Inventory c = (Double) mapJson.get('quantity');
         warehouseEq.add(myEq);
```

```
}
       if (warehouseEq.size() > 0){
         upsert warehouseEq;
         System.debug('Your equipment was synced with the warehouse one');
         System.debug(warehouseEq);
       }
    }
  }
4) Schedule Synchronization
WarehouseSyncSchedule Code:
global class WarehouseSyncSchedule implements Schedulable {
  global void execute(SchedulableContext ctx) {
    WarehouseCalloutService.runWarehouseEquipmentSync();
  }
}
5)Test Automatic Logic
MaintenanceRequestHelperTest Code:
@istest
public with sharing class MaintenanceRequestHelperTest {
  private static final string STATUS NEW = 'New';
  private static final string WORKING = 'Working';
  private static final string CLOSED = 'Closed';
  private static final string REPAIR = 'Repair';
  private static final string REQUEST ORIGIN = 'Web';
  private static final string REQUEST TYPE = 'Routine Maintenance';
  private static final string REQUEST SUBJECT = 'Testing subject';
  PRIVATE STATIC Vehicle c createVehicle(){
    Vehicle c Vehicle = new Vehicle C(name = 'SuperTruck');
    return Vehicle;
  }
```

```
PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name = 'SuperEquipment',
                       lifespan months C = 10,
                       maintenance cycle C = 10,
                       replacement part c = true);
    return equipment;
  }
  PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
              Status=STATUS NEW,
               Origin=REQUEST ORIGIN,
               Subject=REQUEST SUBJECT,
              Equipment c=equipmentId,
              Vehicle c=vehicleId);
    return cs;
  }
  PRIVATE STATIC Equipment Maintenance Item c createWorkPart(id
equipmentId,id requestId){
    Equipment Maintenance Item c wp = new
Equipment Maintenance Item c(Equipment c = equipmentId,
                                           Maintenance Request c = requestId);
    return wp;
  }
MaintenanceRequestHelper Code:
public with sharing class MaintenanceRequestHelper {
  public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
    Set<Id> validIds = new Set<Id>();
    For (Case c : updWorkOrders){
      if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
         if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
           validIds.add(c.Id);
```

```
}
      }
    if (!validIds.isEmpty()){
      List<Case> newCases = new List<Case>();
       Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle c,
Equipment c, Equipment r.Maintenance Cycle c,(SELECT
Id,Equipment_c,Quantity_c FROM Equipment_Maintenance_Items_r)
                                FROM Case WHERE Id IN :validIds]);
       Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      AggregateResult[] results = [SELECT Maintenance Request c,
MIN(Equipment r.Maintenance Cycle c)cycle FROM
Equipment Maintenance Item c WHERE Maintenance Request c IN: ValidIds
GROUP BY Maintenance Request c];
    for (AggregateResult ar : results){
       maintenanceCycles.put((Id) ar.get('Maintenance Request c'), (Decimal)
ar.get('cycle'));
    }
      for(Case cc : closedCasesM.values()){
         Case nc = new Case (
           ParentId = cc.Id,
         Status = 'New',
           Subject = 'Routine Maintenance',
           Type = 'Routine Maintenance',
           Vehicle c = cc. Vehicle c,
           Equipment c = cc. Equipment c,
           Origin = 'Web',
           Date Reported c = Date.Today()
         );
         If (maintenanceCycles.containskey(cc.Id)){
           nc.Date Due c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.ld));
         }
         newCases.add(nc);
```

```
insert newCases;
      List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment Maintenance Item c>();
      for (Case nc : newCases){
         for (Equipment Maintenance Item c wp:
closedCasesM.get(nc.ParentId).Equipment Maintenance Items r){
           Equipment Maintenance Item c wpClone = wp.clone();
           wpClone.Maintenance Request c = nc.ld;
           ClonedWPs.add(wpClone);
         }
      insert ClonedWPs;
    }
  }
}
MaintenanceRequest Code:
trigger MaintenanceRequest on Case (before update, after update) {
  if(Trigger.isUpdate && Trigger.isAfter){
    MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
  }
}
6) Test Callout Logic
WarehouseCalloutService Code:
public with sharing class WarehouseCalloutService {
  private static final String WAREHOUSE URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
  //@future(callout=true)
  public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();
```

```
request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> warehouseEq = new List<Product2>();
    if (response.getStatusCode() == 200){
      List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
       System.debug(response.getBody());
      for (Object eq : jsonResponse){
         Map<String,Object> mapJson = (Map<String,Object>)eg;
         Product2 myEq = new Product2();
         myEq.Replacement Part c = (Boolean) mapJson.get('replacement');
         myEq.Name = (String) mapJson.get('name');
         myEq.Maintenance Cycle c = (Integer) mapJson.get('maintenanceperiod');
         myEq.Lifespan Months c = (Integer) mapJson.get('lifespan');
         myEq.Cost c = (Decimal) mapJson.get('lifespan');
         myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
         myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
         warehouseEq.add(myEq);
      }
       if (warehouseEq.size() > 0){
         upsert warehouseEq;
         System.debug('Your equipment was synced with the warehouse one');
         System.debug(warehouseEq);
      }
   }
  }
}
WarehouseCalloutServiceTest Code:
@isTest
private class WarehouseCalloutServiceTest {
```

```
@isTest
  static void testWareHouseCallout(){
    Test.startTest();
    // implement mock callout test here
    Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
    WarehouseCalloutService.runWarehouseEquipmentSync();
    Test.stopTest();
    System.assertEquals(1, [SELECT count() FROM Product2]);
  }
}
WarehouseCalloutServiceMock Code:
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
  // implement http mock callout
  global static HttpResponse respond(HttpRequest request){
    System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
    System.assertEquals('GET', request.getMethod());
    // Create a fake response
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":
5,"name":"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
    response.setStatusCode(200);
    return response;
  }
}
7) Test Scheduling Logic
WarehouseSyncSchedule Code:
global class WarehouseSyncSchedule implements Schedulable {
  global void execute(SchedulableContext ctx) {
```

```
WarehouseCalloutService.runWarehouseEquipmentSync();
  }
}
WarehouseSyncScheduleTest Code:
@isTest
public class WarehouseSyncScheduleTest {
  @isTest static void WarehousescheduleTest(){
    String scheduleTime = '00 00 01 * * ?';
    Test.startTest();
    Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
    String jobID=System.schedule('Warehouse Time To Schedule to Test',
scheduleTime, new WarehouseSyncSchedule());
    Test.stopTest();
    //Contains schedule information for a scheduled job. CronTrigger is similar to a
cron job on UNIX systems.
    // This object is available in API version 17.0 and later.
    CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
    System.assertEquals(jobID, a.Id,'Schedule ');
  }
```