

Apex Trigger

1.Get Started with Apex Triggers

```
trigger AccountAddressTrigger on Account (before insert, before update) {  
    for(Account account:Trigger.New){  
        if(account.Match_Billing_Address__c == True){  
            account.ShippingPostalCode = account.BillingPostalCode;  
        }  
    }  
}
```

2.Bulk Apex Triggers

```
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {  
    List<Task> taskList = new List<Task>();  
    for(Opportunity opp: Trigger.New){  
        if(opp.StageName == 'Closed Won'){  
            taskList.add(new Task(Subject = 'Follow Up Test Task', WhatId = opp.Id));  
        }  
    }  
    if(taskList.size() >0){  
        insert taskList;  
    }  
}
```

Apex Testing

1. Get Started with Apex Unit Tests

```
public class VerifyDate {  
    //method to handle potential checks against two dates  
    public static Date CheckDates(Date date1, Date date2) {  
        //if date2 is within the next 30 days of date1, use date2. Otherwise use the end of the month  
        if(DateWithin30Days(date1,date2)) {  
            return date2;  
        } else {  
            return SetEndOfMonthDate(date1);  
        }  
    }  
  
    //method to check if date2 is within the next 30 days of date1  
    private static Boolean DateWithin30Days(Date date1, Date date2) {  
        //check for date2 being in the past  
        if( date2 < date1) { return false; }  
  
        //check that date2 is within (>=) 30 days of date1  
        Date date30Days = date1.addDays(30); //create a date 30 days away from date1  
        if( date2 >= date30Days ) { return false; }  
        else { return true; }  
    }  
  
    //method to return the end of the month of a given date  
    private static Date SetEndOfMonthDate(Date date1) {  
        Integer totalDays = Date.daysInMonth(date1.year(), date1.month());  
        Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);  
        return lastDay;  
    }  
}  
  
@IsTest  
public class TestVerifyDate {  
    @isTest static void date2within30daydate1() {  
        Date returnDate1 = VerifyDate.CheckDates(date.valueOf('2022-06-14'),date.valueOf('2022-06-24'));  
        System.assertEquals(date.valueOf('2022-06-24'), returnDate1);  
    }  
    @isTest static void date2NOTwithin30daydate1() {
```

```

    Date returnDate2 = VerifyDate.CheckDates(date.valueOf('2022-06-14'),date.valueOf('2022-07-24'));
    System.assertEquals(date.valueOf('2022-06-29'), returnDate2);
}
}

```

2.Test Apex Triggers

```

trigger RestrictContactByName on Contact (before insert, before update) {

    //check contacts prior to insert or update for invalid data
    For (Contact c : Trigger.New) {
        if(c.LastName == 'INVALIDNAME') { //invalidname is invalid
            c.AddError('The Last Name "'+c.LastName+'" is not allowed for DML');
        }

    }

}

```

```

@IsTest
public class TestRestrictContactByName {
    @IsTest static void createBadContact(){

        Contact c = new Contact(FirstName = 'John', LastName = 'INVALIDNAME');

        Test.startTest();
        Database.SaveResult result = Database.insert(c, false);
        Test.stopTest();

        System.assert(!result.isSuccess());
    }

}

```

3.Create Test Data for Apex Tests

```

public class RandomContactFactory {

    public static List<Contact> generateRandomContacts(Integer num,String lastname){
        List<Contact> contactList = new List<Contact>();
    }
}

```

```

        for(Integer i = 1;i<=num;i++){
            Contact ct = new Contact(FirstName = 'Test'+i,LastName =lastName);
            contactList.add(ct);
        }
        return contactList;
    }
}

```

Asynchronous Apex

1.Use Future Methods

```

public class AccountProcessor {
    @future
    public static void countContacts(List<Id> accountIds) {
        List<Account> accountsToUpdate = new List<Account>();
        List<Account> accounts = [Select Id, Name, (Select Id from Contacts) from Account Where Id IN :accountIds];
        For(Account acc:accounts){
            List<Contact> contactList = acc.Contacts;
            acc.Number_Of_Contacts__c = contactList.size();
            accountsToUpdate.add(acc);
        }
        update accountsToUpdate;
    }
}

```

```

@Test
private class AccountProcessorTest {
    @Test
    private static void testCountContacts() {
        Account newAccount = new Account(Name = 'Test Account');
        insert newAccount;

        Contact newContact1 = new Contact(FirstName='John',
                                           LastName='Doe',
                                           AccountId=newAccount.Id);
        insert newContact1;

        Contact newContact2 = new Contact(FirstName='Jane',
                                           LastName='Doe',
                                           AccountId=newAccount.Id);
        insert newContact2;
    }
}

```

```

    List<Id> accountIds = new List<Id>();
    accountIds.add(newAccount.Id);

    Test.startTest();
    AccountProcessor.countContacts(accountIds);
    Test.stopTest();
}
}

```

2.Use Batch Apex

```

public without sharing class LeadProcessor implements Database.Batchable<subject>, Database.Stateful {

    public Integer recordCount =0;

    public Database.QueryLocator start(Database.BatchableContext dbc) {
        return Database.getQueryLocator([SELECT Id, Name FROM Lead]);
    }

    public void execute(database.BatchableContext dbc, List<Lead> leads) {
        for(Lead l : leads) {
            l.LeadSource = 'Dreamforce';
        }
        update leads;
        recordCount = recordCount + leads.size();
    }

    public void finish (Database.BatchableContext dbc) {
        System.debug('Total records processed' + recordCount);
    }
}

```

```

@IsTest
private class LeadProcessorTest {

    @isTest
    private static void testBatchClass() {

        //Load test Data
        List<Lead> leads = new List<Lead>();
        for (Integer i =0; i<200; i++) {
            leads.add(new Lead(LastName='Connock', Company = 'Salesforce'));
        }
    }
}

```

```

    insert leads;

    //Perform the Test
    Test.startTest();
    LeadProcessor lp = new LeadProcessor();
    Id batchId = Database.executeBatch(lp,200);
    Test.stopTest();

    //Check the Result
    List<Lead> updatedLeads = [SELECT Id FROM Lead WHERE Leadsources = 'Dreamforce'];
    System.assertEquals(200, updatedLeads.size(), 'ERROR: At Least 1 lead record not updated correctly');
}
}

```

3.Control Processes with Queueable Apex

```

public class AddPrimaryContact implements Queueable{
    private Contact c;
    private String state;
    public AddPrimaryContact(Contact c,String state){
        this.c =c;
        this.state = state;
    }
    public void execute(QueueableContext context){
        List<Account> ListAccount = [SELECT Id, Name, (SELECT Id, FirstName, LastName FROM Contacts) FROM Account
WHERE BillingState =:
        state LIMIT 200];
        List<Contact> lstContact = new List<Contact>();
        for (Account acc:ListAccount){
            Contact cont = c.clone(false, false, false, false);
            cont.Accountid = acc.id;
            lstContact.add(cont);
        }
        if(lstContact.size()>0){
            insert lstContact;
        }
    }
}

```

```

@isTest
public class AddPrimaryContactTest {
    @isTest static void TestList(){
        List<Account> Teste = new List<Account>();
        for(Integer i=0;i<50;i++){
            teste.add(new Account(BillingState ='CA', name = 'Test' +i));
        }
        for(Integer j=0;j<50;j++){
            Teste.add(new Account(BillingState ='NY', name= 'Test'+ j));
        }
    }
}

```

```

    }
    insert Teste;

    Contact co = new Contact();
    co.FirstName ='demo';
    co.LastName ='demo';
    insert co;
    String state = 'CA';

    AddPrimaryContact apc = new AddPrimaryContact(co, state);
    Test.startTest();
    System.enqueueJob(apc);
    Test.stopTest();
}
}

```

4. Schedule Jobs Using the Apex Scheduler

```

public class DailyLeadProcessor implements Schedulable{
    Public void execute(SchedulableContext SC){
        List<Lead> LeadObj= [SELECT Id from Lead where LeadSource=null limit 200];
        for(Lead l:LeadObj){
            l.LeadSource='Dreamforce';
            update l;
        }
    }
}
}

```

```

@isTest
public class DailyLeadProcessorTest {
    static testMethod void testDailyLeadProcessor(){
        String CRON_EXP ='0 0 1 * * ?';
        List<Lead> lList = new List<Lead>();
        for (Integer i=0;i<200;i++){
            lList.add(new Lead(LastName = 'Dreamforce'+i, Company ='Test1 Inc.',
status='Open - Not Connected'));
        }
        insert lList;

        Test.startTest();
        string jobId = System.schedule('DailyLeadProcessor', CRON_EXP, new
DailyLeadProcessor());
    }
}

```

Apex Integration Services

1.Apex REST Callouts

```

public class AnimalLocator {
    public static String getAnimalNameById(Integer animalId) {
        String animalName;
        Http http = new Http();
        HttpRequest request = new HttpRequest();
        request.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/'+animalId);
        request.setMethod('GET');
        HttpResponse response = http.send(request);
        // If the request is successful, parse the JSON response.
        if(response.getStatusCode() == 200) {
            Map<String, Object> r = (Map<String, Object>)
JSON.deserializeUntyped(response.getBody());
            Map<String, Object> animal = (Map<String, Object>)r.get('animal');
            animalName = string.valueOf(animal.get('name'));
        }
        return animalName;
    }
}

```

```

@isTest
global class AnimalLocatorMock implements HttpCalloutMock {
    // Implement this interface method
    global HTTPResponse respond(HTTPRequest request) {
        // Create a fake response
    }
}

```


STEP 3: Synchronize Salesforce data with an external system

```
public with sharing class WarehouseCalloutService implements Queueable {
    private static final String WAREHOUSE_URL = 'https://th-superbadge-apex.herokuapp.com/equipment';

    //Write a class that makes a REST callout to an external warehouse system to get a list of equipment that needs to be
    updated.
    //The callout's JSON response returns the equipment records that you upsert in Salesforce.

    @future(callout=true)
    public static void runWarehouseEquipmentSync(){
        System.debug('go into runWarehouseEquipmentSync');
        Http http = new Http();
        HttpRequest request = new HttpRequest();

        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);

        List<Product2> product2List = new List<Product2>();
        System.debug(response.getStatusCode());
        if (response.getStatusCode() == 200){
            List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
            System.debug(response.getBody());

            //class maps the following fields:
            //warehouse SKU will be external ID for identifying which equipment records to update within Salesforce
            for (Object jR : jsonResponse){
                Map<String,Object> mapJson = (Map<String,Object>)jR;
                Product2 product2 = new Product2();
                //replacement part (always true),
                product2.Replacement_Part__c = (Boolean) mapJson.get('replacement');
                //cost
                product2.Cost__c = (Integer) mapJson.get('cost');
                //current inventory
                product2.Current_Inventory__c = (Double) mapJson.get('quantity');
                //lifespan
                product2.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
                //maintenance cycle
                product2.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
                //warehouse SKU
                product2.Warehouse_SKU__c = (String) mapJson.get('sku');

                product2.Name = (String) mapJson.get('name');
                product2.ProductCode = (String) mapJson.get('_id');
                product2List.add(product2);
            }

            if (product2List.size() > 0){
```

```

        upsert product2List;
        System.debug('Your equipment was synced with the warehouse one');
    }
}
}

public static void execute (QueueableContext context){
    System.debug('start runWarehouseEquipmentSync');
    runWarehouseEquipmentSync();
    System.debug('end runWarehouseEquipmentSync');
}
}

```

STEP 4: Schedule synchronization

```

global with sharing class WarehouseSyncSchedule implements Schedulable {
    // implement scheduled code here
    global void execute (SchedulableContext ctx){
        System.enqueueJob(new WarehouseCalloutService());
    }
}

```

STEP 5: Test automation logic

MaintenanceRequest Trigger

```

trigger MaintenanceRequest on Case (before update, after update) {
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}

```

MaintenanceRequestHelper Class

```

public with sharing class MaintenanceRequestHelper {
    public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);
                }
            }
        }
    }
}

```

```

//When an existing maintenance request of type Repair or Routine Maintenance is closed,
//create a new maintenance request for a future routine checkup.
if (!validIds.isEmpty()){
    Map<Id,Case> closedCases = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,
                (SELECT Id,Equipment__c,Quantity__c FROM Equipment_Maintenance_Items__r)
                FROM Case WHERE Id IN :validIds]);
    Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();

    //calculate the maintenance request due dates by using the maintenance cycle defined on the related equipment
records.
    AggregateResult[] results = [SELECT Maintenance_Request__c,
                MIN(Equipment__r.Maintenance_Cycle__c)cycle
                FROM Equipment_Maintenance_Item__c
                WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];

    for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
    }

    List<Case> newCases = new List<Case>();
    for(Case cc : closedCases.values()){
        Case nc = new Case (
            ParentId = cc.Id,
            Status = 'New',
            Subject = 'Routine Maintenance',
            Type = 'Routine Maintenance',
            Vehicle__c = cc.Vehicle__c,
            Equipment__c =cc.Equipment__c,
            Origin = 'Web',
            Date_Reported__c = Date.Today()
        );

        //If multiple pieces of equipment are used in the maintenance request,
        //define the due date by applying the shortest maintenance cycle to today's date.
        //If (maintenanceCycles.containsKey(cc.Id)){
            nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
        //} else {
        //    nc.Date_Due__c = Date.today().addDays((Integer) cc.Equipment__r.maintenance_Cycle__c);
        //}

        newCases.add(nc);
    }

    insert newCases;

    List<Equipment_Maintenance_Item__c> clonedList = new List<Equipment_Maintenance_Item__c>();
    for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c clonedListItem :
closedCases.get(nc.ParentId).Equipment_Maintenance_Items__r){
            Equipment_Maintenance_Item__c item = clonedListItem.clone();
            item.Maintenance_Request__c = nc.Id;
            clonedList.add(item);

```

```

    }
}
insert clonedList;
}
}
}

```

```

@isTest
public with sharing class MaintenanceRequestHelperTest {

    // createVehicle
    private static Vehicle__c createVehicle(){
        Vehicle__c vehicle = new Vehicle__C(name = 'Testing Vehicle');
        return vehicle;
    }

    // createEquipment
    private static Product2 createEquipment(){
        product2 equipment = new product2(name = 'Testing equipment',
            lifespan_months__c = 10,
            maintenance_cycle__c = 10,
            replacement_part__c = true);

        return equipment;
    }

    // createMaintenanceRequest
    private static Case createMaintenanceRequest(id vehicleId, id equipmentId){
        case cse = new case(Type='Repair',
            Status='New',
            Origin='Web',
            Subject='Testing subject',
            Equipment__c=equipmentId,
            Vehicle__c=vehicleId);

        return cse;
    }

    // createEquipmentMaintenanceItem
    private static Equipment_Maintenance_Item__c createEquipmentMaintenanceItem(id equipmentId,id requestId){
        Equipment_Maintenance_Item__c equipmentMaintenanceItem = new Equipment_Maintenance_Item__c(
            Equipment__c = equipmentId,
            Maintenance_Request__c = requestId);
        return equipmentMaintenanceItem;
    }

    @isTest
    private static void testPositive(){
        Vehicle__c vehicle = createVehicle();
        insert vehicle;
        id vehicleId = vehicle.Id;
    }
}

```

```

Product2 equipment = createEquipment();
insert equipment;
id equipmentId = equipment.Id;

case createdCase = createMaintenanceRequest(vehicleId,equipmentId);
insert createdCase;

Equipment_Maintenance_Item__c equipmentMaintenanceItem =
createEquipmentMaintenanceItem(equipmentId,createdCase.id);
insert equipmentMaintenanceItem;

test.startTest();
createdCase.status = 'Closed';
update createdCase;
test.stopTest();

Case newCase = [Select id,
                  subject,
                  type,
                  Equipment__c,
                  Date_Reported__c,
                  Vehicle__c,
                  Date_Due__c
                from case
                where status ='New'];

Equipment_Maintenance_Item__c workPart = [select id
                                           from Equipment_Maintenance_Item__c
                                           where Maintenance_Request__c =:newCase.Id];
list<case> allCase = [select id from case];
system.assert(allCase.size() == 2);

system.assert(newCase != null);
system.assert(newCase.Subject != null);
system.assertEquals(newCase.Type, 'Routine Maintenance');
SYSTEM.assertEquals(newCase.Equipment__c, equipmentId);
SYSTEM.assertEquals(newCase.Vehicle__c, vehicleId);
SYSTEM.assertEquals(newCase.Date_Reported__c, system.today());
}

@isTest
private static void testNegative(){
    Vehicle__C vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    product2 equipment = createEquipment();
    insert equipment;
    id equipmentId = equipment.Id;

    case createdCase = createMaintenanceRequest(vehicleId,equipmentId);
    insert createdCase;

    Equipment_Maintenance_Item__c workP = createEquipmentMaintenanceItem(equipmentId, createdCase.Id);

```

```

insert workP;

test.startTest();
createdCase.Status = 'Working';
update createdCase;
test.stopTest();

list<case> allCase = [select id from case];

Equipment_Maintenance_Item__c equipmentMaintenanceltem = [select id
                    from Equipment_Maintenance_Item__c
                    where Maintenance_Request__c = :createdCase.Id];

system.assert(equipmentMaintenanceltem != null);
system.assert(allCase.size() == 1);
}

@isTest
private static void testBulk(){
    list<Vehicle__C> vehicleList = new list<Vehicle__C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment_Maintenance_Item__c> equipmentMaintenanceltemList = new list<Equipment_Maintenance_Item__c>();
    list<case> caseList = new list<case>();
    list<id> oldCaselds = new list<id>();

    for(integer i = 0; i < 300; i++){
        vehicleList.add(createVehicle());
        equipmentList.add(createEquipment());
    }
    insert vehicleList;
    insert equipmentList;

    for(integer i = 0; i < 300; i++){
        caseList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
    }
    insert caseList;

    for(integer i = 0; i < 300; i++){
        equipmentMaintenanceltemList.add(createEquipmentMaintenanceltem(equipmentList.get(i).id, caseList.get(i).id));
    }
    insert equipmentMaintenanceltemList;

    test.startTest();
    for(case cs : caseList){
        cs.Status = 'Closed';
        oldCaselds.add(cs.Id);
    }
    update caseList;
    test.stopTest();

    list<case> newCase = [select id
                        from case
                        where status = 'New'];

```

```

    list<Equipment_Maintenance_Item__c> workParts = [select id
                                                    from Equipment_Maintenance_Item__c
                                                    where Maintenance_Request__c in: oldCaseIds];

    system.assert(newCase.size() == 300);

    list<case> allCase = [select id from case];
    system.assert(allCase.size() == 600);
}
}

```

STEP 6: Test callout logic

WarehouseCalloutService Class

```

public with sharing class WarehouseCalloutService implements Queueable {
    private static final String WAREHOUSE_URL = 'https://th-superbadge-apex.herokuapp.com/equipment';

    //Write a class that makes a REST callout to an external warehouse system to get a list of equipment that needs to be
    updated.
    //The callout's JSON response returns the equipment records that you upsert in Salesforce.

    @future(callout=true)
    public static void runWarehouseEquipmentSync(){
        System.debug('go into runWarehouseEquipmentSync');
        Http http = new Http();
        HttpRequest request = new HttpRequest();

        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);

        List<Product2> product2List = new List<Product2>();
        System.debug(response.getStatusCode());
        if (response.getStatusCode() == 200){
            List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
            System.debug(response.getBody());

            //class maps the following fields:
            //warehouse SKU will be external ID for identifying which equipment records to update within Salesforce
            for (Object jR : jsonResponse){
                Map<String,Object> mapJson = (Map<String,Object>)jR;
                Product2 product2 = new Product2();
                //replacement part (always true),
                product2.Replacement_Part__c = (Boolean) mapJson.get('replacement');
                //cost
                product2.Cost__c = (Integer) mapJson.get('cost');
                //current inventory
            }
        }
    }
}

```

```

        product2.Current_Inventory__c = (Double) mapJson.get('quantity');
        //lifespan
        product2.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        //maintenance cycle
        product2.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        //warehouse SKU
        product2.Warehouse_SKU__c = (String) mapJson.get('sku');

        product2.Name = (String) mapJson.get('name');
        product2.ProductCode = (String) mapJson.get('_id');
        product2List.add(product2);
    }

    if (product2List.size() > 0){
        upsert product2List;
        System.debug('Your equipment was synced with the warehouse one');
    }
}

public static void execute (QueueableContext context){
    System.debug('start runWarehouseEquipmentSync');
    runWarehouseEquipmentSync();
    System.debug('end runWarehouseEquipmentSync');
}
}

```

```

@Test
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    // implement http mock callout
    global static HttpResponse respond(HttpRequest request) {

        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');
        response.setBody("{\"_id\":\"55d66226726b611100aaf741\",\"replacement\":false,\"quantity\":5,\"name\":\"Generator 1000 kW\",\"maintenanceperiod\":365,\"lifespan\":120,\"cost\":5000,\"sku\":\"100003\"},{\"_id\":\"55d66226726b611100aaf742\",\"replacement\":true,\"quantity\":183,\"name\":\"Cooling Fan\",\"maintenanceperiod\":0,\"lifespan\":0,\"cost\":300,\"sku\":\"100004\"},{\"_id\":\"55d66226726b611100aaf743\",\"replacement\":true,\"quantity\":143,\"name\":\"Fuse 20A\",\"maintenanceperiod\":0,\"lifespan\":0,\"cost\":22,\"sku\":\"100005\"}]);");
        response.setStatusCode(200);

        return response;
    }
}

```



```

@Test
private class WarehouseCalloutServiceTest {
    // implement your mock callout test here
    @isTest
    static void testWarehouseCallout() {
        test.startTest();
        test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
        WarehouseCalloutService.execute(null);
        test.stopTest();

        List<Product2> product2List = new List<Product2>();
        product2List = [SELECT ProductCode FROM Product2];

        System.assertEquals(3, product2List.size());
        System.assertEquals('55d66226726b611100aaf741', product2List.get(0).ProductCode);
        System.assertEquals('55d66226726b611100aaf742', product2List.get(1).ProductCode);
        System.assertEquals('55d66226726b611100aaf743', product2List.get(2).ProductCode);
    }
}

```

STEP 7: Test scheduling logic

WarehouseCalloutServiceMock Class

```

@Test
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    // implement http mock callout
    global static HttpResponse respond(HttpRequest request) {

        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');
        response.setBody('{"_id": "55d66226726b611100aaf741", "replacement": false, "quantity": 5, "name": "Generator 1000 kW", "maintenanceperiod": 365, "lifespan": 120, "cost": 5000, "sku": "100003"}, {"_id": "55d66226726b611100aaf742", "replacement": true, "quantity": 183, "name": "Cooling Fan", "maintenanceperiod": 0, "lifespan": 0, "cost": 300, "sku": "100004"}, {"_id": "55d66226726b611100aaf743", "replacement": true, "quantity": 143, "name": "Fuse 20A", "maintenanceperiod": 0, "lifespan": 0, "cost": 22, "sku": "100005"}');
        response.setStatusCode(200);

        return response;
    }
}

```

```
}  
}
```

WarehouseSyncSchedule Class

```
global with sharing class WarehouseSyncSchedule implements Schedulable {  
    // implement scheduled code here  
    global void execute (SchedulableContext ctx){  
        System.enqueueJob(new WarehouseCalloutService());  
    }  
}
```

```
@isTest  
public with sharing class WarehouseSyncScheduleTest {  
    // implement scheduled code here  
    //  
    @isTest static void test() {  
        String scheduleTime = '00 00 00 * * ? *';  
        Test.startTest();  
        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());  
        String jobId = System.schedule('Warehouse Time to Schedule to test', scheduleTime, new WarehouseSyncSchedule());  
        CronTrigger c = [SELECT State FROM CronTrigger WHERE Id =: jobId];  
        System.assertEquals('WAITING', String.valueOf(c.State), 'JobId does not match');  
  
        Test.stopTest();  
    }  
}
```