APEX Specialist

//MaintenanceRequestHelper

```
public with sharing class MaintenanceRequestHelper {
   public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
      Set<Id> validIds = new Set<Id>();
      For (Case c : updWorkOrders){
         if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
            if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
               validIds.add(c.Id);
            }
         }
      }
      if (!validIds.isEmpty()){
         List<Case> newCases = new List<Case>();
         Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT
Id,Equipment__c,Quantity__c FROM Equipment_Maintenance_Items__r)
                                                FROM Case WHERE Id IN :validIds]);
         Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
         AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM
Equipment_Maintenance_Item__c WHERE Maintenance_Request__c IN :ValidIds GROUP
BY Maintenance_Request__c];
      for (AggregateResult ar : results){
         maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
      }
         for(Case cc : closedCasesM.values()){
            Case nc = new Case (
               ParentId = cc.Id,
```

```
            Status = 'New',
               Subject = 'Routine Maintenance',
               Type = 'Routine Maintenance',
               Vehicle__c = cc.Vehicle__c,
               Equipment__c =cc.Equipment__c,
               Origin = 'Web',
               Date_Reported__c = Date.Today()
            );
            If (maintenanceCycles.containskey(cc.Id)){
               nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.Id));
            }
            newCases.add(nc);
         }
         insert newCases;
         List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
         for (Case nc : newCases){
            for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
               Equipment_Maintenance_Item__c wpClone = wp.clone();
               wpClone.Maintenance_Request__c = nc.Id;
               ClonedWPs.add(wpClone);
            }
         }
         insert ClonedWPs;
      }
   }
}
//MaintenanceRequestHelperTest
@istest
```

```
public with sharing class MaintenanceRequestHelperTest {
    private static final string STATUS_NEW = 'New';
    private static final string WORKING = 'Working';
    private static final string CLOSED = 'Closed';
    private static final string REPAIR = 'Repair';
    private static final string REQUEST_ORIGIN = 'Web';
    private static final string REQUEST_TYPE = 'Routine Maintenance';
    private static final string REQUEST_SUBJECT = 'Testing subject';
    PRIVATE STATIC Vehicle__c createVehicle(){
        Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
        return Vehicle;
    }
    PRIVATE STATIC Product2 createEq(){
        product2 equipment = new product2(name = 'SuperEquipment',
                                lifespan_months__C = 10,
                                maintenance_cycle__C = 10,
                                replacement_part__c = true);
        return equipment;
    }
    PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
        case cs = new case(Type=REPAIR,
                        Status=STATUS_NEW,
                        Origin=REQUEST_ORIGIN,
                        Subject=REQUEST_SUBJECT,
                        Equipment__c=equipmentId,
                        Vehicle__c=vehicleId);
        return cs;
    }
    PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id
requestId){
        Equipment_Maintenance_Item__c wp = new
```

```
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
                                              Maintenance_Request__c = requestId);
    return wp;
  }
  @istest
  private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;
    Product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;
    case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
    insert somethingToUpdate;
    Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
    insert workP;
    test.startTest();
    somethingToUpdate.status = CLOSED;
    update somethingToUpdate;
    test.stopTest();
    Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c,
Vehicle__c, Date_Due__c
          from case
          where status =:STATUS_NEW];
    Equipment_Maintenance_Item__c workPart = [select id
                    from Equipment_Maintenance_Item__c
                    where Maintenance_Request__c =:newReq.Id];
    system.assert(workPart != null);
    system.assert(newReq.Subject != null);
    system.assertEquals(newReq.Type, REQUEST_TYPE);
```

```
        SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
        SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
        SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
    }
    @istest
    private static void testMaintenanceRequestNegative(){
        Vehicle__C vehicle = createVehicle();
        insert vehicle;
        id vehicleId = vehicle.Id;
        product2 equipment = createEq();
        insert equipment;
        id equipmentId = equipment.Id;
        case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
        insert emptyReq;
        Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId,
emptyReq.Id);
        insert workP;
        test.startTest();
        emptyReq.Status = WORKING;
        update emptyReq;
        test.stopTest();
        list<case> allRequest = [select id
                                 from case];
        Equipment_Maintenance_Item__c workPart = [select id
                                                  from Equipment_Maintenance_Item__c
                                                  where Maintenance_Request__c = :emptyReq.Id];
        system.assert(workPart != null);
        system.assert(allRequest.size() == 1);
    }
    @istest
    private static void testMaintenanceRequestBulk(){
```

```
        list<Vehicle__C> vehicleList = new list<Vehicle__C>();
        list<Product2> equipmentList = new list<Product2>();
        list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
        list<case> requestList = new list<case>();
        list<id> oldRequestIds = new list<id>();
        for(integer i = 0; i < 300; i++){
          vehicleList.add(createVehicle());
           equipmentList.add(createEq());
        }
        insert vehicleList;
        insert equipmentList;
        for(integer i = 0; i < 300; i++){
           requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
        }
        insert requestList;
        for(integer i = 0; i < 300; i++){
           workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
        }
        insert workPartList;
        test.startTest();
        for(case req : requestList){
           req.Status = CLOSED;
           oldRequestIds.add(req.Id);
        }
        update requestList;
        test.stopTest();
        list<case> allRequests = [select id
                                  from case
                                  where status =: STATUS_NEW];
```

```
        list<Equipment_Maintenance_Item__c> workParts = [select id
                                                         from Equipment_Maintenance_Item__c
                                                         where Maintenance_Request__c in: oldRequestIds];
        system.assert(allRequests.size() == 300);
    }
}
//WarehouseCalloutService
public with sharing class WarehouseCalloutService {
    private static final String WAREHOUSE_URL = 'https://th-superbadge-apex.herokuapp.com/equipment';
    //@future(callout=true)
    public static void runWarehouseEquipmentSync(){
        Http http = new Http();
        HttpRequest request = new HttpRequest();
        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);
        List<Product2> warehouseEq = new List<Product2>();
        if (response.getStatusCode() == 200){
            List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
            System.debug(response.getBody());
            for (Object eq : jsonResponse){
                Map<String,Object> mapJson = (Map<String,Object>)eq;
                Product2 myEq = new Product2();
                myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
                myEq.Name = (String) mapJson.get('name');
                myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
                myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
                myEq.Cost__c = (Decimal) mapJson.get('lifespan');
                myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
```

```
            myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
            warehouseEq.add(myEq);
        }
        if (warehouseEq.size() > 0){
            upsert warehouseEq;
            System.debug('Your equipment was synced with the warehouse one');
            System.debug(warehouseEq);
        }
      }
   }
}
//WarehouseCalloutServiceMock
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
   // implement http mock callout
   global static HttpResponse respond(HttpRequest request){
      System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
      System.assertEquals('GET', request.getMethod());
      // Create a fake response
      HttpResponse response = new HttpResponse();
      response.setHeader('Content-Type', 'application/json');

response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5
,"name":"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
      response.setStatusCode(200);
      return response;
   }
}
//WarehouseCalloutServiceTest
```

```
@isTest
private class WarehouseCalloutServiceTest {
    @isTest
    static void testWareHouseCallout(){
        Test.startTest();
        // implement mock callout test here
        Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
        WarehouseCalloutService.runWarehouseEquipmentSync();
        Test.stopTest();
        System.assertEquals(1, [SELECT count() FROM Product2]);
    }
}
//WarehouseSyncSchedule
global class WarehouseSyncSchedule implements Schedulable {
    global void execute(SchedulableContext ctx) {
        WarehouseCalloutService.runWarehouseEquipmentSync();
    }
}
//WarehouseSyncScheduleTest
@isTest
public class WarehouseSyncScheduleTest {
    @isTest static void WarehousescheduleTest(){
        String scheduleTime = '00 00 01 * * ?';
        Test.startTest();
        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
        String jobID=System.schedule('Warehouse Time To Schedule to Test',
scheduleTime, new WarehouseSyncSchedule());
        Test.stopTest();
        //Contains schedule information for a scheduled job. CronTrigger is similar to a
cron job on UNIX systems.
        // This object is available in API version 17.0 and later.
```

```
        CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
        System.assertEquals(jobID, a.Id,'Schedule ');
    }
}
```