Apex Superbadge

1. Automation Record creation

1.1 MaintenanceRequest

```
trigger MaintenanceRequest on Case (before update, after update) {
  if(Trigger.isUpdate && Trigger.isAfter){
    MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
  }
}
1.2 MaintenanceRequestHelper
public with sharing class MaintenanceRequestHelper {
  public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
    Set<Id> validIds = new Set<Id>();
    For (Case c : updWorkOrders){
      if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
        if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
          validIds.add(c.ld);
        }
      }
    //When an existing maintenance request of type Repair or Routine Maintenance is
closed.
    //create a new maintenance request for a future routine checkup.
    if (!validIds.isEmpty()){
      Map<Id,Case> closedCases = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment_c, Equipment_r.Maintenance_Cycle_c,
                               (SELECT Id, Equipment_c, Quantity_c FROM
Equipment_Maintenance_Items__r)
                              FROM Case WHERE Id IN :validIds]);
      Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      //calculate the maintenance request due dates by using the maintenance cycle
defined on the related equipment records.
      AggregateResult[] results = [SELECT Maintenance_Request__c,
                      MIN(Equipment_r.Maintenance_Cycle__c)cycle
                      FROM Equipment_Maintenance_Item__c
                      WHERE Maintenance_Request__c IN :ValidIds GROUP BY
Maintenance_Request__c];
```

```
for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
      }
      List<Case> newCases = new List<Case>();
      for(Case cc : closedCases.values()){
        Case nc = new Case (
          ParentId = cc.Id,
          Status = 'New',
          Subject = 'Routine Maintenance',
          Type = 'Routine Maintenance',
          Vehicle_c = cc.Vehicle_c,
          Equipment__c = cc.Equipment__c,
          Origin = 'Web',
          Date_Reported__c = Date.Today()
        );
        //If multiple pieces of equipment are used in the maintenance request,
        //define the due date by applying the shortest maintenance cycle to today's
date.
        If (maintenanceCycles.containskey(cc.ld)){
          nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.ld));
        } else {
          nc.Date_Due__c = Date.today().addDays((Integer)
cc.Equipment__r.maintenance_Cycle__c);
        }
        newCases.add(nc);
      }
      insert newCases;
      List<Equipment_Maintenance_Item__c> clonedList = new
List<Equipment_Maintenance_Item__c>();
      for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c clonedListItem:
closedCases.get(nc.ParentId).Equipment_Maintenance_Items__r){
          Equipment_Maintenance_Item__c item = clonedListItem.clone();
          item.Maintenance_Request__c = nc.ld;
          clonedList.add(item);
        }
      insert clonedList;
```

2.Synchronize Salesforce data with an external system

2.1WarehouseCalloutService

```
public with sharing class WarehouseCalloutService implements Queueable {
  private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
  //Write a class that makes a REST callout to an external warehouse system to get a
list of equipment that needs to be updated.
  //The callout's JSON response returns the equipment records that you upsert in
Salesforce.
  @future(callout=true)
  public static void runWarehouseEquipmentSync(){
    System.debug('go into runWarehouseEquipmentSync');
    Http http = new Http();
    HttpRequest request = new HttpRequest();
    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> product2List = new List<Product2>();
    System.debug(response.getStatusCode());
    if (response.getStatusCode() == 200){
      List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
      System.debug(response.getBody());
      //class maps the following fields:
      //warehouse SKU will be external ID for identifying which equipment records to
update within Salesforce
      for (Object iR: jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)jR;
        Product2 product2 = new Product2();
        //replacement part (always true),
        product2.Replacement_Part__c = (Boolean) mapJson.get('replacement');
        product2.Cost_c = (Integer) mapJson.get('cost');
        //current inventory
        product2.Current_Inventory__c = (Double) mapJson.get('quantity');
        //lifespan
```

```
product2.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        //maintenance cycle
        product2.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        //warehouse SKU
        product2.Warehouse_SKU__c = (String) mapJson.get('sku');
        product2.Name = (String) mapJson.get('name');
        product2.ProductCode = (String) mapJson.get('_id');
        product2List.add(product2);
      }
      if (product2List.size() > 0){
        upsert product2List;
        System.debug('Your equipment was synced with the warehouse one');
      }
    }
  }
  public static void execute (QueueableContext context){
    System.debug('start runWarehouseEquipmentSync');
    runWarehouseEquipmentSync();
    System.debug('end runWarehouseEquipmentSync');
 }
}
```

3. Schedule synchronization

3.1 WarehouseSyncSchedule

```
global with sharing class WarehouseSyncSchedule implements Schedulable{
   global void execute(SchedulableContext ctx){
     System.enqueueJob(new WarehouseCalloutService());
   }
}
```

4.Test Automation Logic

4.1 MaintenanceRequest

4.2 MaintenanceRequestHelper

```
public with sharing class MaintenanceRequestHelper {
         public static void updateworkOrders(List<Case> updWorkOrders,
Map<Id,Case> nonUpdCaseMap) {
           Set<Id> validIds = new Set<Id>();
           For (Case c : updWorkOrders){
             if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
               if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                 validIds.add(c.Id);
               }
             }
           }
           //When an existing maintenance request of type Repair or Routine
Maintenance is closed.
           //create a new maintenance request for a future routine checkup.
           if (!validIds.isEmpty()){
             Map<Id,Case> closedCases = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment_c, Equipment_r.Maintenance_Cycle_c,
                                      (SELECT Id, Equipment_c, Quantity_c FROM
Equipment_Maintenance_Items__r)
                                      FROM Case WHERE Id IN :validIds]);
             Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
             //calculate the maintenance request due dates by using the maintenance
cycle defined on the related equipment records.
             AggregateResult[] results = [SELECT Maintenance_Request__c,
                             MIN(Equipment_r.Maintenance_Cycle__c)cycle
                             FROM Equipment_Maintenance_Item__c
                             WHERE Maintenance_Request__c IN :ValidIds GROUP BY
Maintenance_Request__c];
             for (AggregateResult ar : results){
               maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'),
(Decimal) ar.get('cycle'));
             }
             List<Case> newCases = new List<Case>();
             for(Case cc : closedCases.values()){
               Case nc = new Case (
                 ParentId = cc.Id.
                 Status = 'New',
                 Subject = 'Routine Maintenance',
                 Type = 'Routine Maintenance',
```

```
Vehicle_c = cc.Vehicle_c,
                 Equipment_c = cc. Equipment_c,
                 Origin = 'Web',
                 Date_Reported__c = Date.Today()
               //If multiple pieces of equipment are used in the maintenance request,
               //define the due date by applying the shortest maintenance cycle to
today's date.
               //If (maintenanceCycles.containskey(cc.ld)){
                 nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.ld));
               //} else {
               // nc.Date_Due__c = Date.today().addDays((Integer)
cc.Equipment__r.maintenance_Cycle__c);
               //}
               newCases.add(nc);
             insert newCases;
             List<Equipment_Maintenance_Item__c> clonedList = new
List<Equipment_Maintenance_Item__c>();
             for (Case nc : newCases){
               for (Equipment_Maintenance_Item__c clonedListItem :
closedCases.get(nc.ParentId).Equipment_Maintenance_Items__r){
                 Equipment_Maintenance_Item__c item = clonedListItem.clone();
                 item.Maintenance_Request__c = nc.ld;
                 clonedList.add(item);
               }
             insert clonedList;
           }
         }
      }
```

4.3 MaintenanceRequestHelperTest

```
@isTest

public with sharing class MaintenanceRequestHelperTest {

    // createVehicle

    private static Vehicle_c createVehicle(){

        Vehicle_c vehicle = new Vehicle_C(name = 'Testing Vehicle');

        return vehicle;
```

```
}
  // createEquipment
  private static Product2 createEquipment(){
    product2 equipment = new product2(name = 'Testing equipment',
                      lifespan_months__c = 10,
                      maintenance_cycle__c = 10,
                      replacement_part__c = true);
    return equipment;
  }
  // createMaintenanceRequest
  private static Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cse = new case(Type='Repair',
               Status='New',
               Origin='Web',
               Subject='Testing subject',
               Equipment_c=equipmentId,
               Vehicle_c=vehicleId);
    return cse;
  }
  // createEquipmentMaintenanceItem
  private static Equipment_Maintenance_Item__c createEquipmentMaintenanceItem(id
equipmentId,id requestId){
    Equipment_Maintenance_Item__c equipmentMaintenanceItem = new
Equipment_Maintenance_Item__c(
      Equipment_c = equipmentId,
      Maintenance_Request__c = requestId);
    return equipmentMaintenanceItem;
  }
  @isTest
  private static void testPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;
    Product2 equipment = createEquipment();
    insert equipment;
    id equipmentId = equipment.Id;
    case createdCase = createMaintenanceRequest(vehicleId,equipmentId);
    insert createdCase:
    Equipment_Maintenance_Item__c equipmentMaintenanceItem =
createEquipmentMaintenanceItem(equipmentId,createdCase.id);
    insert equipmentMaintenanceItem;
```

```
test.startTest();
    createdCase.status = 'Closed';
    update createdCase;
    test.stopTest();
    Case newCase = [Select id,
            subject,
            type,
            Equipment__c,
            Date_Reported__c,
            Vehicle__c,
            Date_Due__c
            from case
            where status ='New'];
    Equipment_Maintenance_Item__c workPart = [select id
                          from Equipment_Maintenance_Item__c
                          where Maintenance_Request__c =:newCase.ld];
    list<case> allCase = [select id from case];
    system.assert(allCase.size() == 2);
    system.assert(newCase != null);
    system.assert(newCase.Subject != null);
    system.assertEquals(newCase.Type, 'Routine Maintenance');
    SYSTEM.assertEquals(newCase.Equipment_c, equipmentId);
    SYSTEM.assertEquals(newCase.Vehicle_c, vehicleId);
    SYSTEM.assertEquals(newCase.Date_Reported__c, system.today());
 }
  @isTest
  private static void testNegative(){
    Vehicle__C vehicle = createVehicle();
    insert vehicle:
    id vehicleId = vehicle.Id:
    product2 equipment = createEquipment();
    insert equipment;
    id equipmentId = equipment.Id;
    case createdCase = createMaintenanceRequest(vehicleId,equipmentId);
    insert createdCase;
    Equipment_Maintenance_Item__c workP =
createEquipmentMaintenanceItem(equipmentId, createdCase.Id);
    insert workP;
    test.startTest();
    createdCase.Status = 'Working';
    update createdCase;
```

```
test.stopTest();
          list<case> allCase = [select id from case];
           Equipment_Maintenance_Item_c equipmentMaintenanceItem = [select id
                                                                      from Equipment_Maintenance_Item__c
                                                                      where Maintenance_Request__c = :createdCase.ld];
          system.assert(equipmentMaintenanceItem != null);
          system.assert(allCase.size() == 1);
     }
     @isTest
     private static void testBulk(){
          list<Vehicle_C> vehicleList = new list<Vehicle_C>();
          list<Product2> equipmentList = new list<Product2>();
          list<Equipment_Maintenance_Item__c> equipmentMaintenanceItemList = new
list<Equipment_Maintenance_Item__c>();
          list<case> caseList = new list<case>();
          list<id> oldCaseIds = new list<id>();
          for(integer i = 0; i < 300; i++){
                vehicleList.add(createVehicle());
                equipmentList.add(createEquipment());
          }
          insert vehicleList;
          insert equipmentList;
          for(integer i = 0; i < 300; i++){
                caseList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
          }
          insert caseList;
          for(integer i = 0; i < 300; i++){
equipment Maintenance I tem List. add (create Equipment Maintenance I tem (equipment List. grant Maintenance I tem List. gra
et(i).id, caseList.get(i).id));
          insert equipmentMaintenanceItemList;
          test.startTest();
          for(case cs : caseList){
                cs.Status = 'Closed';
                oldCaseIds.add(cs.Id);
          }
          update caseList;
          test.stopTest();
          list<case> newCase = [select id
```

5. Test callout Logic

5.1 WarehouseCalloutService

for (Object jR : jsonResponse){

```
public with sharing class WarehouseCalloutService implements Queueable {
  private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
  //Write a class that makes a REST callout to an external warehouse system to get a
list of equipment that needs to be updated.
  //The callout's JSON response returns the equipment records that you upsert in
Salesforce.
  @future(callout=true)
  public static void runWarehouseEquipmentSync(){
    System.debug('go into runWarehouseEquipmentSync');
    Http http = new Http();
    HttpRequest request = new HttpRequest();
    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> product2List = new List<Product2>();
    System.debug(response.getStatusCode());
    if (response.getStatusCode() == 200){
      List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
      System.debug(response.getBody());
      //class maps the following fields:
      //warehouse SKU will be external ID for identifying which equipment records to
update within Salesforce
```

```
Product2 product2 = new Product2();
        //replacement part (always true),
        product2.Replacement_Part__c = (Boolean) mapJson.get('replacement');
        //cost
        product2.Cost__c = (Integer) mapJson.get('cost');
        //current inventory
        product2.Current_Inventory__c = (Double) mapJson.get('quantity');
        //lifespan
        product2.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        //maintenance cycle
        product2.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        //warehouse SKU
        product2.Warehouse_SKU__c = (String) mapJson.get('sku');
        product2.Name = (String) mapJson.get('name');
        product2.ProductCode = (String) mapJson.get('_id');
        product2List.add(product2);
      }
      if (product2List.size() > 0){
        upsert product2List;
        System.debug('Your equipment was synced with the warehouse one');
      }
    }
  }
  public static void execute (QueueableContext context){
    System.debug('start runWarehouseEquipmentSync');
    runWarehouseEquipmentSync();
    System.debug('end runWarehouseEquipmentSync');
  }
}
5.2 WarehouseCalloutServiceMock
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
  // implement http mock callout
  global static HttpResponse respond(HttpRequest request) {
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,
"name": "Generator 1000
```

Map<String,Object> mapJson = (Map<String,Object>)jR;

```
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"},{"_id":"55d662267
26b611100aaf742","replacement":true,"quantity":183,"name":"Cooling
Fan","maintenanceperiod":0,"lifespan":0,"cost":300,"sku":"100004"},{"_id":"55d66226726b6
11100aaf743","replacement":true,"quantity":143,"name":"Fuse
20A","maintenanceperiod":0,"lifespan":0,"cost":22,"sku":"100005"}]');
    response.setStatusCode(200);
    return response;
 }
}
5.3 WarehouseCalloutServiceTest
@lsTest
private class WarehouseCalloutServiceTest {
  // implement your mock callout test here
       @isTest
  static void testWarehouseCallout() {
    test.startTest();
    test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
    WarehouseCalloutService.execute(null);
    test.stopTest();
    List<Product2> product2List = new List<Product2>();
    product2List = [SELECT ProductCode FROM Product2];
    System.assertEquals(3, product2List.size());
    System.assertEquals('55d66226726b611100aaf741',
product2List.get(0).ProductCode);
    System.assertEquals('55d66226726b611100aaf742',
product2List.get(1).ProductCode);
    System.assertEquals('55d66226726b611100aaf743',
product2List.get(2).ProductCode);
 }
}
6. Test scheduling logic
6.1 WarehouseCalloutServiceMock
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
  // implement http mock callout
```

global static HttpResponse respond(HttpRequest request) {

```
HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,
"name": "Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"},{"_id":"55d662267
26b611100aaf742","replacement":true,"quantity":183,"name":"Cooling
Fan","maintenanceperiod":0,"lifespan":0,"cost":300,"sku":"100004"},{"_id":"55d66226726b6
11100aaf743","replacement":true,"quantity":143,"name":"Fuse
20A","maintenanceperiod":0,"lifespan":0,"cost":22,"sku":"100005"}]');
    response.setStatusCode(200);
    return response;
  }
}
6.2 WarehouseSyncSchedule
global with sharing class WarehouseSyncSchedule implements Schedulable {
  // implement scheduled code here
  global void execute (SchedulableContext ctx){
    System.enqueueJob(new WarehouseCalloutService());
  }
}
6.3 WarehouseSyncScheduleTest
@isTest
public with sharing class WarehouseSyncScheduleTest {
  // implement scheduled code here
  //
  @isTest static void test() {
    String scheduleTime = '00 00 00 * *? *';
    Test.startTest();
    Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
    String jobId = System.schedule('Warehouse Time to Schedule to test',
scheduleTime, new WarehouseSyncSchedule());
    CronTrigger c = [SELECT State FROM CronTrigger WHERE Id =: jobId];
    System.assertEquals('WAITING', String.valueOf(c.State), 'JobId does not match');
    Test.stopTest();
  }
}
```