#### APEX SPECIALIST SUPER BADGE CODES

#### **APEX TRIGGERS**

#### **AccountAddressTrigger.ax**pt:

```
trigger AccountAddressTriggeron Account (before insert,before update) {
  for(Account account:Trigger.New){
    if(account.Match_Billing_Addressc == True){
      account.ShippingPostalCode = account.BillingPostalCode;
     }
   }
  }
                             <u>ClosedOpportunityTrigger.axpt:</u>
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {
  List<Task> taskList = new List<Task>();
  for(Opportunity opp : Trigger.new) {
  //Only create Follow Up Task only once when Opp StageName is to 'Closed Won' on Create
  if(Trigger.isInsert) {
   if(Opp.StageName == 'Closed Won') {
    taskList.add(new Task(Subject = 'Follow Up Test Task', WhatId = opp.Id));
   }
  }
  //Only create Follow Up Task only once when Opp StageName changed to 'Closed Won' on Update
  if(Trigger.isUpdate) {
   if(Opp.StageName == 'Closed Won'
   && Opp.StageName != Trigger.oldMap.get(opp.Id).StageName) {
    taskList.add(new Task(Subject = 'Follow Up Test Task', WhatId = opp.Id));
```

```
}
}
if(taskList.size()>0) {
  insert taskList;
}

public class VerifyDate {
```

# **APEX TESTING**

#### **VerifyData.apxc:**

```
else { return true;}
              }
               /method to return the end of the month of a given date
               @TestVisible privatestaticDate SetEndOfMonthDate(Date date1){
                      IntegertotalDays =Date.daysInMonth(date1.year(), date1.month());
                      Date lastDay = Date.newInstance(date1.year(), date1.month(),
                      totalDays); return lastDay;
              }
                                <u>TestVerifyData.apxc:</u>
@isTest
  private class TestVerifyDate {
    @isTest staticvoid Test_CheckDates_case1(){
       Date D = VerifyDate.CheckDates(date.parse('01/01/2022'),date.parse('01/05/2022'));
       System.assertEquals(date.parse('01/05/2022'), D);
    @isTest staticvoid Test_CheckDates_case2(){
       Date D = VerifyDate.CheckDates(date.parse('01/01/2022'), date.parse('05/05/2022'));
       System.assertEquals(date.parse('01/31/2022'), D);
    }
    @isTest static void Test_Within30Days_case1(){
       Boolean flag =
  VerifyDate.DateWithin30Days(date.parse('01/01/2022'),
  date.parse('12/30/2021'));
       System.assertEquals(false, flag);
  @isTest static void Test_Within30Days_case2(){ Boolean
```

```
flag =
VerifyDate.DateWithin30Days(date.parse('01/01/2022'),
date.parse('02/02/2021'));
    System.assertEquals(false, flag);
}
@isTest staticvoid Test_Within30Days_case3()
{
```

#### **RestrictContactByName.apxt:**

trigger RestrictContactByName on Contact(beforeinsert, before update){

```
/check contacts prior to insert or update for invalid
data For (Contact c : Trigger.New) {
    if(c.LastName == 'INVALIDNAME') { /invalidname is
        invalid c.AddError('The Last Name "'+c.LastName+"' is not allowedfor
        DML');
    }
}
```

#### <u>TestRestrictContactByName.apxc:</u>

```
@isTest
private class TestRestrictContactByName
{ @isTeststatic void
  Test_insertupdateContact(){
        Contact cnt = new Contact(); cnt.LastName
```

```
= 'INVALIDNAME';
    Test.startTest();
    Database.SaveResult result =
    Database.insert(cnt,false);Test.stopTest();
    System.assert(!result.isSuccess());
     System.assert(result.getErrors().size() > 0);
     System.assertEquals('The Last Name "INVALIDNAME" is not allowed for DML',
result.getErrors()[0].getMessage());
                   RandomContactFactory.apxc:
public class RandomContactFactory {
  public static List<Contact> generateRandomContacts(Integer num_cnts, string lastname) {
   List<Contact> contacts = new List<Contact>();
    for(Integer i = 0; i < num\_cnts; i++) {
       Contact cnt = new Contact(FirstName = 'Test' +i,LastName = lastname);
       contacts.add(cnt);
     }
    return contacts;
            }
```

# APEXSPECIALIST SUPER BADGE CODES \_ASYNCHRONOUSAPEX

#### **AccountProcessor.apxc:**

```
public class AccountProcessor {
          @future
    public static void countContacts(List<Id> accountIds){
```

```
List<Account> accountsToUpdate = new List<Account>();
    List<Account> accounts = [Select Id, Name, (Select Id from Contacts) from Account Where Id in
:accountIds];
    For(Account acc: accounts) {
                           List<Contact> contactList = acc.contacts;
       acc.Number_Of_Contacts c = contactList.size();
       accountsToUpdate.add(acc);
    update accountsToUpdate;
  }
}
                                     AccountProcessorTest.apxc:
@isTest
public class AccountProcessorTest {
           @isTest
  private static void testCountContacts() {
    Account newAccount = new Account(Name = 'Test
    Account'); insert newAccount;
    Contact newContact1 = new Contact(FirstName = 'John',LastName = 'Doe',AccountId
    =newAccount.id);
    Contact newContact2 = new Contact(FirstName = 'John',LastName = 'Doe',AccountId =
newAccount.Id);
    insert newContact2;
    List<Id> accountIds = new List<Id>();
    accountIds.add(newAccount.Id);
    Test.startTest();
    AccountProcessor.countContacts(acco
    untIds); Test.stopTest();
```

```
}
}
                                  LeadProcessor.apxc:
global class LeadProcessor implements
           Database.Batchable<sObject>{ global Integercount = 0;
  global Database.QueryLocator start(Database.BatchableContext bc) {
  returnDatabase.getQueryLocator('SELECT ID,LeadSource FROM Lead');
  }
  global void execute(Database.BatchableContext bc, List<Lead>
    L_list){ List<lead> L_list_new = new List<lead>();
    for(lead L: L_list){
      L.leadSource=
      'Dreamforce';
      L_list_new.add(L);
      count += 1;
    }
    update L_list_new;
  }
  global void
    finish(Database=BatchableContext bc){
    system.debug('count = ' + count);
  }
                                      LeadProcessorTest.apxc:
@isTest
public class LeadProcessorTest {
    @testSetup
  static void setup() {
    List<Lead> leads = new List<Lead>();
```

```
for(Integer counter=0 ;counter <200;counter++){</pre>
       Lead lead = new Lead();
       lead.FirstName ='FirstName';
       lead.LastName ='LastName'+counter;
       lead.Company
='demo'+counter;
       leads.add(lead);
    insert leads;
  }
  @isTest static void test() {
    Test.startTest();
    LeadProcessor leadProcessor = new LeadProcessor();
    Id batchId = Database.executeBatch(leadProcessor);
    Test.stopTest();
                                  AddPrimaryContact.apxc:
public class AddPrimaryContact implements
           Queueable{ private Contactcon;
  private String state;
  public AddPrimaryContact(Contact con, String state) {
    this.con = con;
    this.state =state;
  public void execute(QueueableContext context) {
    List<Account> accounts = [Select Id,Name,(Select FirstName,LastName, Id from contacts)
                    from Accountwhere BillingState = :state Limit 200];
```

```
List<Contact> primaryContacts = new List<Contact>();
for(Account acc : accounts) {
    Contact c =
    con.clone();
    c.AccountId =
    acc.Id;
    primaryContacts.add
    (c);
}
if(primaryContacts.size
    () > 0) { insert
    primaryContacts;
}
```

# AddPrimaryContactTest.apxc:

```
@isTest publicclass
    AddPrimaryContactTest{
    testmethod void
    testQueueable() {
      List<Account> testAccounts = new
      List<Account>(); for(Integer i = 0; i < 50; i++) {
         testAccounts.add(new Account (Name = 'Account' + i,BillingState = 'CA'));
       }
      for(Integer j = 0; j < 50; j++) {
         testAccounts.add(new Account(Name = 'Account'+ j, BillingState ='NY'));
       }
      insert testAccounts;
      Contact testContact = new Contact(FirstName = 'John', LastName = 'Doe');
      insert testContact;
      AddPrimaryContact addit = new AddPrimaryContact(testContact,'CA');
      Test.startTest(); system.enqueueJob(ad
```

```
dit); Test.stopTest();
    System.assertEquals(50, [Select count() from Contact where accountId in (Select Id from
Account where BillingState = 'CA')]);
}
                            DailyLeadProcessor.apxc:
public class DailyLeadProcessor implements Schedulable {
  Public void execute(SchedulableContext SC){
    List<Lead> LeadObj=[SELECT Id from Lead where LeadSource=null limit 200];
    for(Lead l:LeadObj){
      l.LeadSource='Dreamforce';
      update l;
    }
  }
                              DailyLeadProcessorTest.apxc:
    @isTest
    private class DailyLeadProcessorTest {
     static testMethod void testDailyLeadProcessor() {
              String CRON_EXP = '0 0 1 * * ?';
              List<Lead> lList = new List<Lead>();
        for (Integer i = 0; i < 200; i++) {
                       lList.add(new Lead(LastName='Dreamforce'+i, Company='Test1 Inc.',
    Status='Open - Not Contacted'));
              }
              insert lList;
```

## APEXSPECIALIST SUPER BADGE CODES

# APEX INTEGRATION SERVICES

#### **AnimalLocator.apxc:**

```
public static String
  getAnimalNameById(Integer x){ Http http
  = new Http();
  HttpRequest req =new HttpRequest();
  req.setEndpoint('https: /th-apex-http-callout.herokuapp.com/animals/'
  +x); req.setMethod('GET');
  Map<String, Object> animal=new Map<String,
  Object>(); HttpResponse res = http.send(req);
    if (res.getStatusCode() == 200) {

        Map<String, Object> results = (Map<String,
        Object>)JSON.deserializeUntyped(res.getBody()); animal = (Map<String, Object>)
        results.get('animal');
    }

return (String)animal.get('name');
    }

@isTest
```

```
private classAnimalLocatorTest{
AnimalLocatorTest.apxc:
  @isTest static void AnimalLocatorMock1() {
    Test.setMock(HttpCalloutMock.class, new
    AnimalLocatorMock()); string result =
    AnimalLocator.getAnimalNameById(3); String
    expectedResult = 'chicken';
    System.assertEquals(result,expectedResult);
  }
                    AnimalLocatorMock.apxc:
@isTest
global class AnimalLocatorMock implementsHttpCalloutMock {
   /Implement this interface method
  global HTTPResponse respond(HTTPRequest request){
     /Create a fake response
    HttpResponse response = new
    HttpResponse();
    response.setHeader('Content-Type',
    'application/json');
    response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear", "chicken",
"mighty moose"]}');
    response.setStatusCod
    e(200); return
    response;
                              ParkLocator.apxc:
public class ParkLocator {
  publicstatic string[]country(string theCountry) {
```

```
ParkService.ParksImplPort parkSvc=new ParkService.ParksImplPort(); /remove space
      return parkSvc.byCountry(theCountry);
    }
  }
                                      ParkLocatorTest.apxc:
@isTest
private class
ParkLocatorTest { @isTest staticvoid testCallout() {
      Test.setMock(WebServiceMock.class, new ParkServiceMock ());
      String country = 'United States';
      List<String> result=ParkLocator.country(country);
      List<String> parks = new List<String>{'Yellowstone', 'MackinacNationalPark', 'Yosemite'};
       System.assertEquals(parks, result);
                                          ParkServiceMock.apxc:
  @isTest
  global class ParkServiceMock implements WebServiceMock {
   global void doInvoke(
        Object stub,
        Object request,
        Map<String, Object> response,
        String endpoint,
        String soapAction,
        String requestName,
        String responseNS,
```

```
String responseName,
      String responseType) {
    // start - specify the response you want to send
    ParkService.byCountryResponse response_x = new ParkService.byCountryResponse();
    response_x.return_x = new List<String>{'Yellowstone', 'Mackinac National Park', 'Yosemite'};
    // end
    response.put('response_x', response_x);
 }
                                        AccountManager.apxc:
@RestResource(urlMapping='/Accounts/*/co
ntacts') global class AccountManager {
  @HttpGet
  global static AccountgetAccount() {
    RestRequest req =
    RestContext.request;
    String accId =req.requestURI.substringBetween('Accounts/', '/contacts');
    Account acc = [SELECT Id, Name, (SELECT Id, Name FROM
             Contacts) FROM Account WHERE Id = :accId];
    return acc;
  }
                                     AccountManagerTest.apxc:
@isTest
private class AccountManagerTest {
```

```
private static testMethod void
     getAccountTest1() { Id recordId=
     createTestRecord();
     /Set up a test request
    RestRequest request=new RestRequest();
    request.requestUri = 'https:/na1.salesforce.com/services/apexrest/Accounts/'+ recordId
+'/contacts';
    request.httpMethod = 'GET';
     RestContext.request = request;
     /Call the methodtotest
    Account this Account = Account Manager.get Account();
     / Verify results
     System.assert(thisAccount !=
    null);
     System.assertEquals('Test record', thisAccount.Name);
  }
   / Helper method
    static Id createTestRecord() {
     /Create test record
    Account TestAcc = new Account( Name='Test
     record');
    insert TestAcc;
    Contact TestCon= new Contact(
    LastName='Test',
    AccountId=Test
    Acc.id);
    return
    TestAcc.Id;
```

}

#### APEXSPECIALIST SUPER BADGE CODES

## **APEX SPECIALIST SUPER BADGE**

**Challenge** 

<u>e-1</u>

#### **MaintenanceRequestHelper.apxc:**

```
public with sharing class MaintenanceRequestHelper {
  public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) {
    Set<Id> validIds = new Set<Id>();
    For (Case c : updWorkOrders){
      if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
        if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
           validIds.add(c.Id);
        }
    }
      if (!validIds.isEmpty()){
      List<Case> newCases = new List<Case>();
      Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                               FROM Case WHERE Id IN: validIds]);
      Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c WHERE
```

```
Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
    for (AggregateResult ar : results){
      maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
    }
       for(Case cc : closedCasesM.values()){
         Case nc = new Case (
           ParentId = cc.Id,
         Status = 'New',
           Subject = 'Routine Maintenance',
           Type = 'Routine Maintenance',
           Vehicle__c = cc.Vehicle__c,
           Equipment__c =cc.Equipment__c,
           Origin = 'Web',
           Date_Reported_c = Date.Today()
         );
         If (maintenanceCycles.containskey(cc.Id)){
           nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
         } else {
           nc.Date_Due__c = Date.today().addDays((Integer) cc.Equipment__r.maintenance_Cycle__c);
         }
         newCases.add(nc);
       }
      insert newCases;
      List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
```

```
for (Case nc : newCases){
         for (Equipment Maintenance Item c wp:
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
           Equipment_Maintenance_Item__c wpClone = wp.clone();
           wpClone.Maintenance_Request__c = nc.Id;
           ClonedWPs.add(wpClone);
         }
      insert ClonedWPs;
    }
                             MaintenanceRequest.apxt:
trigger MaintenanceRequest on Case (before update, after update) {
  if(Trigger.isUpdate && Trigger.isAfter){
MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
 }
                                                 Challenge-2
                                WarehouseCalloutService.apxc:
public with sharing class WarehouseCalloutService implements Queueable {
  private static final String WAREHOUSE URL = 'https://th-superbadge-apex.herokuapp.com/equipment';
  //class that makes a REST callout to an external warehouse system to get a list of equipment that needs to
be updated.
  //The callout's JSON response returns the equipment records that you upsert in Salesforce.
```

```
@future(callout=true)
  public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();
    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> warehouseEq = new List<Product2>();
    if (response.getStatusCode() == 200){
      List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
       System.debug(response.getBody());
      //class maps the following fields: replacement part (always true), cost, current inventory, lifespan,
maintenance cycle, and warehouse SKU
      //warehouse SKU will be external ID for identifying which equipment records to update within
Salesforce
       for (Object eq : jsonResponse){
         Map<String,Object> mapJson = (Map<String,Object>)eq;
         Product2 myEq = new Product2();
         myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
         myEq.Name = (String) mapJson.get('name');
         myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
         myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
         myEq.Cost__c = (Integer) mapJson.get('cost');
```

```
myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
         myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
         myEq.ProductCode = (String) mapJson.get('_id');
         warehouseEq.add(myEq);
      }
      if (warehouseEq.size() > 0){
         upsert warehouseEq;
         System.debug('Your equipment was synced with the warehouse one');
      }
    }
  }
  public static void execute (QueueableContext context){
    runWarehouseEquipmentSync();
  }
                                                Challenge-3
                                WarehouseSyncSchedule.apxc:
global with sharing class WarehouseSyncSchedule implements Schedulable{
  global void execute(SchedulableContext ctx){
     System.enqueueJob(new WarehouseCalloutService());
                                 <u>WarehouseSyncScheduuleTest.apxc:</u>
  @isTest
  public class WarehouseSyncScheduleTest {
```

```
@isTest static void
    WarehousescheduleTest(){ String
    scheduleTime = '00 00 01 * * ?';
    Test.startTest();
    Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
    String jobID=System.schedule('Warehouse Time To Scheduleto Test', scheduleTime, new
WarehouseSyncSchedule());
    Test.stopTest();
    /Contains schedule information for a scheduledjob. CronTrigger is similartoa cron job on UNIX
systems.
    /This object is available in API version 17.0 and later.
    CronTriggera=[SELECT Id FROM CronTrigger where NextFireTime >
    today]; System.assertEquals(jobID, a.Id,'Schedule ');
}
```

# MaintenanceRequestHelperTest.apxc:

```
@istest
```

```
public with sharing class MaintenanceRequestHelperTest {

private static final string STATUS_NEW = 'New';

private static final string WORKING = 'Working';

private static final string CLOSED = 'Closed';

private static final string REPAIR = 'Repair';

private static final string REQUEST_ORIGIN = 'Web';

private static final string REQUEST_TYPE = 'Routine Maintenance';

private static final string REQUEST_SUBJECT = 'Testing subject';
```

```
PRIVATE STATIC Vehicle__c createVehicle(){
    Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
    return Vehicle;
  }
  PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name = 'SuperEquipment',
                      lifespan_months_C = 10,
                      maintenance_cycle__C = 10,
                      replacement_part__c = true);
    return equipment;
  }
  PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
              Status=STATUS_NEW,
              Origin=REQUEST_ORIGIN,
              Subject=REQUEST_SUBJECT,
              Equipment__c=equipmentId,
              Vehicle__c=vehicleId);
    return cs;
  }
  PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id requestId){
    Equipment_Maintenance_Item__c wp = new Equipment_Maintenance_Item__c(Equipment__c =
equipmentId,
                                         Maintenance_Request__c = requestId);
```

```
return wp;
}
@istest
private static void testMaintenanceRequestPositive(){
  Vehicle__c vehicle = createVehicle();
  insert vehicle;
  id vehicleId = vehicle.Id;
  Product2 equipment = createEq();
  insert equipment;
  id equipmentId = equipment.Id;
  case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
  insert somethingToUpdate;
  Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId,somethingToUpdate.id);
  insert workP;
  test.startTest();
  somethingToUpdate.status = CLOSED;
  update somethingToUpdate;
  test.stopTest();
  Case newReq = [Select id, subject, type, Equipment_c, Date_Reported_c, Vehicle_c, Date_Due_c
          from case
          where status =: STATUS_NEW];
```

```
Equipment_Maintenance_Item__c workPart = [select id
                         from Equipment_Maintenance_Item__c
                         where Maintenance_Request__c =:newReq.Id];
  system.assert(workPart != null);
  system.assert(newReq.Subject != null);
  system.assertEquals(newReq.Type, REQUEST_TYPE);
  SYSTEM.assertEquals(newReq.Equipment_c, equipmentId);
  SYSTEM.assertEquals(newReq.Vehicle_c, vehicleId);
  SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
}
@istest
private static void testMaintenanceRequestNegative(){
  Vehicle__C vehicle = createVehicle();
  insert vehicle;
  id vehicleId = vehicle.Id;
  product2 equipment = createEq();
  insert equipment;
  id equipmentId = equipment.Id;
  case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
  insert emptyReq;
  Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);
  insert workP;
```

```
test.startTest();
    emptyReq.Status = WORKING;
    update emptyReq;
    test.stopTest();
    list<case> allRequest = [select id
                   from case];
    Equipment_Maintenance_Item__c workPart = [select id
                             from Equipment_Maintenance_Item__c
                             where Maintenance_Request__c = :emptyReq.Id];
    system.assert(workPart != null);
    system.assert(allRequest.size() == 1);
  }
  @istest
  private static void testMaintenanceRequestBulk(){
    list<Vehicle__C> vehicleList = new list<Vehicle__C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
    list<case> requestList = new list<case>();
    list<id> oldRequestIds = new list<id>();
    for(integer i = 0; i < 300; i++){
      vehicleList.add(createVehicle());
```

```
equipmentList.add(createEq());
}
insert vehicleList;
insert equipmentList;
for(integer i = 0; i < 300; i++){
  requestList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
}
insert requestList;
for(integer i = 0; i < 300; i++){
  workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
}
insert workPartList;
test.startTest();
for(case req : requestList){
  req.Status = CLOSED;
  oldRequestIds.add(req.Id);
}
update requestList;
test.stopTest();
list<case> allRequests = [select id
               from case
               where status =: STATUS_NEW];
list<Equipment_Maintenance_Item__c> workParts = [select id
```

```
from Equipment_Maintenance_Item__c
                               where Maintenance_Request__c in: oldRequestIds];
    system.assert(allRequests.size() == 300);
  }
MaintenanceRequestHelper.apxc :-
public with sharing class MaintenanceRequestHelper {
  public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) {
    Set<Id> validIds = new Set<Id>();
    For (Case c : updWorkOrders){
      if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
        if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
           validIds.add(c.Id);
        }
    }
    if (!validIds.isEmpty()){
      List<Case> newCases = new List<Case>();
      Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                                FROM Case WHERE Id IN :validIds]);
```

```
Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c WHERE
Maintenance Request c IN: ValidIds GROUP BY Maintenance Request c];
    for (AggregateResult ar : results){
      maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
    }
      for(Case cc : closedCasesM.values()){
         Case nc = new Case (
           ParentId = cc.Id,
         Status = 'New',
           Subject = 'Routine Maintenance',
           Type = 'Routine Maintenance',
           Vehicle__c = cc.Vehicle__c,
           Equipment__c =cc.Equipment__c,
           Origin = 'Web',
           Date_Reported_c = Date.Today()
         );
         If (maintenanceCycles.containskey(cc.Id)){
           nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
         }
         newCases.add(nc);
```

```
insert newCases;
      List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
      for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
           Equipment_Maintenance_Item__c wpClone = wp.clone();
           wpClone.Maintenance_Request__c = nc.Id;
           ClonedWPs.add(wpClone);
        }
      insert ClonedWPs;
    }
                                   <u>MaintenanceRequestHelper.apxc:</u>
trigger MaintenanceRequest on Case (before update, after update) {
  if(Trigger.isUpdate && Trigger.isAfter){
    MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
  }
```

#### **Challenge-5**

#### WarehouseCalloutService.apxc:

```
public with sharing class WarehouseCalloutService {
   private static final String WAREHOUSE_URL = 'https://th-superbadge-
```

```
apex.herokuapp.com/equipment';
  //@future(callout=true)
  public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();
    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> warehouseEq = new List<Product2>();
    if (response.getStatusCode() == 200){
      List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
      System.debug(response.getBody());
      for (Object eq : jsonResponse){
         Map<String,Object> mapJson = (Map<String,Object>)eq;
         Product2 myEq = new Product2();
         myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
         myEq.Name = (String) mapJson.get('name');
         myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
         myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
         myEq.Cost__c = (Decimal) mapJson.get('lifespan');
         myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
         myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
         warehouseEq.add(myEq);
      }
      if (warehouseEq.size() > 0){
         upsert warehouseEq;
         System.debug('Your equipment was synced with the warehouse one');
         System.debug(warehouseEq);
```

```
SPSGP-27800-Salesforce Developer Catalyst Self-Learning & Super Badges
```

```
3
```

```
WarehouseCalloutServiceMock.apxc:
@isTest
private class WarehouseCalloutServiceTest {
  @isTest
  static void testWareHouseCallout(){
    Test.startTest();
    // implement mock callout test here
    Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
    WarehouseCalloutService.runWarehouseEquipmentSync();
    Test.stopTest();
    System.assertEquals(1, [SELECT count() FROM Product2]);
  }
                WarehouseCalloutServiceTest.apxc:
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
  // implement http mock callout
  global static HttpResponse respond(HttpRequest request){
    System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment', request.getEndpoint());
    System.assertEquals('GET', request.getMethod());
    // Create a fake response
    HttpResponse response = new HttpResponse();
    response.setHeader('Content-Type', 'application/json');
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":"Gene
```

```
rator 1000 kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
    response.setStatusCode(200);
    return response;
  }
                           Challenge-6
               WarehouseSyncSchedule.apxc:
global class WarehouseSyncSchedule implements Schedulable {
  global void execute(SchedulableContext ctx) {
    WarehouseCalloutService.runWarehouseEquipmentSync();
  }
              WarehouseSyncScheduleTest.apxc:
@isTest
public class WarehouseSyncScheduleTest {
  @isTest static void WarehousescheduleTest(){
    String scheduleTime = '00 00 01 * * ?';
    Test.startTest();
    Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
    String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime, new
WarehouseSyncSchedule());
    Test.stopTest();
    //Contains schedule information for a scheduled job. CronTrigger is similar to a cron job on UNIX
systems.
    // This object is available in API version 17.0 and later.
    CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
    System.assertEquals(jobID, a.Id,'Schedule ');
```

SPSGP-27800-Salesforce Developer Catalyst Self-Learning & Super Badges	33