Apex Triggers :Get started with Apex Triggers

```
trigger AccountAddressTrigger on Account (before insert,before update) {
List<Account> acclst=new List<Account>();


for(account
a:trigger.new){
if(a.Match_Billing_Address__c==true
&& a.BillingPostalCode!=null){ a.ShippingPostalCode=a.BillingPostalCode;
}
}
}
```

Apex Triggers : Bulk Apex Triggers

ClosedOpportunityTrigger

```
trigger ClosedOpportunityTrigger on Opportunity (after insert,after update) {
        List<Task> tasklist=new List<Task>();
   for(Opportunity opp:Trigger.New){
      if(opp.StageName=='Closed Won'){
         tasklist.add(new Task(Subject='Follow Up Test Task',WhatId=opp.Id));
      }
   }
   if(tasklist.size()>0){
      insert tasklist;
   }
}
```

Apex Testing : Get Started with Apex Unit Tests

VerifyDate Class

```
public class VerifyDate {


 //method to handle potential checks against two dates
 public static Date CheckDates(Date date1, Date date2) {
  //if date2 is within the next 30 days of date1, use date2.  Otherwise use the end of the month
  if(DateWithin30Days(date1,date2)) {
    return date2;
  } else {
    return SetEndOfMonthDate(date1);
  }
 }

 //method to check if date2 is within the next 30 days of date1
 private static Boolean DateWithin30Days(Date date1, Date date2) {
  //check for date2 being in the past
       if( date2 < date1) { return false; }


       //check that date2 is within (>=) 30 days of date1
       Date date30Days = date1.addDays(30); //create a date 30 days away from date1
  if( date2 >= date30Days ) { return false; }
  else { return true; }
 }


 //method to return the end of the month of a given date
 private static Date SetEndOfMonthDate(Date date1) {
```

```
    Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
    Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);
    return lastDay;
  }
}
```

TestVerifyDate Class

```
@isTest
public class TestVerifyDate
{
    static testMethod void testMethod1()
    {
        Date d = VerifyDate.CheckDates(System.today(),System.today()+1);
        Date d1 = VerifyDate.CheckDates(System.today(),System.today()+60);
    }
}
```

Apex Testing : Test Apex Triggers

Apex trigger RestrictContactByName

RestrictContactByName :

```
trigger RestrictContactByName on Contact (before insert, before update) {

  //check contacts prior to insert or update for invalid data
  For (Contact c : Trigger.New) {
    if(c.LastName == 'INVALIDNAME') {  //invalidname is invalid
      c.AddError('The Last Name "'+c.LastName+'" is not allowed for DML');
    }
```

```
 }
}
```

TestRestrictContactByName

TestRestrictContactByName :

```
@isTest
private class TestRestrictContactByName {

   static testMethod void  metodoTest()
   {

      List<Contact> listContact= new List<Contact>();
      Contact c1 = new Contact(FirstName='Francesco', LastName='Riggio' , email='Test@test.com');
      Contact c2 = new Contact(FirstName='Francesco1', LastName =
'INVALIDNAME',email='Test@test.com');
      listContact.add(c1);
      listContact.add(c2);

      Test.startTest();
         try
         {
            insert listContact;
         }
         catch(Exception ee)
         {
         }
      Test.stopTest();
     }
   }
```

Apex Testing : Create Test Data for Apex Tests

RandomContactFactory Class

RandomContactFactory class :

```
//@isTest
public class RandomContactFactory {
    public static List<Contact> generateRandomContacts(Integer numContactsToGenerate, String FName) {
        List<Contact> contactList = new List<Contact>();

        for(Integer i=0;i<numContactsToGenerate;i++) {
            Contact c = new Contact(FirstName=FName + ' ' + i, LastName = 'Contact '+i);
            contactList.add(c);
            System.debug(c);
        }
        //insert contactList;
        System.debug(contactList.size());
        return contactList;
    }

}
```

Asynchronous Apex : Use Future Method

AccountProcessor class

```
public class AccountProcessor {
    @future
    public static void countContacts(List<Id> accountIds){
        List<Account> accounts = [Select Id, Name from Account Where Id IN : accountIds];
        List<Account> updatedAccounts = new List<Account>();
```

```
        for(Account account : accounts){
           account.Number_of_Contacts__c = [Select count() from Contact Where AccountId =: account.Id];
            System.debug('No Of Contacts = ' + account.Number_of_Contacts__c);
            updatedAccounts.add(account);
        }
        update updatedAccounts;
    }

}
```

AccountProcessorTest class

```
@isTest
public class AccountProcessorTest {
    @isTest
    public static void testNoOfContacts(){
        Account a = new Account();
        a.Name = 'Test Account';
        Insert a;

        Contact c = new Contact();
        c.FirstName = 'Bob';
        c.LastName =  'Willie';
        c.AccountId = a.Id;

        Contact c2 = new Contact();
        c2.FirstName = 'Tom';
        c2.LastName = 'Cruise';
        c2.AccountId = a.Id;

        List<Id> acctIds = new List<Id>();
```

```
        acctIds.add(a.Id);

        Test.startTest();
        AccountProcessor.countContacts(acctIds);
        Test.stopTest();
    }
}
```

Asynchronous Apex : Use Batch Apex

LeadProcessor class

```
public class LeadProcessor implements Database.Batchable<sObject> {

    public Database.QueryLocator start(Database.BatchableContext bc) {
        // collect the batches of records or objects to be passed to execute
        return Database.getQueryLocator([Select LeadSource From Lead ]);
    }
    public void execute(Database.BatchableContext bc, List<Lead> leads){
        // process each batch of records
            for (Lead Lead : leads) {
                lead.LeadSource = 'Dreamforce';
            }
        update leads;
    }
    public void finish(Database.BatchableContext bc){
    }

}
```

LeadProcessorTest class

```
@isTest
public class LeadProcessorTest {


    @testSetup
  static void setup() {
    List<Lead> leads = new List<Lead>();
    for(Integer counter=0 ;counter <200;counter++){
      Lead lead = new Lead();
      lead.FirstName ='FirstName';
      lead.LastName ='LastName'+counter;
      lead.Company ='demo'+counter;
      leads.add(lead);
    }
    insert leads;
  }

  @isTest static void test() {
    Test.startTest();
    LeadProcessor leadProcessor = new LeadProcessor();
    Id batchId = Database.executeBatch(leadProcessor);
    Test.stopTest();
  }

}
```

Asynchronous Apex : Control Processes with Queueable Apex

AddPrimaryContact class

```
public class AddPrimaryContact implements Queueable
{
   private Contact c;
   private String state;
   public  AddPrimaryContact(Contact c, String state)
   {
      this.c = c;
      this.state = state;
   }
   public void execute(QueueableContext context)
   {
      List<Account> ListAccount = [SELECT ID, Name ,(Select id,FirstName,LastName from contacts )
FROM ACCOUNT WHERE BillingState = :state LIMIT 200];
      List<Contact> lstContact = new List<Contact>();
      for (Account acc:ListAccount)
      {
            Contact cont = c.clone(false,false,false,false);
            cont.AccountId =  acc.id;
            lstContact.add( cont );
      }

      if(lstContact.size() >0 )
      {
```

```
            insert lstContact;
        }

    }

}
```

AddPrimaryContactTest

```
@isTest
public class AddPrimaryContactTest
{
    @isTest static void TestList()
    {
        List<Account> Teste = new List <Account>();
        for(Integer i=0;i<50;i++)
        {
            Teste.add(new Account(BillingState = 'CA', name = 'Test'+i));
        }
        for(Integer j=0;j<50;j++)
        {
            Teste.add(new Account(BillingState = 'NY', name = 'Test'+j));
        }
        insert Teste;

        Contact co = new Contact();
        co.FirstName='demo';
        co.LastName ='demo';
        insert co;
        String state = 'CA';
```

```
        AddPrimaryContact apc = new AddPrimaryContact(co, state);
        Test.startTest();
         System.enqueueJob(apc);
        Test.stopTest();
    }
}
```

Asynchronous Apex : Schedule Jobs Using the Apex Scheduler

DailyLeadProcessor

```
public class DailyLeadProcessor implements Schedulable  {
   Public void execute(SchedulableContext SC){
     List<Lead> LeadObj=[SELECT Id from Lead where LeadSource=null limit 200];
      for(Lead l:LeadObj){
         l.LeadSource='Dreamforce';
         update l;
      }
   }
}
```

DailyLeadProcessorTest

```
@isTest
private class DailyLeadProcessorTest {
            static testMethod void testDailyLeadProcessor() {
                        String CRON_EXP = '0 0 1 * * ?';
                        List<Lead> lList = new List<Lead>();
                for (Integer i = 0; i < 200; i++) {
                                    lList.add(new Lead(LastName='Dreamforce'+i, Company='Test1 Inc.',
Status='Open - Not Contacted'));
                        }
                        insert lList;
```

```
                Test.startTest();
                String jobId = System.schedule('DailyLeadProcessor', CRON_EXP, new
DailyLeadProcessor());
        }
}
```

Apex Integration Services -Apex REST Callouts

AnimalLocator

```
public class AnimalLocator{
   public static String getAnimalNameById(Integer x){
      Http http = new Http();
      HttpRequest req = new HttpRequest();
      req.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/' + x);
      req.setMethod('GET');
      Map<String, Object> animal= new Map<String, Object>();
      HttpResponse res = http.send(req);
        if (res.getStatusCode() == 200) {
      Map<String, Object> results = (Map<String, Object>)JSON.deserializeUntyped(res.getBody());
     animal = (Map<String, Object>) results.get('animal');
      }
return (String)animal.get('name');
   }
}
```

AnimalLocatorTest

```
@isTest
private class AnimalLocatorTest{
   @isTest static void AnimalLocatorMock1() {
      Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());
```

```
        string result = AnimalLocator.getAnimalNameById(3);
        String expectedResult = 'chicken';
        System.assertEquals(result,expectedResult );
    }
}
```

AnimalLocatorMock

```
@isTest global class AnimalLocatorMock implements HttpCalloutMock {
    // Implement this interface method
    global HTTPResponse respond(HTTPRequest request) {
        // Create a fake response
        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');
        response.setBody('{"animal":{"id":1,"name":"chicken","eats":"chicken food","says":"cluck cluck"}}');
        response.setStatusCode(200);
        return response;
    }
}
```

Apex Integration Services -Apex SOAP Callouts

ParkLocator

ParkLocator class/////

```
public class ParkLocator {
    public static string[] country(string theCountry) {
        ParkService.ParksImplPort  parkSvc = new  ParkService.ParksImplPort(); // remove space
        return parkSvc.byCountry(theCountry);
    }
}
```

ParkLocatorTest

```
@isTest
private class ParkLocatorTest {
    @isTest static void testCallout() {
        Test.setMock(WebServiceMock.class, new ParkServiceMock ());
        String country = 'United States';
        List<String> result = ParkLocator.country(country);
        List<String> parks = new List<String>{'Yellowstone', 'Mackinac National Park', 'Yosemite'};
         System.assertEquals(parks, result);
    }
}
```

ParkServiceMock

```
@isTest
global class ParkServiceMock implements WebServiceMock {
  global void doInvoke(
           Object stub,
           Object request,
           Map<String, Object> response,
           String endpoint,
           String soapAction,
           String requestName,
           String responseNS,
           String responseName,
           String responseType) {
        // start - specify the response you want to send
        ParkService.byCountryResponse response_x = new ParkService.byCountryResponse();
        response_x.return_x = new List<String>{'Yellowstone', 'Mackinac National Park', 'Yosemite'};
        // end
```

```
        response.put('response_x', response_x);
    }
}
```

Apex Integration Services-Apex Web Services

AccountManager

```
@RestResource(urlMapping='/Accounts/*/contacts')
global class AccountManager {
    @HttpGet
    global static Account getAccount() {
        RestRequest req = RestContext.request;
        String accId = req.requestURI.substringBetween('Accounts/', '/contacts');
        Account acc = [SELECT Id, Name, (SELECT Id, Name FROM Contacts)
                       FROM Account WHERE Id = :accId];
        return acc;
    }
}
```

AccountManagerTest

```
@isTest
private class AccountManagerTest {

    private static testMethod void getAccountTest1() {
        Id recordId = createTestRecord();
        // Set up a test request
        RestRequest request = new RestRequest();
        request.requestUri = 'https://na1.salesforce.com/services/apexrest/Accounts/'+ recordId
+'/contacts' ;
        request.httpMethod = 'GET';
        RestContext.request = request;
```

```
        // Call the method to test
        Account thisAccount = AccountManager.getAccount();
        // Verify results
        System.assert(thisAccount != null);
        System.assertEquals('Test record', thisAccount.Name);

    }

    // Helper method
        static Id createTestRecord() {
        // Create test record
        Account TestAcc = new Account(
          Name='Test record');
        insert TestAcc;
        Contact TestCon= new Contact(
        LastName='Test',
        AccountId = TestAcc.id);
        return TestAcc.Id;
    }
}
```

Apex Superbadge

1-Automate record creation

MaintenanceRequestHelper.apxc :-

```
public with sharing class MaintenanceRequestHelper {
    public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
```

```
    For (Case c : updWorkOrders){
        if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
            if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                validIds.add(c.Id);




            }
        }
    }


    if (!validIds.isEmpty()){
        List<Case> newCases = new List<Case>();
        Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                                                    FROM Case WHERE Id IN :validIds]);
        Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
        AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c WHERE
Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];


    for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
    }


        for(Case cc : closedCasesM.values()){
            Case nc = new Case (
                ParentId = cc.Id,
            Status = 'New',
                Subject = 'Routine Maintenance',
```

```
            Type = 'Routine Maintenance',
            Vehicle__c = cc.Vehicle__c,
            Equipment__c =cc.Equipment__c,
            Origin = 'Web',
            Date_Reported__c = Date.Today()

        );

        If (maintenanceCycles.containskey(cc.Id)){
            nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
        } else {
            nc.Date_Due__c = Date.today().addDays((Integer) cc.Equipment__r.maintenance_Cycle__c);
        }

        newCases.add(nc);
    }

    insert newCases;

    List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
    for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
            Equipment_Maintenance_Item__c wpClone = wp.clone();
            wpClone.Maintenance_Request__c = nc.Id;
            ClonedWPs.add(wpClone);

        }
```

```
            }
            insert ClonedWPs;
        }
    }
}
```

MaitenanceRequest.apxt :-

```
trigger MaintenanceRequest on Case (before update, after update) {

    if(Trigger.isUpdate && Trigger.isAfter){

        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);

    }
}
```

Challenge 2-Synchronize Salesforce data with an external system

WarehouseCalloutService.apxc :-

```
public with sharing class WarehouseCalloutService implements Queueable {
    private static final String WAREHOUSE_URL = 'https://th-superbadge-apex.herokuapp.com/equipment';

    //class that makes a REST callout to an external warehouse system to get a list of equipment that needs to be updated.
    //The callout's JSON response returns the equipment records that you upsert in Salesforce.

    @future(callout=true)
    public static void runWarehouseEquipmentSync(){
        Http http = new Http();
        HttpRequest request = new HttpRequest();
```

```
        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);

        List<Product2> warehouseEq = new List<Product2>();

        if (response.getStatusCode() == 200){
            List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
            System.debug(response.getBody());

            //class maps the following fields: replacement part (always true), cost, current inventory, lifespan, maintenance cycle, and warehouse SKU
            //warehouse SKU will be external ID for identifying which equipment records to update within Salesforce
            for (Object eq : jsonResponse){
                Map<String,Object> mapJson = (Map<String,Object>)eq;
                Product2 myEq = new Product2();
                myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
                myEq.Name = (String) mapJson.get('name');
                myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
                myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
                myEq.Cost__c = (Integer) mapJson.get('cost');
                myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
                myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
                myEq.ProductCode = (String) mapJson.get('_id');
                warehouseEq.add(myEq);
            }
```

```
            if (warehouseEq.size() > 0){
                upsert warehouseEq;
                System.debug('Your equipment was synced with the warehouse one');
            }
        }
    }

    public static void execute (QueueableContext context){
        runWarehouseEquipmentSync();
    }

}
```

After saving the code open execute anonymous window (CTRl+E) and run this method ,

---

```
System.enqueueJob(new WarehouseCalloutService());
```

Challenge 3-Schedule synchronization using Apex code

```
global with sharing class WarehouseSyncSchedule implements Schedulable{
    global void execute(SchedulableContext ctx){
        System.enqueueJob(new WarehouseCalloutService());
    }
}
```

Challenge 4 Test automation logic

MaintenanceRequestHelperTest.apxc :-

```
@istest
public with sharing class MaintenanceRequestHelperTest {

    private static final string STATUS_NEW = 'New';
    private static final string WORKING = 'Working';
    private static final string CLOSED = 'Closed';
    private static final string REPAIR = 'Repair';
    private static final string REQUEST_ORIGIN = 'Web';
    private static final string REQUEST_TYPE = 'Routine Maintenance';
    private static final string REQUEST_SUBJECT = 'Testing subject';

    PRIVATE STATIC Vehicle__c createVehicle(){
        Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
        return Vehicle;
    }

    PRIVATE STATIC Product2 createEq(){
        product2 equipment = new product2(name = 'SuperEquipment',
                                          lifespan_months__C = 10,
                                          maintenance_cycle__C = 10,
                                          replacement_part__c = true);
        return equipment;
    }

    PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
        case cs = new case(Type=REPAIR,
```

```
                Status=STATUS_NEW,
                Origin=REQUEST_ORIGIN,
                Subject=REQUEST_SUBJECT,
                Equipment__c=equipmentId,
                Vehicle__c=vehicleId);
    return cs;
}

PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id requestId){
    Equipment_Maintenance_Item__c wp = new Equipment_Maintenance_Item__c(Equipment__c =
equipmentId,
                                                    Maintenance_Request__c = requestId);
    return wp;
}



@istest
private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    Product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;

    case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
    insert somethingToUpdate;
```

```
        Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId,somethingToUpdate.id);
        insert workP;

        test.startTest();
        somethingToUpdate.status = CLOSED;
        update somethingToUpdate;
        test.stopTest();

        Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c, Vehicle__c,
Date_Due__c
                    from case
                    where status =:STATUS_NEW];

        Equipment_Maintenance_Item__c workPart = [select id
                                    from Equipment_Maintenance_Item__c
                                    where Maintenance_Request__c =:newReq.Id];

        system.assert(workPart != null);
        system.assert(newReq.Subject != null);
        system.assertEquals(newReq.Type, REQUEST_TYPE);
        SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
        SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
        SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
    }

    @istest
    private static void testMaintenanceRequestNegative(){
        Vehicle__C vehicle = createVehicle();
        insert vehicle;
```

```
    id vehicleId = vehicle.Id;

    product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;

    case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
    insert emptyReq;

    Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);
    insert workP;

    test.startTest();
    emptyReq.Status = WORKING;
    update emptyReq;
    test.stopTest();

    list<case> allRequest = [select id
                        from case];

    Equipment_Maintenance_Item__c workPart = [select id
                                    from Equipment_Maintenance_Item__c
                                    where Maintenance_Request__c = :emptyReq.Id];

    system.assert(workPart != null);
    system.assert(allRequest.size() == 1);
}

@istest
```

```
    private static void testMaintenanceRequestBulk(){
        list<Vehicle__C> vehicleList = new list<Vehicle__C>();
        list<Product2> equipmentList = new list<Product2>();
        list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
        list<case> requestList = new list<case>();
        list<id> oldRequestIds = new list<id>();

        for(integer i = 0; i < 300; i++){
          vehicleList.add(createVehicle());
           equipmentList.add(createEq());
        }
        insert vehicleList;
        insert equipmentList;

        for(integer i = 0; i < 300; i++){
           requestList.add(createMaintenanceRequest(vehicleList.get(i).id, equipmentList.get(i).id));
        }
        insert requestList;

        for(integer i = 0; i < 300; i++){
           workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
        }
        insert workPartList;

        test.startTest();
        for(case req : requestList){
           req.Status = CLOSED;
           oldRequestIds.add(req.Id);
```

```
        }
        update requestList;
        test.stopTest();

        list<case> allRequests = [select id
                                  from case
                                  where status =: STATUS_NEW];

        list<Equipment_Maintenance_Item__c> workParts = [select id
                                                         from Equipment_Maintenance_Item__c
                                                         where Maintenance_Request__c in: oldRequestIds];

        system.assert(allRequests.size() == 300);
    }
}
```

MaintenanceRequestHelper.apxc :

```
public with sharing class MaintenanceRequestHelper {
    public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case> nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();


        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);


                }
            }
```

```
    }


    if (!validIds.isEmpty()){

        List<Case> newCases = new List<Case>();

        Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)

                                                    FROM Case WHERE Id IN :validIds]);

        Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();

        AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c WHERE
Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];


    for (AggregateResult ar : results){

        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));

    }


        for(Case cc : closedCasesM.values()){

            Case nc = new Case (

                ParentId = cc.Id,

            Status = 'New',

                Subject = 'Routine Maintenance',

                Type = 'Routine Maintenance',

                Vehicle__c = cc.Vehicle__c,

                Equipment__c =cc.Equipment__c,

                Origin = 'Web',

                Date_Reported__c = Date.Today()


            );
```

```
            If (maintenanceCycles.containskey(cc.Id)){
                nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
            }

            newCases.add(nc);
        }

        insert newCases;

        List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
        for (Case nc : newCases){
            for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
                Equipment_Maintenance_Item__c wpClone = wp.clone();
                wpClone.Maintenance_Request__c = nc.Id;
                ClonedWPs.add(wpClone);

            }
        }
        insert ClonedWPs;
    }
  }
}
```

MaintenanceRequest.apxt :-

```
trigger MaintenanceRequest on Case (before update, after update) {
  if(Trigger.isUpdate && Trigger.isAfter){
    MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
  }
```

}

Challenge 5-Test callout logic

WarehouseCalloutService.apxc :-

```
public with sharing class WarehouseCalloutService {

    private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';

    //@future(callout=true)
    public static void runWarehouseEquipmentSync(){

        Http http = new Http();
        HttpRequest request = new HttpRequest();

        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);



        List<Product2> warehouseEq = new List<Product2>();

        if (response.getStatusCode() == 200){
            List<Object> jsonResponse = (List<Object>)JSON.deserializeUntyped(response.getBody());
            System.debug(response.getBody());

            for (Object eq : jsonResponse){
                Map<String,Object> mapJson = (Map<String,Object>)eq;
```

```
            Product2 myEq = new Product2();
            myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
            myEq.Name = (String) mapJson.get('name');
            myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
            myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
            myEq.Cost__c = (Decimal) mapJson.get('lifespan');
            myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
            myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
            warehouseEq.add(myEq);
        }

        if (warehouseEq.size() > 0){
            upsert warehouseEq;
            System.debug('Your equipment was synced with the warehouse one');
            System.debug(warehouseEq);
        }

    }
  }
}
```

WarehouseCalloutServiceTest.apxc :-

```
@isTest

private class WarehouseCalloutServiceTest {
  @isTest
  static void testWareHouseCallout(){
    Test.startTest();
    // implement mock callout test here
    Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
```

```
        WarehouseCalloutService.runWarehouseEquipmentSync();
        Test.stopTest();
        System.assertEquals(1, [SELECT count() FROM Product2]);
    }
}
```

WarehouseCalloutServiceMock.apxc :-

```
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    // implement http mock callout
    global static HttpResponse respond(HttpRequest request){

        System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
        System.assertEquals('GET', request.getMethod());

        // Create a fake response
        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');

response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":"Ge
nerator 1000 kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
        response.setStatusCode(200);
        return response;
    }
}
```

Challenge 6-Test scheduling logic

WarehouseSyncSchedule.apxc :-

```
global class WarehouseSyncSchedule implements Schedulable {
   global void execute(SchedulableContext ctx) {

      WarehouseCalloutService.runWarehouseEquipmentSync();
   }
}
```

WarehouseSyncScheduleTest.apxc :-

```
@isTest
public class WarehouseSyncScheduleTest {

   @isTest static void WarehousescheduleTest(){
      String scheduleTime = '00 00 01 * * ?';
      Test.startTest();
      Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
      String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime, new
WarehouseSyncSchedule());
      Test.stopTest();
      //Contains schedule information for a scheduled job. CronTrigger is similar to a cron job on UNIX
systems.
      // This object is available in API version 17.0 and later.
      CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
      System.assertEquals(jobID, a.Id,'Schedule ');


   }
}
```