```
MaintenanceRequestHelper.apxc:-
public with sharing class MaintenanceRequestHelper {
public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
Set<Id> validIds = new Set<Id>();
For (Case c : updWorkOrders){
if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
validIds.add(c.Id);
}
if (!validIds.isEmpty()){
List<Case> newCases = new List<Case>();
Map<Id, Case> closedCasesM = new Map<Id, Case>([SELECT Id, Vehicle_c,
Equipment_c, Equipment_r.Maintenance_Cycle_c,(SELECT Id,Equipment_c,Quantity_c
FROM Equipment_Maintenance_Items__r)
                       FROM Case WHERE Id IN :validIds]);
Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment_r.Maintenance_Cycle__c)cycle FROM Equipment_Maintenance_Item__c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
for (AggregateResult ar : results){
maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
}
for(Case cc : closedCasesM.values()){
Case nc = new Case (
ParentId = cc.Id,
Status = 'New',
  Subject = 'Routine Maintenance',
Type = 'Routine Maintenance',
```

```
Vehicle\_c = cc.Vehicle\_c,
  Equipment_c =cc.Equipment_c,
Origin = 'Web',
Date\_Reported\_c = Date.Today()
);
If (maintenanceCycles.containskey(cc.Id)){
  nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
} else {
nc.Date\_Due\_\_c = Date.today().addDays((Integer))
cc.Equipment__r.maintenance_Cycle__c);
}
newCases.add(nc);
insert newCases;
List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
for (Case nc : newCases){
for (Equipment Maintenance Item c wp:
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
Equipment_Maintenance_Item__c wpClone = wp.clone();
wpClone.Maintenance_Request__c = nc.Id;
ClonedWPs.add(wpClone);
insert ClonedWPs;
}
}
```

MaitenanceRequest.apxt:-

```
trigger MaintenanceRequest on Case (before update, after update) {
 if(Trigger.isUpdate && Trigger.isAfter){
   MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
WarehouseCalloutService.apxc:-
public with sharing class WarehouseCalloutService implements Queueable {
 private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
//class that makes a REST callout to an external warehouse system to get a list of
equipment that needs to be updated.
//The callout's JSON response returns the equipment records that you upsert in
Salesforce.
@future(callout=true)
public static void runWarehouseEquipmentSync(){
Http http = new Http();
HttpRequest request = new HttpRequest();
request.setEndpoint(WAREHOUSE_URL);
request.setMethod('GET');
HttpResponse response = http.send(request);
List<Product2> warehouseEq = new List<Product2>();
if (response.getStatusCode() == 200){
     List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
     System.debug(response.getBody());
```

```
//class maps the following fields: replacement part (always true), cost, current
inventory, lifespan, maintenance cycle, and warehouse SKU
     //warehouse SKU will be external ID for identifying which equipment records to
update within Salesforce
    for (Object eq : jsonResponse){
       Map<String,Object> mapJson = (Map<String,Object>)eq;
Product2 myEq = new Product2();
myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
myEq.Name = (String) mapJson.get('name');
myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
myEq.Cost__c = (Integer) mapJson.get('cost');
myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
       myEq.ProductCode = (String) mapJson.get('_id');
warehouseEq.add(myEq);
}
if (warehouseEq.size() > 0){
       upsert warehouseEq;
       System.debug('Your equipment was synced with the warehouse one');
}
}
}
public static void execute (QueueableContext context){
runWarehouseEquipmentSync();
}
}
WarehouseSyncShedule.apxc:-
global with sharing class WarehouseSyncSchedule implements Schedulable{
 global void execute(SchedulableContext ctx){
System.engueueJob(new WarehouseCalloutService());
}
```

```
}
MaintenanceRequestHelperTest.apxc:-
@istest
public with sharing class MaintenanceRequestHelperTest {
private static final string STATUS NEW = 'New';
 private static final string WORKING = 'Working';
  private static final string CLOSED = 'Closed';
 private static final string REPAIR = 'Repair';
  private static final string REQUEST ORIGIN = 'Web';
 private static final string REQUEST_TYPE = 'Routine Maintenance';
  private static final string REQUEST_SUBJECT = 'Testing subject';
PRIVATE STATIC Vehicle_c createVehicle(){
Vehicle c Vehicle = new Vehicle C(name = 'SuperTruck');
return Vehicle:
}
PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name = 'SuperEquipment',
                   lifespan months C = 10,
                   maintenance_cycle__C = 10,
                   replacement_part__c = true);
return equipment;
}
PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
   case cs = new case(Type=REPAIR,
            Status=STATUS_NEW,
            Origin=REQUEST ORIGIN,
            Subject=REQUEST_SUBJECT,
            Equipment__c=equipmentId,
```

Vehicle c=vehicleId);

return cs:

}

```
PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id
requestId){
   Equipment Maintenance Item c wp = new
Equipment Maintenance Item c(Equipment c = equipmentId,
                                 Maintenance_Request__c = requestId);
return wp;
}
@istest
private static void testMaintenanceRequestPositive(){
Vehicle__c vehicle = createVehicle();
insert vehicle;
id vehicleId = vehicle.Id;
Product2 equipment = createEq();
insert equipment;
id equipmentId = equipment.Id;
case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
insert somethingToUpdate;
Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
insert workP;
test.startTest();
somethingToUpdate.status = CLOSED;
update somethingToUpdate;
test.stopTest();
Case newReq = [Select id, subject, type, Equipment_c, Date_Reported_c,
Vehicle__c, Date_Due__c
from case
         where status =: STATUS_NEW];
   Equipment_Maintenance_Item__c workPart = [select id
                     from Equipment_Maintenance_Item__c
                     where Maintenance_Request__c =:newReq.Id];
```

```
system.assert(workPart != null);
system.assert(newReq.Subject != null);
system.assertEquals(newReq.Type, REQUEST_TYPE);
SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
SYSTEM.assertEquals(newReq.Vehicle_c, vehicleId);
SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
}
@istest
private static void testMaintenanceRequestNegative(){
Vehicle__C vehicle = createVehicle();
insert vehicle;
id vehicleId = vehicle.Id;
product2 equipment = createEq();
insert equipment;
id equipmentId = equipment.Id;
case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
insert emptyReg;
Equipment Maintenance Item c workP = createWorkPart(equipmentId,
emptyReq.Id);
insert workP;
test.startTest();
emptyReq.Status = WORKING;
update emptyReq;
test.stopTest();
list<case> allRequest = [select id
              from case];
   Equipment_Maintenance_Item__c workPart = [select id
                      from Equipment_Maintenance_Item__c
                      where Maintenance_Request__c = :emptyReq.Id];
system.assert(workPart != null);
```

```
system.assert(allRequest.size() == 1);
}
@istest
private static void testMaintenanceRequestBulk(){
  list<Vehicle__C> vehicleList = new list<Vehicle__C>();
list<Product2> equipmentList = new list<Product2>();
list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment Maintenance Item c>();
  list<case> requestList = new list<case>();
list<id> oldRequestIds = new list<id>();
for(integer i = 0; i < 300; i++){
vehicleList.add(createVehicle());
     equipmentList.add(createEq());
}
insert vehicleList;
insert equipmentList;
for(integer i = 0; i < 300; i++){
     requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
insert requestList;
for(integer i = 0; i < 300; i++){
     workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
insert workPartList;
test.startTest();
for(case req : requestList){
req.Status = CLOSED;
oldRequestIds.add(req.Id);
update requestList;
test.stopTest();
list<case> allRequests = [select id
```

```
from case
                where status =: STATUS_NEW];
list<Equipment_Maintenance_Item__c> workParts = [select id
                           from Equipment_Maintenance_Item__c
                           where Maintenance_Request__c in: oldRequestIds];
system.assert(allRequests.size() == 300);
}
}
MaintenanceRequestHelper.apxc:-
public with sharing class MaintenanceRequestHelper {
  public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
   Set<Id> validIds = new Set<Id>();
   For (Case c : updWorkOrders){
     if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
       if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
         validIds.add(c.Id):
       }
     }
   }
   if (!validIds.isEmpty()){
     List<Case> newCases = new List<Case>();
     Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment_c, Equipment_r.Maintenance_Cycle_c,(SELECT
Id,Equipment_c,Quantity_c FROM Equipment_Maintenance_Items_r)
                          FROM Case WHERE Id IN: validIds]);
```

```
Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
     AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment_r.Maintenance_Cycle_c)cycle FROM Equipment_Maintenance_Item__c
WHERE Maintenance Request c IN: ValidIds GROUP BY Maintenance Request c];
   for (AggregateResult ar : results){
     maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
   }
     for(Case cc : closedCasesM.values()){
       Case nc = new Case (
         ParentId = cc.Id.
       Status = 'New',
         Subject = 'Routine Maintenance',
         Type = 'Routine Maintenance',
         Vehicle c = cc.Vehicle c,
         Equipment__c = cc.Equipment__c,
         Origin = 'Web',
         Date_Reported__c = Date.Today()
       );
       If (maintenanceCycles.containskey(cc.Id)){
         nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
       }
       newCases.add(nc);
     }
     insert newCases:
     List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment Maintenance Item c>();
     for (Case nc : newCases){
       for (Equipment_Maintenance_Item__c wp:
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
         Equipment_Maintenance_Item__c wpClone = wp.clone();
         wpClone.Maintenance_Request__c = nc.Id;
```

```
ClonedWPs.add(wpClone);
       }
     }
     insert ClonedWPs;
   }
 }
MaintenanceRequest.apxt:-
trigger MaintenanceRequest on Case (before update, after update) {
if(Trigger.isUpdate && Trigger.isAfter){
MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
}
}
WarehouseCalloutService.apxc:-
public with sharing class WarehouseCalloutService {
  private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
  //@future(callout=true)
  public static void runWarehouseEquipmentSync(){
   Http http = new Http();
   HttpRequest request = new HttpRequest();
   request.setEndpoint(WAREHOUSE_URL);
   request.setMethod('GET');
   HttpResponse response = http.send(request);
   List<Product2> warehouseEq = new List<Product2>();
```

```
if (response.getStatusCode() == 200){
     List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
     System.debug(response.getBody());
     for (Object eq: jsonResponse){
       Map<String,Object> mapJson = (Map<String,Object>)eq;
       Product2 myEq = new Product2();
       myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
       myEq.Name = (String) mapJson.get('name');
       myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
       myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
       myEq.Cost_c = (Decimal) mapJson.get('lifespan');
       myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
       myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
       warehouseEq.add(myEq);
     }
     if (warehouseEq.size() > 0){
       upsert warehouseEq;
       System.debug('Your equipment was synced with the warehouse one');
       System.debug(warehouseEq);
```

HomeAPEX SPECIALIST SUPERBADGE - CHALLENGEAPEX SPECIALIST SUPERBADGE-SOLUTIONS -CHALLENGE 5

APEX SPECIALIST SUPERBADGE-SOLUTIONS - CHALLENGE 5

APEX SPECIALIST SUPERBADGE-SOLUTIONS -CHALLENGE 5-Test callout logic

Build tests for your callout using the included class for the callout mock (WarehouseCalloutServiceMock) and callout test class (WarehouseCalloutServiceTest) in the package. You must have 100% test coverage to pass this challenge and assert values to prove that your logic is working as expected.

Solution:

• Go to the developer console use below code,

WarehouseCalloutService.apxc:-

```
public with sharing class WarehouseCalloutService {
    private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';

//@future(callout=true)
public static void runWarehouseEquipmentSync(){

Http http = new Http();
HttpRequest request = new HttpRequest();

request.setEndpoint(WAREHOUSE_URL);
request.setMethod('GET');
HttpResponse response = http.send(request);
```

```
List<Product2> warehouseEq = new List<Product2>();
   if (response.getStatusCode() == 200){
     List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
     System.debug(response.getBody());
     for (Object eq : jsonResponse){
       Map<String,Object> mapJson = (Map<String,Object>)eq;
       Product2 myEq = new Product2();
       myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
       myEq.Name = (String) mapJson.get('name');
       myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
       myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
       myEq.Cost__c = (Decimal) mapJson.get('lifespan');
       myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
       myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
       warehouseEq.add(myEq);
     }
     if (warehouseEq.size() > 0)
       upsert warehouseEq;
       System.debug('Your equipment was synced with the warehouse one');
       System.debug(warehouseEq);
     }
   }
 }
}
```

```
WarehouseCalloutServiceTest.apxc:-
```

```
@isTest
private class WarehouseCalloutServiceTest {
    @isTest
    static void testWareHouseCallout() {
        Test.startTest();
        // implement mock callout test here
        Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
        WarehouseCalloutService.runWarehouseEquipmentSync();
        Test.stopTest();
        System.assertEquals(1, [SELECT count() FROM Product2]);
    }
}
```

WarehouseCalloutServiceMock.apxc:-

```
@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    // implement http mock callout
    global static HttpResponse respond(HttpRequest request) {
        System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
        request.getEndpoint());
        System.assertEquals('GET', request.getMethod());

        // Create a fake response
        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');
```

```
response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5
,"name":"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}]');
    response.setStatusCode(200);
    return response;
}
```

WarehouseSyncSchedule.apxc:-

```
global class WarehouseSyncSchedule implements Schedulable {
    global void execute(SchedulableContext ctx) {
        WarehouseCalloutService.runWarehouseEquipmentSync();
    }
}
```

WarehouseSyncScheduleTest.apxc:-

```
@isTest
public class WarehouseSyncScheduleTest {

@isTest static void WarehousescheduleTest() {
    String scheduleTime = '00 00 01 * * ?';
    Test.startTest();
    Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
    String jobID=System.schedule('Warehouse Time To Schedule to Test', scheduleTime,
    new WarehouseSyncSchedule());
    Test.stopTest();
    //Contains schedule information for a scheduled job. CronTrigger is similar to a cron
    job on UNIX systems.
    // This object is available in API version 17.0 and later.
    CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
```

```
System.assertEquals(jobID, a.Id, 'Schedule ');
}
}
```