# **APEX TRIGGERS**

### AccountAddressTrigger:

```
trigger AccountAddressTrigger on Account (before insert, before update) {
    for(Account account:Trigger.New){
        if(account.Match_Billing_Address__c == True){
            account.ShippingPostalCode = account.BillingPostalCode;
        }
    }
ClosedOpportunityTrigger:
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {
    List<Task> tasklist = new List<Task>();
    for(Opportunity opp: Trigger.New){
        if(opp.StageName == 'Closed Won'){
            tasklist.add(new Task(Subject = 'Follow Up Test Task', WhatId = opp.Id));
        }
    if(tasklist.size()>0){
        insert tasklist;
    }
}
```

# **APEX TESTING**

# **VerifyDate:**

```
public class VerifyDate {
  //method to handle potential checks against two dates
  public static Date CheckDates(Date date1, Date date2) {
     //if date2 is within the next 30 days of date1, use date2. Otherwise use the end of the
  month
    if(DateWithin30Days(date1,date2)) {
        return date2;
    }
}
```

```
} else {
   return SetEndOfMonthDate(date1);
  }
 }
 //method to check if date2 is within the next 30 days of date1
 private static Boolean DateWithin30Days(Date date1, Date date2) {
  //check for date2 being in the past
     if( date2 < date1) { return false; }
     //check that date2 is within (>=) 30 days of date1
     Date date30Days = date1.addDays(30); //create a date 30 days away from date1
  if( date2 >= date30Days ) { return false; }
  else { return true; }
 }
 //method to return the end of the month of a given date
 private static Date SetEndOfMonthDate(Date date1) {
  Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
  Date lastDay = Date.newInstance(date1.year(), date1.month(), totalDays);
  return lastDay;
 }
TestVerifyDate:
@isTest
public class TestVerifyDate
  static testMethod void testMethod1()
    Date d = VerifyDate.CheckDates(System.today(),System.today()+1);
    Date d1 = VerifyDate.CheckDates(System.today(),System.today()+60);
  }
RestrictContactByName:
trigger RestrictContactByName on Contact (before insert, before update) {
      //check contacts prior to insert or update for invalid data
```

## **TestRestrictContactByName:**

```
@isTest
public class TestRestrictContactByName {
  @isTest static void testInvalidName() {
    //try inserting a Contact with INVALIDNAME
    Contact myConact = new Contact(LastName='INVALIDNAME');
    insert myConact;
    // Perform test
    Test.startTest();
    Database.SaveResult result = Database.insert(myConact, false);
    Test.stopTest();
    // Verify
    // In this case the creation should have been stopped by the trigger,
    // so verify that we got back an error.
    System.assert(!result.isSuccess());
    System.assert(result.getErrors().size() > 0);
    System.assertEquals('Cannot create contact with invalid last name.',
                result.getErrors()[0].getMessage());
```

# RandomContactFactory:

```
public class RandomContactFactory {
  public static List<contact> generateRandomContacts(Integer n, string m) {
    List<Contact> con = new List<contact>();
    for(Integer i=1; i<n+1; i++) {</pre>
```

```
Contact c = new Contact(Firstname='test'+i,Lastname=m);
    con.add(c);
}
return con;
}
```

# **Asynchronous Apex**

#### **AccountProcessor:**

```
public class AccountProcessor{
    @future
    public static void countContacts(List<Id> accountIds){
        List<Account> accountsToUpdate = new List<Account>();
        List<Account> accounts = [Select Id, Name, (Select Id from Contacts) from Account
Where Id in :accountIds];
    For(Account acc:accounts){
        List<Contact> contactList = acc.Contacts;
        acc.Number_Of_Contacts__c = contactList.size();
        accountsToUpdate.add(acc);
    }
    update accountsToUpdate;
}
```

#### AccountProcessorTest:

```
@IsTest
private class AccountProcessorTest {
    @IsTest
    private static void testCountContacts(){
        Account newAccount = new Account(Name='Test Account');
        insert newAccount;
        Contact newContact1 = new Contact (FirstName='John',LastName='Doe',AccountId = newAccount.Id);
        insert newContact1;
```

```
Contact newContact2 = new Contact (FirstName='Jane',LastName='Doe',AccountId =
newAccount.Id);
   insert newContact2;
   List<Id> accountIds = new List<Id>();
   accountIds.add(newAccount.Id);
   Test.startTest();
   AccountProcessor.countContacts(accountIds);
   Test.stopTest();
}
```

#### LeadProcessor:

```
global class LeadProcessor implements Database.Batchable<sObject> {
  global Integer count = 0;
  global Database.QueryLocator start(Database.BatchableContext bc){
    return Database.getQueryLocator('SELECT ID, LeadSource FROM Lead');
  }
  global void execute (Database.BatchableContext bc, List<Lead> L_list){
    List<lead> L_list_new = new List<lead>();
    for(lead L:L_list){
      L.leadsource = 'Dreamforce';
      L_list_new.add(L);
      count += 1;
    update L_list_new;
  }
  global void finish(Database.BatchableContext bc){
    system.debug('count = ' + count);
 }
```

#### LeadProcessorTest:

```
@isTest
public class LeadProcessorTest {
    @isTest
    public static void testit(){
        List<lead> L_list = new List<lead>();
```

```
for(Integer i=0; i<200; i++){
      Lead L = new lead();
      L.LastName = 'name' + i;
      L.Company = 'Company';
      L.Status = 'Random Status';
      L_list.add(L);
    insert L_list;
    Test.startTest();
    LeadProcessor Ip = new LeadProcessor();
    Id batchId = Database.executeBatch(lp);
    Test.stopTest();
AddPrimaryContact:
public class AddPrimaryContact implements Queueable {
  private Contact con;
  private String state;
  public AddPrimaryContact(Contact con, String state){
    this.con = con;
    this.state = state;
  }
  public void execute(QueueableContext context){
    List<Account> accounts = [Select Id, Name, (Select FirstName, LastName, Id from
contacts)
                 from Account where BillingState = :state Limit 200];
    List<Contact> primaryContacts = new List<Contact>();
    for (Account acc:accounts){
      Contact c = con.clone();
      c.AccountId = acc.Id;
      primaryContacts.add(c);
    if(primaryContacts.size() > 0){
      insert primaryContacts;
    }
  }
```

}

# AddPrimaryContactTest:

```
@isTest
public class AddPrimaryContactTest {
  static testmethod void testQueueable(){
    List<Account> testAccounts = new List<Account>();
    for(Integer i=0;i<50;i++){
      testAccounts.add(new Account(Name='Account ' +i,BillingState='CA'));
    for(Integer j=0;j<50;j++){
      testAccounts.add(new Account(Name='Account '+j,BillingState='NY'));
    insert testAccounts;
    Contact testContact = new Contact(FirstName = 'John', LastName = 'Doe');
    insert testContact;
    AddPrimaryContact addit = new addPrimaryContact(testContact, 'CA');
    Test.startTest();
    system.enqueueJob(addit);
    Test.stopTest();
    System.assertEquals(50,[Select count() from Contact where accounted in (Select Id
from Account where BillingState='CA')]);
```

# DailyLeadProcessor:

## DailyLeadProcessorTest:

# **APEX INTEGRATION**

#### **AnimalLocator:**

```
public class AnimalLocator{
   public static String getAnimalNameById(Integer x){
     Http http = new Http();
     HttpRequest req = new HttpRequest();
     req.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/' + x);
     req.setMethod('GET');
     Map<String, Object> animal= new Map<String, Object>();
     HttpResponse res = http.send(req);
     if (res.getStatusCode() == 200) {
        Map<String, Object> results = (Map<String,
        Object>)JSON.deserializeUntyped(res.getBody());
     animal = (Map<String, Object>) results.get('animal');
     }
return (String)animal.get('name');
```

```
}
}
```

#### **AnimalLocatorTest:**

```
@isTest
private class AnimalLocatorTest{
    @isTest static void AnimalLocatorMock1() {
        Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());
        string result = AnimalLocator.getAnimalNameById(3);
        String expectedResult = 'chicken';
        System.assertEquals(result,expectedResult );
    }
}
```

#### **AnimalLocatorMock:**

```
@isTest
global class AnimalLocatorMock implements HttpCalloutMock {
    // Implement this interface method
    global HTTPResponse respond(HTTPRequest request) {
        // Create a fake response
        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');
        response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear",
        "chicken", "mighty moose"]}');
        response.setStatusCode(200);
        return response;
    }
}
```

#### ParkLocator:

```
public class ParkLocator {
   public static string[] country(string theCountry) {
      ParkService.ParksImplPort parkSvc = new ParkService.ParksImplPort(); // remove space
      return parkSvc.byCountry(theCountry);
```

```
ParkLocatorTest:
@isTest
private class ParkLocatorTest {
  @isTest static void testCallout() {
    Test.setMock(WebServiceMock.class, new ParkServiceMock ());
    String country = 'United States';
    List<String> result = ParkLocator.country(country);
    List<String> parks = new List<String>{'Yellowstone', 'Mackinac National Park',
'Yosemite'};
    System.assertEquals(parks, result);
AccountManager:
@RestResource(urlMapping = '/Accounts/*/contacts')
global with sharing class AccountManager {
  @HttpGet
  global static Account getAccount(){
    RestRequest request = RestContext.request;
    string accountId = request.requestURI.substringBetween('Accounts/','/contacts');
    Account result = [SELECT Id, Name, (Select Id, Name from Contacts) from Account
where Id=:accountId Limit 1];
    return result:
 }
AccountManagerTest:
@IsTest
private class AccountManagerTest {
  @isTest static void testGetContactsByAccountId(){
    Id recordId = createTestRecord();
    RestRequest request = new RestRequest();
```

```
request.requestUri =
'https://yourInstance.my.salesforce.com/services/apexrest/Accounts/'
         + recordId+'/contacts';
    request.httpMethod = 'GET';
    RestContext.request = request;
    Account this Account = Account Manager.get Account();
    System.assert(thisAccount != null);
    System.assertEquals('Test record', thisAccount.Name);
  static Id createTestRecord(){
    Account accountTest = new Account(
     Name ='Test record');
    insert accountTest;
    Contact contactTest = new Contact(
     FirstName='John'.
     LastName = 'Doe',
     AccountId = accountTest.Id
    );
    insert contactTest;
    return accountTest.Id;
```

# **APEX SPECIALIST**

#### **CreateDefaultData:**

```
public with sharing class CreateDefaultData{
   Static Final String TYPE_ROUTINE_MAINTENANCE = 'Routine Maintenance';
   //gets value from custom metadata How_We_Roll_Settings__mdt to know if Default
data was created
   @AuraEnabled
   public static Boolean isDataCreated() {
        How_We_Roll_Settings_c customSetting =
How_We_Roll_Settings_c.getOrgDefaults();
        return customSetting.ls_Data_Created__c;
```

```
}
  //creates Default Data for How We Roll application
  @AuraEnabled
  public static void createDefaultData(){
    List<Vehicle_c> vehicles = createVehicles();
    List<Product2> equipment = createEquipment();
    List<Case> maintenanceRequest = createMaintenanceRequest(vehicles);
    List<Equipment_Maintenance_Item__c> joinRecords =
createJoinRecords(equipment, maintenanceRequest);
    updateCustomSetting(true);
  }
  public static void updateCustomSetting(Boolean isDataCreated){
    How_We_Roll_Settings_c customSetting =
How_We_Roll_Settings_c.getOrgDefaults();
    customSetting.ls_Data_Created__c = isDataCreated;
    upsert customSetting;
 }
  public static List<Vehicle__c> createVehicles(){
    List<Vehicle_c> vehicles = new List<Vehicle_c>();
    vehicles.add(new Vehicle_c(Name = 'Toy Hauler RV', Air_Conditionerc = true,
Bathroomsc = 1, Bedroomsc = 1, Model_c = 'Toy Hauler RV'));
    vehicles.add(new Vehicle_c(Name = 'Travel Trailer RV', Air_Conditionerc = true,
Bathroomsc = 2, Bedroomsc = 2, Model_c = 'Travel Trailer RV'));
    vehicles.add(new Vehicle_c(Name = 'Teardrop Camper', Air_Conditionerc = true,
Bathroomsc = 1, Bedroomsc = 1, Model_c = 'Teardrop Camper'));
    vehicles.add(new Vehicle_c(Name = 'Pop-Up Camper', Air_Conditionerc = true,
Bathroomsc = 1, Bedroomsc = 1, Model_c = 'Pop-Up Camper'));
    insert vehicles:
    return vehicles:
 }
  public static List<Product2> createEquipment(){
    List<Product2> equipments = new List<Product2>();
    equipments.add(new Product2(Warehouse_SKU_c =
```

```
'55d66226726b611100aaf741',name = 'Generator 1000 kW', Replacement_Partc =
true,Costc = 100,Maintenance_Cycle_c = 100));
    equipments.add(new Product2(name = 'Fuse 20B',Replacement_Part_c = true,Costc
= 1000, Maintenance_Cycle_c = 30 ));
    equipments.add(new Product2(name = 'Breaker 13C',Replacement_Part_c =
true,Costc = 100 , Maintenance_Cycle_c = 15));
    equipments.add(new Product2(name = 'UPS 20 VA',Replacement_Part_c =
true,Costc = 200 , Maintenance_Cycle_c = 60));
    insert equipments;
    return equipments;
 }
  public static List<Case> createMaintenanceRequest(List<Vehicle_c> vehicles){
    List<Case> maintenanceRequests = new List<Case>();
    maintenanceRequests.add(new Case(Vehicle_c = vehicles.get(1).ld, Type =
TYPE_ROUTINE_MAINTENANCE, Date_Reported_c = Date.today()));
    maintenanceRequests.add(new Case(Vehicle_c = vehicles.get(2).ld, Type =
TYPE_ROUTINE_MAINTENANCE, Date_Reported_c = Date.today()));
    insert maintenanceRequests;
    return maintenanceRequests;
 }
  public static List<Equipment_Maintenance_Item__c>
createJoinRecords(List<Product2> equipment, List<Case> maintenanceRequest){
    List<Equipment_Maintenance_Item_c> joinRecords = new
List<Equipment_Maintenance_Item_c>();
    joinRecords.add(new Equipment_Maintenance_Item_c(Equipmentc =
equipment.get(0).ld, Maintenance_Request_c = maintenanceRequest.get(0).ld));
    joinRecords.add(new Equipment_Maintenance_Item_c(Equipmentc =
equipment.get(1).ld, Maintenance_Request_c = maintenanceRequest.get(0).ld));
    joinRecords.add(new Equipment_Maintenance_Item_c(Equipmentc =
equipment.get(2).ld, Maintenance_Request_c = maintenanceRequest.get(0).ld));
    joinRecords.add(new Equipment_Maintenance_Item_c(Equipmentc =
equipment.get(0).ld, Maintenance_Request_c = maintenanceRequest.get(1).ld));
    joinRecords.add(new Equipment_Maintenance_Item_c(Equipmentc =
equipment.get(1).ld, Maintenance_Request_c = maintenanceRequest.get(1).ld));
    joinRecords.add(new Equipment_Maintenance_Item_c(Equipmentc =
```

```
equipment.get(2).Id, Maintenance_Request_c = maintenanceRequest.get(1).Id));
  insert joinRecords;
  return joinRecords;
}
```

#### CreateDefaultDataTest:

```
@isTest
private class CreateDefaultDataTest {
    @isTest
    static void createData_test(){
        Test.startTest();
        CreateDefaultData.createDefaultData();
        List<Vehicle_c> vehicles = [SELECT Id FROM Vehicle_c];
        List<Product2> equipment = [SELECT Id FROM Product2];
        List<Case> maintenanceRequest = [SELECT Id FROM Case];
        List<Equipment_Maintenance_Item_c> joinRecords = [SELECT Id FROM Equipment_Maintenance_Item_c];
```

System.assertEquals(4, vehicles.size(), 'There should have been 4 vehicles created');

System.assertEquals(4, equipment.size(), 'There should have been 4 equipment created');

System.assertEquals(2, maintenanceRequest.size(), 'There should have been 2 maintenance request created');

System.assertEquals(6, joinRecords.size(), 'There should have been 6 equipment maintenance items created');

```
}
@isTest
static void updateCustomSetting_test(){
    How_We_Roll_Settings_c customSetting =
How_We_Roll_Settings_c.getOrgDefaults();
    customSetting.ls_Data_Created__c = false;
```

```
upsert customSetting;
```

System.assertEquals(false, CreateDefaultData.isDataCreated(), 'The custom setting How\_We\_Roll\_Settings\_c.ls\_Data\_Created\_c should be false');

```
customSetting.ls_Data_Created__c = true;
upsert customSetting;
```

System.assertEquals(true, CreateDefaultData.isDataCreated(), 'The custom setting How\_We\_Roll\_Settings\_c.ls\_Data\_Created\_c should be true');

}

# MaintenanceRequest:

```
trigger MaintenanceRequest on Case (before update, after update) {
   if(Trigger.isUpdate && Trigger.isAfter){
      MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
   }
}
```

# MaintenanceRequestHelper:

```
public with sharing class MaintenanceRequestHelper {
   public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
      Set<Id> validIds = new Set<Id>();
      For (Case c : updWorkOrders){
        if (nonUpdCaseMap.get(c.Id).Status!= 'Closed' && c.Status == 'Closed'){
            if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                validIds.add(c.Id);
            }
        }
        //When an existing maintenance request of type Repair or Routine Maintenance is closed,
        //create a new maintenance request for a future routine checkup.
        if (!validIds.isEmpty()){
```

```
Map<Id,Case> closedCases = new Map<Id,Case>([SELECT Id, Vehicle_c,
Equipmentc, Equipmentr. Maintenance_Cycle_c,
                               (SELECT Id,Equipment_c,Quantityc FROM
Equipment_Maintenance_Items_r)
                               FROM Case WHERE Id IN :validIds]);
      Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      //calculate the maintenance request due dates by using the maintenance cycle
defined on the related equipment records.
      AggregateResult[] results = [SELECT Maintenance_Request__c,
                      MIN(Equipment_r.Maintenance_Cycle_c)cycle
                      FROM Equipment_Maintenance_Item__c
                      WHERE Maintenance_Request_c IN :ValidIds GROUP BY
Maintenance_Request_c];
      for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
      List<Case> newCases = new List<Case>();
      for(Case cc : closedCases.values()){
        Case nc = new Case (
          ParentId = cc.Id,
          Status = 'New'.
          Subject = 'Routine Maintenance',
          Type = 'Routine Maintenance',
          Vehicle_c = cc.Vehicle_c,
          Equipment_c =cc.Equipment_c,
          Origin = 'Web',
          Date_Reported__c = Date.Today()
        );
        //If multiple pieces of equipment are used in the maintenance request,
        //define the due date by applying the shortest maintenance cycle to today's
date.
        //If (maintenanceCycles.containskey(cc.ld)){
          nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.ld));
        //} else {
        // nc.Date_Due_c = Date.today().addDays((Integer)
```

# MaintenanceRequestHelperTest:

```
private static Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cse = new case(Type='Repair',
              Status='New',
               Origin='Web',
               Subject='Testing subject',
               Equipment_c=equipmentId,
               Vehicle_c=vehicleId);
    return cse:
  }
  // createEquipmentMaintenanceItem
  private static Equipment_Maintenance_Item__c createEquipmentMaintenanceItem(id
equipmentId,id requestId){
    Equipment_Maintenance_Item_c equipmentMaintenanceItem = new
Equipment_Maintenance_Item_c(
      Equipment_c = equipmentId,
      Maintenance_Request__c = requestId);
    return equipmentMaintenanceItem;
  }
  @isTest
  private static void testPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle:
    id vehicleId = vehicle.Id;
    Product2 equipment = createEquipment();
    insert equipment;
    id equipmentId = equipment.Id;
    case createdCase = createMaintenanceRequest(vehicleId,equipmentId);
    insert createdCase;
    Equipment_Maintenance_Item__c equipmentMaintenanceItem =
createEquipmentMaintenanceItem(equipmentId,createdCase.id);
    insert equipmentMaintenanceItem;
    test.startTest();
    createdCase.status = 'Closed';
    update createdCase;
    test.stopTest();
    Case newCase = [Select id,
            subject,
```

```
type,
            Equipment__c,
            Date_Reported__c,
            Vehicle__c,
            Date_Due__c
            from case
            where status ='New'];
    Equipment_Maintenance_Item__c workPart = [select id
                          from Equipment_Maintenance_Item__c
                          where Maintenance_Request__c =:newCase.ld];
    list<case> allCase = [select id from case];
    system.assert(allCase.size() == 2);
    system.assert(newCase != null);
    system.assert(newCase.Subject != null);
    system.assertEquals(newCase.Type, 'Routine Maintenance');
    SYSTEM.assertEquals(newCase.Equipment_c, equipmentId);
    SYSTEM.assertEquals(newCase.Vehicle_c, vehicleId);
    SYSTEM.assertEquals(newCase.Date_Reported__c, system.today());
  }
  @isTest
  private static void testNegative(){
    Vehicle__C vehicle = createVehicle();
    insert vehicle:
    id vehicleId = vehicle.Id;
    product2 equipment = createEquipment();
    insert equipment;
    id equipmentId = equipment.Id;
    case createdCase = createMaintenanceRequest(vehicleId,equipmentId);
    insert createdCase:
    Equipment_Maintenance_Item__c workP =
createEquipmentMaintenanceItem(equipmentId, createdCase.Id);
    insert workP;
    test.startTest();
    createdCase.Status = 'Working';
    update createdCase;
    test.stopTest();
    list<case> allCase = [select id from case];
```

```
Equipment_Maintenance_Item__c equipmentMaintenanceItem = [select id
                           from Equipment_Maintenance_Item__c
                           where Maintenance_Request__c = :createdCase.ld];
    system.assert(equipmentMaintenanceItem != null);
    system.assert(allCase.size() == 1);
  }
  @isTest
  private static void testBulk(){
    list<Vehicle_C> vehicleList = new list<Vehicle_C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment_Maintenance_Item_c> equipmentMaintenanceItemList = new
list<Equipment_Maintenance_Item_c>();
    list<case> caseList = new list<case>();
    list<id> oldCaseIds = new list<id>();
    for(integer i = 0; i < 300; i++){
      vehicleList.add(createVehicle());
      equipmentList.add(createEquipment());
    insert vehicleList;
    insert equipmentList;
    for(integer i = 0; i < 300; i++){
      caseList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
    insert caseList;
    for(integer i = 0; i < 300; i++){
equipmentMaintenanceItemList.add(createEquipmentMaintenanceItem(equipmentList.
get(i).id, caseList.get(i).id));
    }
    insert equipmentMaintenanceItemList;
    test.startTest();
    for(case cs : caseList){
      cs.Status = 'Closed';
      oldCaseIds.add(cs.Id);
    update caseList;
```

```
test.stopTest();
    list<case> newCase = [select id
                  from case
                  where status ='New'];
    list<Equipment_Maintenance_Item__c> workParts = [select id
                               from Equipment_Maintenance_Item__c
                               where Maintenance_Request__c in: oldCaseIds];
    system.assert(newCase.size() == 300);
    list<case> allCase = [select id from case];
    system.assert(allCase.size() == 600);
}
```

#### WarehouseCalloutService:

```
public with sharing class WarehouseCalloutService implements Queueable {
  private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
```

//Write a class that makes a REST callout to an external warehouse system to get a list of equipment that needs to be updated.

//The callout's JSON response returns the equipment records that you upsert in Salesforce.

```
@future(callout=true)
  public static void runWarehouseEquipmentSync(){
    System.debug('go into runWarehouseEquipmentSync');
    Http http = new Http();
    HttpRequest request = new HttpRequest();
    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> product2List = new List<Product2>();
    System.debug(response.getStatusCode());
    if (response.getStatusCode() == 200){
      List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
      System.debug(response.getBody());
      //class maps the following fields:
```

```
//warehouse SKU will be external ID for identifying which equipment records to
update within Salesforce
      for (Object jR : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)jR;
        Product2 product2 = new Product2();
        //replacement part (always true),
        product2.Replacement_Part__c = (Boolean) mapJson.get('replacement');
        //cost
        product2.Cost__c = (Integer) mapJson.get('cost');
        //current inventory
        product2.Current_Inventory__c = (Double) mapJson.get('quantity');
        //lifespan
        product2.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        //maintenance cycle
        product2.Maintenance_Cycle__c = (Integer)
mapJson.get('maintenanceperiod');
        //warehouse SKU
        product2.Warehouse_SKU__c = (String) mapJson.get('sku');
        product2.Name = (String) mapJson.get('name');
        product2.ProductCode = (String) mapJson.get('_id');
        product2List.add(product2);
      }
      if (product2List.size() > 0){
        upsert product2List;
        System.debug('Your equipment was synced with the warehouse one');
      }
    }
  public static void execute (QueueableContext context){
    System.debug('start runWarehouseEquipmentSync');
    runWarehouseEquipmentSync();
    System.debug('end runWarehouseEquipmentSync');
 }
```

#### WarehouseCalloutServiceMock:

@isTest

```
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    // implement http mock callout
    global static HttpResponse respond(HttpRequest request) {
        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');

response.setBody('[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5
,"name":"Generator 1000
    kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"},{"_id":"55d66226
    726b611100aaf742","replacement":true,"quantity":183,"name":"Cooling
Fan","maintenanceperiod":0,"lifespan":0,"cost":300,"sku":"100004"},{"_id":"55d66226726b6
    11100aaf743","replacement":true,"quantity":143,"name":"Fuse
    20A","maintenanceperiod":0,"lifespan":0,"cost":22,"sku":"100005"}]');
        response.setStatusCode(200);
        return response;
    }
}
```

## WarehouseCalloutServiceTest:

```
@IsTest
private class WarehouseCalloutServiceTest {
  // implement your mock callout test here
 @isTest
  static void testWarehouseCallout() {
    test.startTest();
    test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
    WarehouseCalloutService.execute(null);
    test.stopTest();
    List<Product2> product2List = new List<Product2>();
    product2List = [SELECT ProductCode FROM Product2];
    System.assertEquals(3, product2List.size());
    System.assertEquals('55d66226726b611100aaf741',
product2List.get(0).ProductCode);
    System.assertEquals('55d66226726b611100aaf742',
product2List.get(1).ProductCode);
    System.assertEquals('55d66226726b611100aaf743',
product2List.get(2).ProductCode);
```

```
}
}
```

# WarehouseSyncSchedule:

```
global with sharing class WarehouseSyncSchedule implements Schedulable {
    // implement scheduled code here
    global void execute (SchedulableContext ctx){
        System.enqueueJob(new WarehouseCalloutService());
    }
}
```

## WarehouseSyncScheduleTest:

```
@isTest
public with sharing class WarehouseSyncScheduleTest {
    // implement scheduled code here
    //
    @isTest static void test() {
        String scheduleTime = '00 00 00 **? *';
        Test.startTest();
        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
        String jobId = System.schedule('Warehouse Time to Schedule to test',
        scheduleTime, new WarehouseSyncSchedule());
        CronTrigger c = [SELECT State FROM CronTrigger WHERE Id =: jobId];
        System.assertEquals('WAITING', String.valueOf(c.State), 'JobId does not match');
        Test.stopTest();
    }
}
```