

# **Virtual Internship Program- Salesforce Developer Catalyst**

## ✓ **Apex specialist SuperBadge Codes:**

### **1. General Quiz**

### **2. Automate Record Creation:**

#### **Trigger: MaintenanceRequest**

```
trigger MaintenanceRequest on Case (before update, after update) {  
    if(Trigger.isUpdate && Trigger.isAfter){  
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);  
    }  
}
```

#### **Class: MaintenanceRequestHelper**

```
public with sharing class MaintenanceRequestHelper {  
    public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case>  
nonUpdCaseMap) {  
        Set<Id> validIds = new Set<Id>();  
        For (Case c : updWorkOrders){  
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){  
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){  
                    validIds.add(c.Id);  
                }  
            }  
        }  
    }  
}
```

//When an existing maintenance request of type Repair or Routine Maintenance is closed,

//create a new maintenance request for a future routine checkup.

```
if (!validIds.isEmpty()){  
    Map<Id,Case> closedCases = new Map<Id,Case>([SELECT Id, Vehicle__c,  
Equipment__c, Equipment__r.Maintenance_Cycle__c,  
                (SELECT Id,Equipment__c,Quantity__c FROM
```

```

Equipment_Maintenance_Items__r)
                FROM Case WHERE Id IN :validIds]);
    Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();

    //calculate the maintenance request due dates by using the maintenance cycle
    defined on the related equipment records.
    AggregateResult[] results = [SELECT Maintenance_Request__c,
                                MIN(Equipment__r.Maintenance_Cycle__c)cycle
                                FROM Equipment_Maintenance_Item__c
                                WHERE Maintenance_Request__c IN :ValidIds GROUP BY
Maintenance_Request__c];

    for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
    }

    List<Case> newCases = new List<Case>();
    for(Case cc : closedCases.values()){
        Case nc = new Case (
            ParentId = cc.Id,
            Status = 'New',
            Subject = 'Routine Maintenance',
            Type = 'Routine Maintenance',
            Vehicle__c = cc.Vehicle__c,
            Equipment__c =cc.Equipment__c,
            Origin = 'Web',
            Date_Reported__c = Date.Today()
        );

        //If multiple pieces of equipment are used in the maintenance request,
        //define the due date by applying the shortest maintenance cycle to today's
date.
        //If (maintenanceCycles.containsKey(cc.Id)){
            nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.Id));
        //} else {

```

```

        // nc.Date_Due__c = Date.today().addDays((Integer)
cc.Equipment__r.maintenance_Cycle__c);
        //}

        newCases.add(nc);
    }

    insert newCases;

    List<Equipment_Maintenance_Item__c> clonedList = new
List<Equipment_Maintenance_Item__c>();
    for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c clonedListItem :
closedCases.get(nc.ParentId).Equipment_Maintenance_Items__r){
            Equipment_Maintenance_Item__c item = clonedListItem.clone();
            item.Maintenance_Request__c = nc.Id;
            clonedList.add(item);
        }
    }
    insert clonedList;
}
}
}

```

### **Test Class: Maintenance Request Helper Test**

```

@isTest
public with sharing class MaintenanceRequestHelperTest {

    // createVehicle
    private static Vehicle__c createVehicle(){
        Vehicle__c vehicle = new Vehicle__C(name = 'Testing Vehicle');
        return vehicle;
    }

    // createEquipment
    private static Product2 createEquipment(){
        product2 equipment = new product2(name = 'Testing equipment',

```

```

        lifespan_months__c = 10,
        maintenance_cycle__c = 10,
        replacement_part__c = true);
    return equipment;
}

// createMaintenanceRequest
private static Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cse = new case(Type='Repair',
        Status='New',
        Origin='Web',
        Subject='Testing subject',
        Equipment__c=equipmentId,
        Vehicle__c=vehicleId);
    return cse;
}

// createEquipmentMaintenanceItem
private static Equipment_Maintenance_Item__c createEquipmentMaintenanceItem(id
equipmentId,id requestId){
    Equipment_Maintenance_Item__c equipmentMaintenanceItem = new
Equipment_Maintenance_Item__c(
        Equipment__c = equipmentId,
        Maintenance_Request__c = requestId);
    return equipmentMaintenanceItem;
}

@isTest
private static void testPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    Product2 equipment = createEquipment();
    insert equipment;
    id equipmentId = equipment.Id;

```

```
case createdCase = createMaintenanceRequest(vehicleId,equipmentId);
insert createdCase;
```

```
Equipment_Maintenance_Item__c equipmentMaintenanceItem =
createEquipmentMaintenanceItem(equipmentId,createdCase.id);
insert equipmentMaintenanceItem;
```

```
test.startTest();
createdCase.status = 'Closed';
update createdCase;
test.stopTest();
```

```
Case newCase = [Select id,
                    subject,
                    type,
                    Equipment__c,
                    Date_Reported__c,
                    Vehicle__c,
                    Date_Due__c
                from case
                where status ='New'];
```

```
Equipment_Maintenance_Item__c workPart = [select id
                                            from Equipment_Maintenance_Item__c
                                            where Maintenance_Request__c =:newCase.Id];
```

```
list<case> allCase = [select id from case];
system.assert(allCase.size() == 2);
```

```
system.assert(newCase != null);
system.assert(newCase.Subject != null);
system.assertEquals(newCase.Type, 'Routine Maintenance');
SYSTEM.assertEquals(newCase.Equipment__c, equipmentId);
SYSTEM.assertEquals(newCase.Vehicle__c, vehicleId);
SYSTEM.assertEquals(newCase.Date_Reported__c, system.today());
```

```
}
```

```
@isTest
```

```

private static void testNegative(){
    Vehicle__C vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    product2 equipment = createEquipment();
    insert equipment;
    id equipmentId = equipment.Id;

    case createdCase = createMaintenanceRequest(vehicleId,equipmentId);
    insert createdCase;

    Equipment_Maintenance_Item__c workP =
createEquipmentMaintenanceItem(equipmentId, createdCase.Id);
    insert workP;

    test.startTest();
    createdCase.Status = 'Working';
    update createdCase;
    test.stopTest();

    list<case> allCase = [select id from case];

    Equipment_Maintenance_Item__c equipmentMaintenanceItem = [select id
                                                                from Equipment_Maintenance_Item__c
                                                                where Maintenance_Request__c = :createdCase.Id];

    system.assert(equipmentMaintenanceItem != null);
    system.assert(allCase.size() == 1);
}

@isTest
private static void testBulk(){
    list<Vehicle__C> vehicleList = new list<Vehicle__C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment_Maintenance_Item__c> equipmentMaintenanceItemList = new
list<Equipment_Maintenance_Item__c>();

```

```

list<case> caseList = new list<case>();
list<id> oldCaseIds = new list<id>();

for(integer i = 0; i < 300; i++){
    vehicleList.add(createVehicle());
    equipmentList.add(createEquipment());
}
insert vehicleList;
insert equipmentList;

for(integer i = 0; i < 300; i++){
    caseList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
}
insert caseList;

for(integer i = 0; i < 300; i++){

equipmentMaintenanceltemList.add(createEquipmentMaintenanceltem(equipmentList.
get(i).id, caseList.get(i).id));
}
insert equipmentMaintenanceltemList;

test.startTest();
for(case cs : caseList){
    cs.Status = 'Closed';
    oldCaseIds.add(cs.Id);
}
update caseList;
test.stopTest();

list<case> newCase = [select id
                      from case
                      where status ='New'];

```

```

list<Equipment_Maintenance_Item__c> workParts = [select id
                                                from Equipment_Maintenance_Item__c
                                                where Maintenance_Request__c in: oldCaseIds];

system.assert(newCase.size() == 300);

list<case> allCase = [select id from case];
system.assert(allCase.size() == 600);
}
}

```

### 3. Synchronize Salesforce Data with an External System:

#### Class: WearHouseCalloutService

```

public with sharing class WarehouseCalloutService implements Queueable {
    private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';

```

//Write a class that makes a REST callout to an external warehouse system to get a list of equipment that needs to be updated.

//The callout's JSON response returns the equipment records that you upsert in Salesforce.

```

@future(callout=true)
public static void runWarehouseEquipmentSync(){
    System.debug('go into runWarehouseEquipmentSync');
    Http http = new Http();
    HttpRequest request = new HttpRequest();

    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);

    List<Product2> product2List = new List<Product2>();
    System.debug(response.getStatusCode());
    if (response.getStatusCode() == 200){
        List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());

```



```

System.debug(response.getBody());

//class maps the following fields:
//warehouse SKU will be external ID for identifying which equipment records to
update within Salesforce
for (Object jR : jsonResponse){
    Map<String,Object> mapJson = (Map<String,Object>)jR;
    Product2 product2 = new Product2();
    //replacement part (always true),
    product2.Replacement_Part__c = (Boolean) mapJson.get('replacement');
    //cost
    product2.Cost__c = (Integer) mapJson.get('cost');
    //current inventory
    product2.Current_Inventory__c = (Double) mapJson.get('quantity');
    //lifespan
    product2.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
    //maintenance cycle
    product2.Maintenance_Cycle__c = (Integer)
mapJson.get('maintenanceperiod');
    //warehouse SKU
    product2.Warehouse_SKU__c = (String) mapJson.get('sku');

    product2.Name = (String) mapJson.get('name');
    product2.ProductCode = (String) mapJson.get('_id');
    product2List.add(product2);
}

if (product2List.size() > 0){
    upsert product2List;
    System.debug('Your equipment was synced with the warehouse one');
}
}
}

public static void execute (QueueableContext context){
    System.debug('start runWarehouseEquipmentSync');
    runWarehouseEquipmentSync();
}

```

```

        System.debug('end runWarehouseEquipmentSync');
    }

}

```

#### 4. Schedule Synchronization:

##### Class: WarehouseSyncSchedule

```

global with sharing class WarehouseSyncSchedule implements Schedulable {
    // implement scheduled code here
    global void execute (SchedulableContext ctx){
        System.enqueueJob(new WarehouseCalloutService());
    }
}

```

#### 5. Test Automation Logic:

##### Trigger: MaintenanceRequest

```

trigger MaintenanceRequest on Case (before update, after update) {
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}

```

##### Class: MaintenanceRequestHelper

```

public with sharing class MaintenanceRequestHelper {
    public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);
                }
            }
        }
    }
}

```

//When an existing maintenance request of type Repair or Routine Maintenance is closed,

```

//create a new maintenance request for a future routine checkup.
if (!validIds.isEmpty()){
    Map<Id,Case> closedCases = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,
                (SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                FROM Case WHERE Id IN :validIds]);
    Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();

    //calculate the maintenance request due dates by using the maintenance cycle
defined on the related equipment records.
    AggregateResult[] results = [SELECT Maintenance_Request__c,
                MIN(Equipment__r.Maintenance_Cycle__c)cycle
                FROM Equipment_Maintenance_Item__c
                WHERE Maintenance_Request__c IN :ValidIds GROUP BY
Maintenance_Request__c];

    for (AggregateResult ar : results){
        maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
    }

    List<Case> newCases = new List<Case>();
    for(Case cc : closedCases.values()){
        Case nc = new Case (
            ParentId = cc.Id,
            Status = 'New',
            Subject = 'Routine Maintenance',
            Type = 'Routine Maintenance',
            Vehicle__c = cc.Vehicle__c,
            Equipment__c =cc.Equipment__c,
            Origin = 'Web',
            Date_Reported__c = Date.Today()
        );

        //If multiple pieces of equipment are used in the maintenance request,
        //define the due date by applying the shortest maintenance cycle to today's

```

```

date.
        //If (maintenanceCycles.containsKey(cc.Id)){
            nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.Id));
        //} else {
            // nc.Date_Due__c = Date.today().addDays((Integer)
cc.Equipment__r.maintenance_Cycle__c);
        //}

        newCases.add(nc);
    }

    insert newCases;

    List<Equipment_Maintenance_Item__c> clonedList = new
List<Equipment_Maintenance_Item__c>();
    for (Case nc : newCases){
        for (Equipment_Maintenance_Item__c clonedListItem :
closedCases.get(nc.ParentId).Equipment_Maintenance_Items__r){
            Equipment_Maintenance_Item__c item = clonedListItem.clone();
            item.Maintenance_Request__c = nc.Id;
            clonedList.add(item);
        }
    }
    insert clonedList;
}
}
}

```

### **Test Class: MaintenanceRequestHelperTest**

```

@isTest
public with sharing class MaintenanceRequestHelperTest {

```

```

// createVehicle
private static Vehicle__c createVehicle(){
    Vehicle__c vehicle = new Vehicle__C(name = 'Testing Vehicle');
    return vehicle;
}

// createEquipment
private static Product2 createEquipment(){
    product2 equipment = new product2(name = 'Testing equipment',
        lifespan_months__c = 10,
        maintenance_cycle__c = 10,
        replacement_part__c = true);
    return equipment;
}

// createMaintenanceRequest
private static Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cse = new case(Type='Repair',
        Status='New',
        Origin='Web',
        Subject='Testing subject',
        Equipment__c=equipmentId,
        Vehicle__c=vehicleId);
    return cse;
}

// createEquipmentMaintenanceItem
private static Equipment_Maintenance_Item__c createEquipmentMaintenanceItem(id
equipmentId,id requestId){
    Equipment_Maintenance_Item__c equipmentMaintenanceItem = new
Equipment_Maintenance_Item__c(
    Equipment__c = equipmentId,
    Maintenance_Request__c = requestId);
    return equipmentMaintenanceItem;
}

```

@isTest

```

private static void testPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    Product2 equipment = createEquipment();
    insert equipment;
    id equipmentId = equipment.Id;

    case createdCase = createMaintenanceRequest(vehicleId,equipmentId);
    insert createdCase;

    Equipment_Maintenance_Item__c equipmentMaintenanceItem =
createEquipmentMaintenanceItem(equipmentId,createdCase.id);
    insert equipmentMaintenanceItem;

    test.startTest();
    createdCase.status = 'Closed';
    update createdCase;
    test.stopTest();

    Case newCase = [Select id,
                        subject,
                        type,
                        Equipment__c,
                        Date_Reported__c,
                        Vehicle__c,
                        Date_Due__c
                    from case
                    where status ='New'];

    Equipment_Maintenance_Item__c workPart = [select id
                                                from Equipment_Maintenance_Item__c
                                                where Maintenance_Request__c =:newCase.Id];
    list<case> allCase = [select id from case];
    system.assert(allCase.size() == 2);

```

```

system.assert(newCase != null);
system.assert(newCase.Subject != null);
system.assertEquals(newCase.Type, 'Routine Maintenance');
SYSTEM.assertEquals(newCase.Equipment__c, equipmentId);
SYSTEM.assertEquals(newCase.Vehicle__c, vehicleId);
SYSTEM.assertEquals(newCase.Date_Reported__c, system.today());
}

```

@isTest

```
private static void testNegative(){
```

```
    Vehicle__C vehicle = createVehicle();
```

```
    insert vehicle;
```

```
    id vehicleId = vehicle.Id;
```

```
    product2 equipment = createEquipment();
```

```
    insert equipment;
```

```
    id equipmentId = equipment.Id;
```

```
    case createdCase = createMaintenanceRequest(vehicleId,equipmentId);
```

```
    insert createdCase;
```

```
    Equipment_Maintenance_Item__c workP =
```

```
createEquipmentMaintenanceItem(equipmentId, createdCase.Id);
```

```
    insert workP;
```

```
    test.startTest();
```

```
    createdCase.Status = 'Working';
```

```
    update createdCase;
```

```
    test.stopTest();
```

```
    list<case> allCase = [select id from case];
```

```
    Equipment_Maintenance_Item__c equipmentMaintenanceItem = [select id
```

```
                        from Equipment_Maintenance_Item__c
```

```
                        where Maintenance_Request__c = :createdCase.Id];
```

```
    system.assert(equipmentMaintenanceItem != null);
```

```

        system.assert(allCase.size() == 1);
    }

    @isTest
    private static void testBulk(){
        list<Vehicle__C> vehicleList = new list<Vehicle__C>();
        list<Product2> equipmentList = new list<Product2>();
        list<Equipment_Maintenance_Item__c> equipmentMaintenanceltemList = new
list<Equipment_Maintenance_Item__c>();
        list<case> caseList = new list<case>();
        list<id> oldCaseIds = new list<id>();

        for(integer i = 0; i < 300; i++){
            vehicleList.add(createVehicle());
            equipmentList.add(createEquipment());
        }
        insert vehicleList;
        insert equipmentList;

        for(integer i = 0; i < 300; i++){
            caseList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
        }
        insert caseList;

        for(integer i = 0; i < 300; i++){

equipmentMaintenanceltemList.add(createEquipmentMaintenanceltem(equipmentList.
get(i).id, caseList.get(i).id));
        }
        insert equipmentMaintenanceltemList;

        test.startTest();
        for(case cs : caseList){
            cs.Status = 'Closed';
            oldCaseIds.add(cs.Id);
        }
    }

```



```

update caseList;
test.stopTest();

list<case> newCase = [select id
                    from case
                    where status ='New'];

list<Equipment_Maintenance_Item__c> workParts = [select id
                                                from Equipment_Maintenance_Item__c
                                                where Maintenance_Request__c in: oldCaseIds];

system.assert(newCase.size() == 300);

list<case> allCase = [select id from case];
system.assert(allCase.size() == 600);
}
}

```

## 6. Test Callout Logic:

### Class: WarehouseCalloutService

```

public with sharing class WarehouseCalloutService implements Queueable {
    private static final String WAREHOUSE_URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';

```

//Write a class that makes a REST callout to an external warehouse system to get a list of equipment that needs to be updated.

//The callout's JSON response returns the equipment records that you upsert in Salesforce.

```

@future(callout=true)
public static void runWarehouseEquipmentSync(){
    System.debug('go into runWarehouseEquipmentSync');
    Http http = new Http();
    HttpRequest request = new HttpRequest();

```

```

request.setEndpoint(WAREHOUSE_URL);
request.setMethod('GET');
HttpResponse response = http.send(request);

List<Product2> product2List = new List<Product2>();
System.debug(response.getStatusCode());
if (response.getStatusCode() == 200){
    List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
    System.debug(response.getBody());

    //class maps the following fields:
    //warehouse SKU will be external ID for identifying which equipment records to
update within Salesforce
    for (Object jR : jsonResponse){
        Map<String,Object> mapJson = (Map<String,Object>)jR;
        Product2 product2 = new Product2();
        //replacement part (always true),
        product2.Replacement_Part__c = (Boolean) mapJson.get('replacement');
        //cost
        product2.Cost__c = (Integer) mapJson.get('cost');
        //current inventory
        product2.Current_Inventory__c = (Double) mapJson.get('quantity');
        //lifespan
        product2.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        //maintenance cycle
        product2.Maintenance_Cycle__c = (Integer)
mapJson.get('maintenanceperiod');
        //warehouse SKU
        product2.Warehouse_SKU__c = (String) mapJson.get('sku');

        product2.Name = (String) mapJson.get('name');
        product2.ProductCode = (String) mapJson.get('_id');
        product2List.add(product2);
    }

    if (product2List.size() > 0){

```

```

        upsert product2List;
        System.debug('Your equipment was synced with the warehouse one');
    }
}
}

public static void execute (QueueableContext context){
    System.debug('start runWarehouseEquipmentSync');
    runWarehouseEquipmentSync();
    System.debug('end runWarehouseEquipmentSync');
}

}

```

### **Test Class: WarehouseCalloutServiceTest**

```

@Test
private class WarehouseCalloutServiceTest {
    // implement your mock callout test here
    @isTest
    static void testWarehouseCallout() {
        test.startTest();
        test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
        WarehouseCalloutService.execute(null);
        test.stopTest();

        List<Product2> product2List = new List<Product2>();
        product2List = [SELECT ProductCode FROM Product2];

        System.assertEquals(3, product2List.size());
        System.assertEquals('55d66226726b611100aaf741',
product2List.get(0).ProductCode);
        System.assertEquals('55d66226726b611100aaf742',
product2List.get(1).ProductCode);
        System.assertEquals('55d66226726b611100aaf743',
product2List.get(2).ProductCode);
    }
}

```

### **Test Class: WarehouseCalloutServiceMock**

@isTest

global class WarehouseCalloutServiceMock implements HttpCalloutMock {

    // implement http mock callout

    global static HttpResponse respond(HttpRequest request) {

        HttpResponse response = new HttpResponse();

        response.setHeader('Content-Type', 'application/json');

        response.setBody('{"\_id":"55d66226726b611100aaf741","replacement":false,"quantity":5  
,"name":"Generator 1000

kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"},{"\_id":"55d66226  
726b611100aaf742","replacement":true,"quantity":183,"name":"Cooling

Fan","maintenanceperiod":0,"lifespan":0,"cost":300,"sku":"100004"},{"\_id":"55d66226726b6  
11100aaf743","replacement":true,"quantity":143,"name":"Fuse

20A","maintenanceperiod":0,"lifespan":0,"cost":22,"sku":"100005"}]');

        response.setStatusCode(200);

        return response;

    }

}

## **7. Test Scheduling Logic:**

### **Class: WarehouseSyncSchedule**

global with sharing class WarehouseSyncSchedule implements Schedulable {

    // implement scheduled code here

    global void execute (SchedulableContext ctx){

        System.enqueueJob(new WarehouseCalloutService());

    }

}

### **Test Class: WarehouseCalloutServiceMock**

@isTest

global class WarehouseCalloutServiceMock implements HttpCalloutMock {

    // implement http mock callout

    global static HttpResponse respond(HttpRequest request) {

```

        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');

        response.setBody("[{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5
        ,"name":"Generator 1000
        kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"},{"_id":"55d66226
        726b611100aaf742","replacement":true,"quantity":183,"name":"Cooling
        Fan","maintenanceperiod":0,"lifespan":0,"cost":300,"sku":"100004"},{"_id":"55d66226726b6
        11100aaf743","replacement":true,"quantity":143,"name":"Fuse
        20A","maintenanceperiod":0,"lifespan":0,"cost":22,"sku":"100005"}]");
        response.setStatusCode(200);

        return response;
    }
}

```

### **Test Class: WarehouseSyncScheduleTest**

```

@isTest
public with sharing class WarehouseSyncScheduleTest {
    // implement scheduled code here
    //
    @isTest static void test() {
        String scheduleTime = '00 00 00 * * ? *';
        Test.startTest();
        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
        String jobId = System.schedule('Warehouse Time to Schedule to test',
        scheduleTime, new WarehouseSyncSchedule());
        CronTrigger c = [SELECT State FROM CronTrigger WHERE Id =: jobId];
        System.assertEquals('WAITING', String.valueOf(c.State), 'JobId does not match');

        Test.stopTest();
    }
}

```