```
WarehouseCalloutService.apxc
public with sharing class WarehouseCalloutService {
  private static final String WAREHOUSE URL = 'https://th-superbadge-
apex.herokuapp.com/equipment';
  //@future(callout=true)
  public static void runWarehouseEquipmentSync(){
    Http http = new Http();
    HttpRequest request = new HttpRequest();
    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);
    List<Product2> warehouseEq = new List<Product2>();
    if (response.getStatusCode() == 200){
       List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
       System.debug(response.getBody());
       for (Object eq : jsonResponse){
         Map<String,Object> mapJson = (Map<String,Object>)eq;
         Product2 myEq = new Product2();
         myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
         myEq.Name = (String) mapJson.get('name');
         myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
         myEq.Lifespan Months c = (Integer) mapJson.get('lifespan');
         myEq.Cost__c = (Decimal) mapJson.get('lifespan');
         myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
         myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
         warehouseEq.add(myEq);
       }
```

```
if (warehouseEq.size() > 0){
         upsert warehouseEq;
         System.debug('Your equipment was synced with the warehouse one');
         System.debug(warehouseEq);
      }
    }
  }
}
createdefualtdata.apxc
public with sharing class CreateDefaultData{
  Static Final String TYPE_ROUTINE_MAINTENANCE = 'Routine Maintenance';
  //gets value from custom metadata How_We_Roll_Settings__mdt to know if Default data was
created
  @AuraEnabled
  public static Boolean isDataCreated() {
    How_We_Roll_Settings__c customSetting =
How_We_Roll_Settings__c.getOrgDefaults();
    return customSetting.Is_Data_Created__c;
  }
  //creates Default Data for How We Roll application
  @AuraEnabled
  public static void createDefaultData(){
    List<Vehicle__c> vehicles = createVehicles();
    List<Product2> equipment = createEquipment();
    List<Case> maintenanceRequest = createMaintenanceRequest(vehicles);
    List<Equipment_Maintenance_Item__c> joinRecords = createJoinRecords(equipment,
maintenanceRequest);
    updateCustomSetting(true);
  }
  public static void updateCustomSetting(Boolean isDataCreated){
    How_We_Roll_Settings__c customSetting =
```

```
How We Roll Settings c.getOrgDefaults();
    customSetting.Is_Data_Created__c = isDataCreated;
    upsert customSetting;
  }
  public static List<Vehicle__c> createVehicles(){
    List<Vehicle__c> vehicles = new List<Vehicle__c>();
    vehicles.add(new Vehicle__c(Name = 'Toy Hauler RV', Air_Conditioner__c = true,
Bathrooms c = 1, Bedrooms c = 1, Model c = Toy Hauler RV');
    vehicles.add(new Vehicle__c(Name = 'Travel Trailer RV', Air_Conditioner__c = true,
Bathrooms c = 2, Bedrooms c = 2, Model c = Travel Trailer RV');
    vehicles.add(new Vehicle c(Name = 'Teardrop Camper', Air Conditioner c = true,
Bathrooms c = 1, Bedrooms c = 1, Model c = 'Teardrop Camper'));
    vehicles.add(new Vehicle__c(Name = 'Pop-Up Camper', Air_Conditioner__c = true,
Bathrooms__c = 1, Bedrooms__c = 1, Model__c = 'Pop-Up Camper'));
    insert vehicles;
    return vehicles:
  }
  public static List<Product2> createEquipment(){
    List<Product2> equipments = new List<Product2>();
    equipments.add(new Product2(Warehouse SKU c = '55d66226726b611100aaf741',name
= 'Generator 1000 kW', Replacement_Part__c = true,Cost__c = 100 ,Maintenance_Cycle__c =
100));
    equipments.add(new Product2(name = 'Fuse 20B',Replacement Part c = true,Cost c =
1000, Maintenance Cycle c = 30 ));
    equipments.add(new Product2(name = 'Breaker 13C', Replacement Part c = true, Cost c
= 100, Maintenance Cycle c = 15);
    equipments.add(new Product2(name = 'UPS 20 VA',Replacement Part c = true,Cost c =
200 , Maintenance_Cycle__c = 60));
    insert equipments;
    return equipments;
  }
  public static List<Case> createMaintenanceRequest(List<Vehicle__c> vehicles){
    List<Case> maintenanceRequests = new List<Case>();
```

```
maintenanceRequests.add(new Case(Vehicle c = vehicles.get(1).Id, Type =
TYPE ROUTINE MAINTENANCE, Date Reported c = Date.today());
    maintenanceRequests.add(new Case(Vehicle c = vehicles.get(2).Id, Type =
TYPE_ROUTINE_MAINTENANCE, Date_Reported__c = Date.today()));
    insert maintenanceRequests;
    return maintenanceRequests;
  }
  public static List<Equipment Maintenance Item c> createJoinRecords(List<Product2>
equipment, List<Case> maintenanceRequest){
    List<Equipment Maintenance Item c> joinRecords = new
List<Equipment Maintenance Item c>();
    joinRecords.add(new Equipment Maintenance Item c(Equipment c =
equipment.get(0).Id, Maintenance_Request__c = maintenanceRequest.get(0).Id));
    joinRecords.add(new Equipment_Maintenance_Item__c(Equipment__c =
equipment.get(1).Id, Maintenance Request c = maintenanceRequest.get(0).Id));
    joinRecords.add(new Equipment Maintenance Item c(Equipment c =
equipment.get(2).Id, Maintenance Request c = maintenanceRequest.get(0).Id));
    joinRecords.add(new Equipment_Maintenance_Item__c(Equipment__c =
equipment.get(0).Id, Maintenance_Request__c = maintenanceRequest.get(1).Id));
    joinRecords.add(new Equipment_Maintenance_Item__c(Equipment__c =
equipment.get(1).Id, Maintenance_Request__c = maintenanceRequest.get(1).Id));
    joinRecords.add(new Equipment Maintenance Item c(Equipment c =
equipment.get(2).Id, Maintenance Request c = maintenanceRequest.get(1).Id));
    insert joinRecords;
    return joinRecords;
  }
}
createdefualtdatatext.apxc
@isTest
private class CreateDefaultDataTest {
  @isTest
  static void createData_test(){
    Test.startTest();
```

```
CreateDefaultData.createDefaultData();
    List<Vehicle c> vehicles = [SELECT Id FROM Vehicle c];
    List<Product2> equipment = [SELECT Id FROM Product2];
    List<Case> maintenanceRequest = [SELECT Id FROM Case];
    List<Equipment_Maintenance_Item__c> joinRecords = [SELECT Id FROM
Equipment_Maintenance_Item__c];
    System.assertEquals(4, vehicles.size(), 'There should have been 4 vehicles created');
    System.assertEquals(4, equipment.size(), 'There should have been 4 equipment created');
    System.assertEquals(2, maintenanceRequest.size(), 'There should have been 2 maintenance
request created');
    System.assertEquals(6, joinRecords.size(), 'There should have been 6 equipment
maintenance items created');
  }
  @isTest
  static void updateCustomSetting_test(){
    How_We_Roll_Settings__c customSetting =
How We Roll Settings c.getOrgDefaults();
    customSetting.Is_Data_Created__c = false;
    upsert customSetting;
    System.assertEquals(false, CreateDefaultData.isDataCreated(), 'The custom setting
How_We_Roll_Settings__c.Is_Data_Created__c should be false');
    customSetting.Is_Data_Created__c = true;
    upsert customSetting;
    System.assertEquals(true, CreateDefaultData.isDataCreated(), 'The custom setting
How_We_Roll_Settings__c.Is_Data_Created__c should be true');
  }
}
maintenancerequesthelper.apxc
public with sharing class MaintenanceRequestHelper {
```

```
public static void updateworkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
    Set<Id> validIds = new Set<Id>();
    For (Case c : updWorkOrders){
      if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
         if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
           validIds.add(c.Id);
         }
      }
    }
    if (!validIds.isEmpty()){
      List<Case> newCases = new List<Case>();
       Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT Id,Equipment__c,Quantity__c
FROM Equipment_Maintenance_Items__r)
                                FROM Case WHERE Id IN :validIds]);
       Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
      AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment_r.Maintenance_Cycle_c)cycle FROM Equipment_Maintenance_Item_c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY Maintenance_Request__c];
    for (AggregateResult ar : results){
      maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal) ar.get('cycle'));
    }
      for(Case cc : closedCasesM.values()){
         Case nc = new Case (
           ParentId = cc.Id,
         Status = 'New',
           Subject = 'Routine Maintenance',
           Type = 'Routine Maintenance',
           Vehicle c = cc. Vehicle c,
           Equipment__c = cc.Equipment__c,
```

```
Origin = 'Web',
           Date_Reported__c = Date.Today()
         );
         If (maintenanceCycles.containskey(cc.Id)){
           nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
         }
         newCases.add(nc);
      }
      insert newCases;
      List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
      for (Case nc : newCases){
         for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
           Equipment_Maintenance_Item__c wpClone = wp.clone();
           wpClone.Maintenance_Request__c = nc.Id;
           ClonedWPs.add(wpClone);
         }
       }
      insert ClonedWPs;
    }
  }
}
maintenancerequesthelpertext.apxc
@istest
public with sharing class MaintenanceRequestHelperTest {
  private static final string STATUS_NEW = 'New';
  private static final string WORKING = 'Working';
  private static final string CLOSED = 'Closed';
```

```
private static final string REPAIR = 'Repair';
  private static final string REQUEST_ORIGIN = 'Web';
  private static final string REQUEST_TYPE = 'Routine Maintenance';
  private static final string REQUEST_SUBJECT = 'Testing subject';
  PRIVATE STATIC Vehicle__c createVehicle(){
    Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
    return Vehicle;
  }
  PRIVATE STATIC Product2 createEq(){
    product2 equipment = new product2(name = 'SuperEquipment',
                       lifespan_months_C = 10,
                       maintenance\_cycle\_\_C = 10,
                       replacement_part__c = true);
    return equipment;
  }
  PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
    case cs = new case(Type=REPAIR,
              Status=STATUS NEW,
              Origin=REQUEST_ORIGIN,
              Subject=REQUEST_SUBJECT,
              Equipment__c=equipmentId,
              Vehicle__c=vehicleId);
    return cs;
  }
  PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id
requestId){
    Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
                                           Maintenance_Request__c = requestId);
    return wp;
  }
  @istest
```

```
private static void testMaintenanceRequestPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;
    Product2 equipment = createEq();
    insert equipment;
    id equipmentId = equipment.Id;
    case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
    insert emptyReq;
    Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);
    insert workP;
    test.startTest();
    emptyReq.Status = WORKING;
    update emptyReq;
    test.stopTest();
    list<case> allRequest = [select id
                   from case];
    Equipment_Maintenance_Item__c workPart = [select id
                              from Equipment_Maintenance_Item__c
                              where Maintenance_Request__c = :emptyReq.Id];
    system.assert(workPart != null);
    system.assert(allRequest.size() == 1);
  }
  @istest
  private static void testMaintenanceRequestBulk(){
    list<Vehicle__C> vehicleList = new list<Vehicle__C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
    list<case> requestList = new list<case>();
```

```
list<id> oldRequestIds = new list<id>();
    for(integer i = 0; i < 300; i++){
      vehicleList.add(createVehicle());
       equipmentList.add(createEq());
    insert vehicleList;
    insert equipmentList;
    for(integer i = 0; i < 300; i++){
       requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
     }
    insert requestList;
     for(integer i = 0; i < 300; i++){
       workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
     }
     Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId, emptyReq.Id);
    insert workP;
     test.startTest();
     emptyReq.Status = WORKING;
     update emptyReq;
    test.stopTest();
    list<case> allRequest = [select id
                    from case];
     Equipment_Maintenance_Item__c workPart = [select id
                              from Equipment_Maintenance_Item__c
                              where Maintenance_Request__c = :emptyReq.Id];
    system.assert(workPart != null);
    system.assert(allRequest.size() == 1);
  }
  @istest
```

```
private static void testMaintenanceRequestBulk(){
     list<Vehicle__C> vehicleList = new list<Vehicle__C>();
     list<Product2> equipmentList = new list<Product2>();
     list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
     list<case> requestList = new list<case>();
    list<id> oldRequestIds = new list<id>();
     for(integer i = 0; i < 300; i++){
      vehicleList.add(createVehicle());
       equipmentList.add(createEq());
     insert vehicleList;
     insert equipmentList;
     for(integer i = 0; i < 300; i++){
       requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
     }
     insert requestList;
     for(integer i = 0; i < 300; i++){
       workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
     }
```