Smart

Internz

Grocery App Report

1.Introduction

1.1 Overview

This is an android app that helps you to make a list of grocery items along with its price and quantity.

1.2 Purpose

We are humans and we cannot remember everything. We sometimes forget the things that we want to buy. However, with the assistance of this app you can make a list of grocery items you intend to buy so that you don't forget anything and also have a track of your expenditure for budget maintenance.

2.Literature Survey.

2.1 Existing Problem

Users frequently forget items to buy because of which they have to run to shops again and again which is quite a frustrating and tiring situation and if our expenses crosses out budget while shopping that could be a matter of concern.

2.2 Proposed Solution

Smart

Internz

To overcome this problematic situation I built a grocery app which helps you to list down all the item that you need to buy along with its price.

3.<u>Theoretical Analysis</u>

3.1 Block Diagram

3.2 Hardware/Software designing

- Windows 10 OS
- Android Studio

Smart Internz

4. Experimental Investigations

In this project MVVM (Model View ViewModel) was used for architectural patterns, Room for database, Coroutines and RecyclerView to display the list of items.

LiveData: A data holder class that can be observed. Always holds/caches the latest version of data, and notifies its observers when data has changed. LiveData is lifecycle aware. UI components just observe relevant data and don't stop or resume observation. LiveData automatically manages all of this since it's aware of the relevant lifecycle status changes while observing.

ViewModel: Acts as a communication center between the Repository (data) and the UI. The UI no longer needs to worry about the origin of the data. ViewModel instances survive Activity/Fragment recreation.

Repository: A class that you create that is primarily used to manage multiple data sources.

Entity: Annotated class that describes a database table when working with Room.

Room database: Simplifies database work and serves as an access point to the underlying SQLite database (hides SQLiteOpenHelper). The Room database uses the DAO to issue queries to the SQLite database.

SQLite database: On device storage. The Room persistence library creates and maintains this database for you.

DAO: Data access object. A mapping of SQL queries to functions.
When you use a DAO, you call the methods, and Room takes care of the rest.

Smart

Internz

RecyclerView: It is a container and is used to display the collection of data in a large amount of dataset that can be scrolled very effectively by maintaining a limited number of views.

Coroutines: Coroutines are lightweight thread, we use a coroutine to perform an operation on other threads, by this our main thread doesn't block and our app doesn't crash.

5. Flowchart

No

Smart

Internz

6.Result

Smart

Internz

Emulator: 2 API 30

Event Log Layout inspector

Smart
Internz

Emulator: 2 API 30

Event Log Layout inspector

Smart

Internz

Event Log Layout inspector

Smart

Internz

6. Conclusion

This project helped me to clear my concepts on Room Database, Coroutines, MVVM, etc. This project would help me not just as a developer to learn new and interesting things but also as a user we generally forgets items to purchase while shopping. Working on this project made me confident enough to apply my knowledge on android app development and create such an app. I have used Kotlin to build this application.   All the functionality is coded in the classes and interfaces created and the layout is designed using xml.

8. Reference

- Google: https://www.google.com/
- Geeksforgeeks: https://www.geeksforgeeks.org/how-to build-a-grocery-androidapp-using-mvvm-and-room database/
- Android Developer: hÜps://developer.android.com/codelabs/android-room witha-view-kotlin#0
- YouTube: hÜps://www.youtube.com/watch?v=vdcLb_Y71 lc
- SmartInternz: hÜps://smartinternz.com/Student/guided_project_workspac e/54887

9. Appendix

9.1 Source Code

MainActivity.kt

Smart
Internz


```
class MainActivity : AppCompatActivity(),GroceryRVAdapter.GroceryItemCli
    lateinit var itemRV:RecyclerView
    lateinit var addFAB:FloatingActionButton
    lateinit var list: List<GroceryItems>
    lateinit var groceryRVAdapter: GroceryRVAdapter
    lateinit var groceryViewModel: GroceryViewModel
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(sav
```

t11porL arid r Oidx. 11 recycle . Observer

rnport androidx . li fecycle . ViewMode1Provider

import androidx . recyclerview . widget . LinearLayoutManager import

androidx . recyclerview . widget . RecyclerView

import com.google . android . material . float ingactionbutton .

on

FloatingAct

•lass MainActivity : AppCompatActivity ( ) , GroceryRVAdapter . GroceryTtemC1ickTnterface {

    lateinit var itemsRV: RecyclerView

    lateinlt var adclFAB: FloatingActionButton

    lateinlt var list : List

    lateinlt var groceryRVAdapter: GroceryRVAdapter

    lateinit vargroceryViewModal: GroceryViewMode1

override fun   onCreate (savedInstanceState: Bundle?)

        super . onCreate (savedInstanceState)

        setContentView (R. layout . acti vity_main)

        itemsRV = findViewById (R.id. idRVItems)

        addFAB = findViewByTd (R. id. idFABAdd)

        list — ( )

    graceryRVAdapter = GroceryRVAdapter (1 i st, this) itemsRV . layoutManager —

LinearLayoutManager (this) itemsRV. adapter — groceryRVAdapter val groceryRepository
— GroceryRepository
(GroceryDatabase (this)) val factory = GroceryViewMode1Factory (groce ryRepository)
groceryViewMoclal = ViewMode1Provider (this, factory) . get (GroceryViewModeI :
:class . java) groceryvlewmodal . getA11GroceryIterns ( ) . observe (this, Observer {
groceryRVAdapter.1ist — groceryRVAdapter . notifyDataSetChanged ( )

        addFAB . set OnC1ickListener
           openDia10g ( )

Smart

Internz

fun openDiaIog ( ) val dialog
        Dialog (this) dialog .
        setConter,tView (R. layout .
           cancelBtndialog .findViewById<Button> (R. id. idBtnCance1) val
        addBtn — dialog . (R. id. idBtnAdd) val itemEdt — dialog . (R. id. idEdt
        Tternmame) dxalog . (R. ce) val itemQuantityEdt = dialog .
        findViewById<EditText > (R . icl. idEdtItemQuanti ty) cancelBtn .
        setOnC1ickListener { dialog . dismiss ()

        addBtn . setOnC1ickListener val itemName: String = itemEdt. text .
tostring ( ) val itemPrice: String — itemPriceEdt . text . toString ( ) val itemQuantity:
String = itemQuantityEdt . text . toString ( ) val qty: Int = itemQuantity . toInt ( ) v al
pr: Int itemPrice . tornt ( ) i f (itemName . isNotEmpty() S S itemPrice. isNotEmpty()
itemQuantity . isNotEmpty()) val items = GroceryItems (itemName, qty, pr)
groceryViewModa1. insert (items)
        Toast . makeText (applicationCont ext,Item Inserted. .
roast.LENGTH_SHORT) . show ( ) groceryRVAdapter .
        notifyDataSetChanged ( ) dialog .
        dismiss ( )

        Toast . makeText (
          applicationCon
          text,
          " Please Enter all data. . '1 ,
          Toast . LENGTH—SHORT

) . show ( )

dialog . show ()

override fun onltemC1ick (groceryltems: Grocery
Items) groceryV1ewModa1 . delete (groceryltems
) groceryRVAdapter . not ifyDat aSetChanged ( )
Toast . makeText (applicationContext,Item Deleted. .
roast.LENGTH—SHORT) . show ( )

Smart

Internz

activity_main.xml

?xml 8

<Re1ativeLayout xmlns : android= 'l http: / /schemas . android.

com/apk/rets/android" xmlns : app=" / / schemas . android . com/apk/ res—autc

' xmlns: tools= 'l http ://schemas . android. com/tools '

androic_d: layout _'

android: layout _height— "mat

ch_parent ' android : background= @

c•olor tools: context="

.MainActivity 'I >

___

```
lateinit var itemRV:RecyclerView
lateinit var addFAB:FloatingActionButton
lateinit var list: List<GroceryItems>
lateinit var groceryRVAdapter: GroceryRVAdapter
lateinit var groceryViewModel: GroceryViewModel  />
```

<corn. google . android . material . float ingact ionbutt on . Float ingActionButton android:

id— " @+id/ idFABAdcl " android: layout_width— ᵗ' wrap_content '

android : wrap_ccntert android : " t

rue android.• "true '

android: layout_a1ignParentBottorn— '

I t rue " android: layout_margin— " 2

8dp android android: src= " "

/Re1ativeLayout>
<

Smart
Internz

<

.GroceryDaokt

```
import ...

@Dao

interface GroceryDao {
    @Insert(onConflict = OnConflictStrategy.REPLACE)
    suspend fun insert(item: GroceryItems)
    @Delete
    suspend fun delete(item: GroceryItems)
    @Query("SELECT * FROM Grocery_items")
    fun getAllGroceryItems(): LiveData<List<GroceryItems>>
```

Smart
Internz

GroceryItems.kt

```kotlin
import ...

@Entity(tableName = "Grocery_items")
data class GroceryItems (
    @ColumnInfo(name = "itemName")
    var itemName:String,

    @ColumnInfo(name = "itemQuantity")
    var itemQuantity:Double,

    @ColumnInfo(name = "itemPrice")
    var itemPrice:Double,
)
{

    @PrimaryKey(autoGenerate = true)
    var id:Int?=null
}
```

GroceryRepository.kt

```kotlin
package com.divyanshu.groceryapp

class GroceryRepository(private val db:GroceryDatabase) {
 suspend fun insert(items: GroceryItems) =
db.getGroceryDao().insert(items)
 suspend fun delete(items: GroceryItems) =
db.getGroceryDao().delete(items)

fun getAllItems() = db.getGroceryDao().getAllGroceryItems() }
```

Smart

Internz

GroceryDatabase.kt

```kotlin
package com.divyanshu.groceryapp

import ...


@Database(entities = [GroceryItems::class], version = 1)

abstract class GroceryDatabase : RoomDatabase() {

    abstract fun getGroceryDao() : GroceryDao
    companion object {
        @Volatile
        private var instance: GroceryDatabase? = null
        private val LOCK = Any()

        operator fun invoke(context: Context) = instance ?: synchronized(
            instance ?: createDatabase(context).also {
                instance = it
            }
        }


    }


    private fun createDatabase(context: Context) =
        Room.databaseBuilder(
            context.applicationContext,
```

GroceryRVAdapter.kt

Package
 com.example.groceryappsunidhi

 mport android. view . Layout Inflater
import android. view . View
import android. view . ViewGroup
 mpo
         android. widget . ImageView
rt

Smart

Internz

```kotlin
ᵐᵖᵒ ʳᵗ android. widget . TextView
mport androidx . recyclerview . widget .
        RecyclerView
--•lass GroceryRVAdapter
    ( var list:
    val groceryItemC1ickInterface: GroceryItemC1ickInterface
    RecyclerView . Adapter<GroceryRVAdapter . GroceryViewE01der> ( )

    inner class GroceryViewH01der (itemView: View)
RecyclerView . ViewH01der (itemView) (
        val nameTV — itemView . (R. id.iciTVIteml Vame) val  quantityTV — itemView
        . (R. id.idTVQuantity)
        val rateTV = iternView.findViewByTd<TextView> (R.id. idTVRate)
id.  idTVTota1Amt)
        val deleteTV = itemView . (R. id.
                                    idTVDe1ete)
    interface GroceryItemC1ickInterface { fun
        onltemC1ick (grocerylterns : Grocery
        Items)



    override fun onCreateViewH01der (parent: ViewGroup, viewType : Int):
GroceryViewHoIder {
        val view

    Layout Inflater . from (parent . context) . inflate (R. layout . tern, oarent , false) return
        GroceryViewH01der (view)



override fun onBindViewH01der (holder: GroceryViewH01der, position:  Int) holder . nameTV
    . text = list. get (position) . itemName   holder . i tv TV . text l i st . get (position) . i
    temQu:anti t.v  .toStrinq()
```

Smart

Internz

strings.xml

```xml
<resources>
    <string name="app_name">Grocery App</string>
</resources>
```

Note :- Since the page limit is exceeding I can't put the whole source code here. Please check the drive link or the github link below for full code.

Drive link:
https://drive.google.com/file/d/1JbBKwASgGicXqYgrzSk1Jb f4swBvvBpV/view?usp=sharing

Github link:https://github.com/smartinternz02/SPSGP-54887-Virtual-Internship---Android-Application-Development-Using-Kotlin