

TEST APEX TRIGGERS

RestrictContactByName :

trigger RestrictContactByName on Contact (before insert, before update) {

 //check contacts prior to insert or update for invalid data

 For (Contact c : Trigger.New) {

 if(c.LastName == 'INVALIDNAME') { //invalidname is invalid

 c.AddError('The Last Name "' + c.LastName + '" is not allowed for DML');

 }

 }

}

TestRestrictContactByName :

@isTest

private class TestRestrictContactByName {

 static testMethod void metodoTest()

 {

 List<Contact> listContact= new List<Contact>();

 Contact c1 = new Contact(FirstName='Francesco', LastName='Riggio',
email='Test@test.com');

 Contact c2 = new Contact(FirstName='Francesco1', LastName =
'INVALIDNAME',email='Test@test.com');

 listContact.add(c1);

 listContact.add(c2);

 Test.startTest();

 try

 {

 insert listContact;

 }

 catch(Exception ee)

 {

 }

 Test.stopTest();

 }

}

GET STARTED WITH APEX TRIGGERS

trigger AccountAddressTrigger on Account (before insert,before update) {

```

List<Account> acclst=new List<Account>();
for(account a:trigger.new){
    if(a.Match_Billing_Address__c==true && a.BillingPostalCode!=null){
        a.ShippingPostalCode=a.BillingPostalCode;
    }
}
}

APEX SPECIALIST SUPERBADGE
step2 Automate Record Creation
trigger MaintenanceRequest on Case (before update, after update) {
    if(Trigger.isUpdate && Trigger.isAfter){
        MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
    }
}

MaintainerRequestHelper
public with sharing class MaintenanceRequestHelper {
    public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
        Set<Id> validIds = new Set<Id>();
        For (Case c : updWorkOrders){
            if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
                if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
                    validIds.add(c.Id);
                }
            }
        }
    }
}

//When an existing maintenance request of type Repair or Routine Maintenance is closed,
//create a new maintenance request for a future routine checkup.
if (!validIds.isEmpty()){
    Map<Id,Case> closedCases = new Map<Id,Case>([SELECT Id, Vehicle__c, Equipment__c,
Equipment__r.Maintenance_Cycle__c,
                (SELECT Id,Equipment__c,Quantity__c FROM
Equipment_Maintenance_Items__r)
                FROM Case WHERE Id IN :validIds]);
    Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();

    //calculate the maintenance request due dates by using the maintenance cycle defined
on the
related equipment records.
    AggregateResult[] results = [SELECT Maintenance_Request__c,
        MIN(Equipment__r.Maintenance_Cycle__c)cycle

```

```

FROM Equipment_Maintenance_Item__c
WHERE Maintenance_Request__c IN :ValidIds GROUP BY
Maintenance_Request__c];

for (AggregateResult ar : results){
    maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
}
List<Case> newCases = new List<Case>();
for(Case cc : closedCases.values()){
    Case nc = new Case (
        ParentId = cc.Id,
        Status = 'New',
        Subject = 'Routine Maintenance',
        Type = 'Routine Maintenance',
        Vehicle__c = cc.Vehicle__c,
        Equipment__c =cc.Equipment__c,
        Origin = 'Web',
        Date_Reported__c = Date.Today()
    );
//If multiple pieces of equipment are used in the maintenance request,
//define the due date by applying the shortest maintenance cycle to today's date.
If (maintenanceCycles.containsKey(cc.Id)){
    nc.Date_Due__c = Date.today().addDays((Integer) maintenanceCycles.get(cc.Id));
} else {
    nc.Date_Due__c = Date.today().addDays((Integer)
cc.Equipment__r.maintenance_Cycle__c);
}

    newCases.add(nc);
}

insert newCases;

List<Equipment_Maintenance_Item__c> clonedList = new
List<Equipment_Maintenance_Item__c>();
for (Case nc : newCases){
    for (Equipment_Maintenance_Item__c clonedListItem :
closedCases.get(nc.ParentId).Equipment_Maintenance_Items__r){
        Equipment_Maintenance_Item__c item = clonedListItem.clone();
        item.Maintenance_Request__c = nc.Id;
    }
}

```

```

        clonedList.add(item);
    }
}
insert clonedList;
}
}

```

Step3 Synchronize Salesforce data with an external system using asynchronous REST callouts

WAREHOUSECALLOUTSERVICE

```

public with sharing class WarehouseCalloutService implements Queueable {
    private static final String WAREHOUSE_URL = 'https://th-
superbadgeapex.herokuapp.com/equipment';

```

//Write a class that makes a REST callout to an external warehouse system to get a list of equipment that needs to be updated.

//The callout's JSON response returns the equipment records that you upsert in Salesforce.

```

@future(callout=true)
public static void runWarehouseEquipmentSync(){
    System.debug('go into runWarehouseEquipmentSync');
    Http http = new Http();
    HttpRequest request = new HttpRequest();

    request.setEndpoint(WAREHOUSE_URL);
    request.setMethod('GET');
    HttpResponse response = http.send(request);

    List<Product2> product2List = new List<Product2>();
    System.debug(response.getStatusCode());
    if (response.getStatusCode() == 200){
        List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
        System.debug(response.getBody());

        //class maps the following fields:
        //warehouse SKU will be external ID for identifying which equipment records to update
        within
        Salesforce
        for (Object jR : jsonResponse){
            Map<String,Object> mapJson = (Map<String,Object>)jR;
            Product2 product2 = new Product2();

```

```

        //replacement part (always true),
        product2.Replacement_Part__c = (Boolean) mapJson.get('replacement');
        //cost
        product2.Cost__c = (Integer) mapJson.get('cost');
        //current inventory
        product2.Current_Inventory__c = (Double) mapJson.get('quantity');
        //lifespan
        product2.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        //maintenance cycle
        product2.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        //warehouse SKU
        product2.Warehouse_SKU__c = (String) mapJson.get('sku');

        product2.Name = (String) mapJson.get('name');
        product2.ProductCode = (String) mapJson.get('_id');
        product2List.add(product2);
    }

    if (product2List.size() > 0){
        upsert product2List;
        System.debug("Your equipment was synced with the warehouse one");
    }
}
}

```

```

public static void execute (QueueableContext context){
    System.debug('start runWarehouseEquipmentSync');
    runWarehouseEquipmentSync();
    System.debug('end runWarehouseEquipmentSync');
}
}

STEP4Schedule synchronization using Apex code
WAREHOUSESYNCSCHEDULE
global with sharing class WarehouseSyncSchedule implements Schedulable{
    global void execute(SchedulableContext ctx){
        System.enqueueJob(new WarehouseCalloutService());
    }
}

STEP 5Test automation logic to confirm Apex trigger side effects
@isTest
public with sharing class MaintenanceRequestHelperTest {

```

```

// createVehicle
private static Vehicle__c createVehicle(){
    Vehicle__c vehicle = new Vehicle__C(name = 'Testing Vehicle');
    return vehicle;
}

// createEquipment
private static Product2 createEquipment(){
    product2 equipment = new product2(name = 'Testing equipment',
        lifespan_months__c = 10,
        maintenance_cycle__c = 10,
        replacement_part__c = true);

    return equipment;
}

// createMaintenanceRequest
private static Case createMaintenanceRequest(id vehicleId, id
equipmentId){
    case cse = new case(Type='Repair',
        Status='New',
        Origin='Web',
        Subject='Testing subject',
        Equipment__c=equipmentId,
        Vehicle__c=vehicleId);

    return cse;
}

// createEquipmentMaintenanceItem
private static Equipment_Maintenance_Item__c
createEquipmentMaintenanceItem(id equipmentId,id requestId){
    Equipment_Maintenance_Item__c equipmentMaintenanceItem =
new Equipment_Maintenance_Item__c(
    Equipment__c = equipmentId,
    Maintenance_Request__c = requestId);
    return equipmentMaintenanceItem;
}

@isTest
private static void testPositive(){
    Vehicle__c vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    Product2 equipment = createEquipment();

```

```

insert equipment;
id equipmentId = equipment.Id;

case createdCase =
createMaintenanceRequest(vehicleId,equipmentId);
insert createdCase;

Equipment_Maintenance_Item__c equipmentMaintenanceItem =
createEquipmentMaintenanceItem(equipmentId,createdCase.id);
insert equipmentMaintenanceItem;

test.startTest();
createdCase.status = 'Closed';
update createdCase;
test.stopTest();

Case newCase = [Select id,
                subject,
                type,
                Equipment__c,
                Date_Reported__c,
                Vehicle__c,
                Date_Due__c
                from case
                where status ='New'];

Equipment_Maintenance_Item__c workPart = [select id
                                           from Equipment_Maintenance_Item__c
                                           where Maintenance_Request__c
=:newCase.Id];
list<case> allCase = [select id from case];
system.assert(allCase.size() == 2);

system.assert(newCase != null);
system.assert(newCase.Subject != null);
system.assertEquals(newCase.Type, 'Routine Maintenance');
SYSTEM.assertEquals(newCase.Equipment__c, equipmentId);
SYSTEM.assertEquals(newCase.Vehicle__c, vehicleId);
SYSTEM.assertEquals(newCase.Date_Reported__c,
system.today());
}

```

```

@isTest
private static void testNegative(){
    Vehicle__C vehicle = createVehicle();
    insert vehicle;
    id vehicleId = vehicle.Id;

    product2 equipment = createEquipment();
    insert equipment;
    id equipmentId = equipment.Id;

    case createdCase =
createMaintenanceRequest(vehicleId,equipmentId);
    insert createdCase;

    Equipment_Maintenance_Item__c workP =
createEquipmentMaintenanceItem(equipmentId, createdCase.Id);
    insert workP;

    test.startTest();
    createdCase.Status = 'Working';
    update createdCase;
    test.stopTest();

    list<case> allCase = [select id from case];

    Equipment_Maintenance_Item__c equipmentMaintenanceItem =
[select id
                                from Equipment_Maintenance_Item__c
                                where Maintenance_Request__c =
:createdCase.Id];

    system.assert(equipmentMaintenanceItem != null);
    system.assert(allCase.size() == 1);
}
@isTest
private static void testBulk(){
    list<Vehicle__C> vehicleList = new list<Vehicle__C>();
    list<Product2> equipmentList = new list<Product2>();
    list<Equipment_Maintenance_Item__c>
equipmentMaintenanceItemList = new
list<Equipment_Maintenance_Item__c>();

```



```

list<case> caseList = new list<case>();
list<id> oldCaseIds = new list<id>();

for(integer i = 0; i < 300; i++){
    vehicleList.add(createVehicle());
    equipmentList.add(createEquipment());
}
insert vehicleList;
insert equipmentList;

for(integer i = 0; i < 300; i++){
    caseList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
}
insert caseList;

for(integer i = 0; i < 300; i++){

equipmentMaintenanceItemlList.add(createEquipmentMaintenanceIteml
m(equipmentList.get(i).id, caseList.get(i).id));
}
insert equipmentMaintenanceItemlList;

test.startTest();
for(case cs : caseList){
    cs.Status = 'Closed';
    oldCaseIds.add(cs.Id);
}
update caseList;
test.stopTest();

list<case> newCase = [select id
                      from case
                      where status ='New'];

list<Equipment_Maintenance_Item__c> workParts = [select id
                                                    from
Equipment_Maintenance_Item__c
                                                    where
Maintenance_Request__oldCaseIds];

```

```

        system.assert(newCase.size() == 300);

        list<case> allCase = [select id from case];
        system.assert(allCase.size() == 600);
    }
}

```

STEP 6 Test integration logic using callout mocks

```

public with sharing class WarehouseCalloutService implements Queueable {
    private static final String WAREHOUSE_URL = 'https://th-
superbadgeapex.herokuapp.com/equipment';

```

//Write a class that makes a REST callout to an external warehouse system to get a list of equipment that needs to be updated.

//The callout's JSON response returns the equipment records that you upsert in Salesforce.

```

    @future(callout=true)
    public static void runWarehouseEquipmentSync(){
        System.debug('go into runWarehouseEquipmentSync');
        Http http = new Http();
        HttpRequest request = new HttpRequest();

        request.setEndpoint(WAREHOUSE_URL);
        request.setMethod('GET');
        HttpResponse response = http.send(request);
        List<Product2> product2List = new List<Product2>();
        System.debug(response.getStatusCode());
        if (response.getStatusCode() == 200){
            List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
            System.debug(response.getBody());
            //class maps the following fields:
            //warehouse SKU will be external ID for identifying which equipment records to update
within
Salesforce
            for (Object jR : jsonResponse){
                Map<String,Object> mapJson = (Map<String,Object>)jR;
                Product2 product2 = new Product2();
                //replacement part (always true),
                product2.Replacement_Part__c = (Boolean) mapJson.get('replacement');
                //cost

```

```

        product2.Cost__c = (Integer) mapJson.get('cost');
        //current inventory
        product2.Current_Inventory__c = (Double) mapJson.get('quantity');
        //lifespan
        product2.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
        //maintenance cycle
        product2.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
        //warehouse SKU
        product2.Warehouse_SKU__c = (String) mapJson.get('sku');
        product2.Name = (String) mapJson.get('name');
        product2.ProductCode = (String) mapJson.get('_id');
        product2List.add(product2);
    }

    if (product2List.size() > 0){
        upsert product2List;
        System.debug('Your equipment was synced with the warehouse one');
    }
}

}

public static void execute (QueueableContext context){
    System.debug('start runWarehouseEquipmentSync');
    runWarehouseEquipmentSync();
    System.debug('end runWarehouseEquipmentSync');
}

}

@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
    // implement http mock callout
    global static HttpResponse respond(HttpRequest request) {

        HttpResponse response = new HttpResponse();
        response.setHeader('Content-Type', 'application/json');

        response.setBody('{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":
"Gen
erator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"},{"_id":"55d66226726b611
100
aaf742","replacement":true,"quantity":183,"name":"Cooling

```

```
Fan","maintenanceperiod":0,"lifespan":0,"cost":300,"sku":"100004"},{"_id":"55d66226726b611100aaf74
```

```
3","replacement":true,"quantity":143,"name":"Fuse
```

```
20A","maintenanceperiod":0,"lifespan":0,"cost":22,"sku":"100005"}]);
```

```
    response.setStatusCode(200);
```

```
    return response;
```

```
    }
```

```
}
```

```
@IsTest
```

```
private class WarehouseCalloutServiceTest {
```

```
    // implement your mock callout test here
```

```
@IsTest
```

```
    static void testWarehouseCallout() {
```

```
        test.startTest();
```

```
        test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
```

```
        WarehouseCalloutService.execute(null);
```

```
        test.stopTest();
```

```
        List<Product2> product2List = new List<Product2>();
```

```
        product2List = [SELECT ProductCode FROM Product2];
```

```
        System.assertEquals(3, product2List.size());
```

```
        System.assertEquals('55d66226726b611100aaf741', product2List.get(0).ProductCode);
```

```
        System.assertEquals('55d66226726b611100aaf742', product2List.get(1).ProductCode);
```

```
        System.assertEquals('55d66226726b611100aaf743', product2List.get(2).ProductCode);
```

```
    }
```

```
}
```

```
STEP7 TEST SCHEDULING LOGIC
```

```
@IsTest
```

```
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
```

```
    // implement http mock callout
```

```
    global static HttpResponse respond(HttpRequest request) {
```

```
        HttpResponse response = new HttpResponse();
```

```
        response.setHeader('Content-Type', 'application/json');
```

```
        response.setBody('{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5,"name":
```

```
"Gen
```

```
erator 1000
```

```
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"},{"_id":"55d66226726b611
```

100

```
aaf742","replacement":true,"quantity":183,"name":"Cooling  
Fan","maintenanceperiod":0,"lifespan":0,"cost":300,"sku":"100004"},{"_id":"55d66226726b611100a  
af74
```

```
3","replacement":true,"quantity":143,"name":"Fuse  
20A","maintenanceperiod":0,"lifespan":0,"cost":22,"sku":"100005"}]);  
    response.setStatusCode(200);
```

```
    return response;
```

```
    }
```

```
}
```

```
global with sharing class WarehouseSyncSchedule implements Schedulable {
```

```
    // implement scheduled code here
```

```
    global void execute (SchedulableContext ctx){
```

```
        System.enqueueJob(new WarehouseCalloutService());
```

```
    }
```

```
}
```

```
@isTest
```

```
public with sharing class WarehouseSyncScheduleTest {
```

```
    // implement scheduled code here
```

```
    //
```

```
    @isTest static void test() {
```

```
        String scheduleTime = '00 00 00 * * ? *';
```

```
        Test.startTest();
```

```
        Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
```

```
        String jobId = System.schedule('Warehouse Time to Schedule to test', scheduleTime, new
```

```
WarehouseSyncSchedule());
```

```
        CronTrigger c = [SELECT State FROM CronTrigger WHERE Id =: jobId];
```

```
        System.assertEquals('WAITING', String.valueOf(c.State), 'JobId does not match');
```

```
        Test.stopTest();
```

```
    }
```

```
}
```