

Apex Triggers:-

Getting started with Apex Triggers:-

1.AccountAddressTrigger.apxt:-

```
trigger AccountAddressTrigger on Account (before insert, before update) {  
    for(Account account:Trigger.New){  
        if(account.Match_Billing_Address__c == True){  
            account.ShippingPostalCode = account.BillingPostalCode;  
        }  
    }  
}
```

Bulk Apex Triggers:-

1.ClosedOpportunityTrigger.apxt:-

```
trigger ClosedOpportunityTrigger on Opportunity (after insert, after update) {  
    List<Task> tasklist = new List<Task>();  
    for(Opportunity opp: Trigger.New){  
        if(opp.StageName == 'Closed Won'){  
            tasklist.add(new Task(Subject = 'Follow Up Test Task',WhatId=opp.Id));  
        }  
    }  
    if(tasklist.size()>0){  
        insert tasklist;  
    }  
}
```

Apex Testing:-

Get Started with Apex Unit Test:-

1.VerifyDate.apxc:-

```
public class VerifyDate {  
    public static Date CheckDates(Date date1, Date date2) {  
        if(DateWithin30Days(date1,date2)) {  
            return date2;  
        }  
    }  
}
```

```

        else {
            return SetEndOfMonthDate(date1);
        }
    }
}

@TestVisible
private static Boolean DateWithin30Days(Date date1, Date date2) {
    if( date2 < date1) { return false; }
    Date date30Days = date1.addDays(30);
    if( date2 >= date30Days ) { return false; }
    else { return true; }
}

@TestVisible private static Date SetEndOfMonthDate(Date date1) {
    Integer totalDays = Date.daysInMonth(date1.year(), date1.month());
    Date lastDay = Date.newInstance(date1.year(), date1.month(),totalDays);
    return lastDay;
}
}

```

2.TestVerifyDate.apxc:-

```

@Test
private class TestVerifyDate {
    @isTest static void Test_CheckDats_case1(){
        Date D = VerifyDate.CheckDates(date.parse('01/01/2020'),
            date.parse('01/05/2020'));
        System.assertEquals(date.parse('01/05/2020'), D);
    }

    @isTest static void Test_CheckDats_case2(){
        Date D = VerifyDate.CheckDates(date.parse('01/01/2020'),
            date.parse('05/05/20'));
        System.assertEquals(date.parse('01/31/2020'), D);
    }

    @isTest static void Test_DateWithin30Days_case1(){
        Boolean flag =
            VerifyDate.DateWithin30Days(date.parse('01/01/2020'),date.parse('12/30/2019'));
        System.assertEquals(false, flag);
    }
}

@Test

```

```

static void Test_DateWithin30Days_case2(){
    Boolean flag = VerifyDate.DateWithin30Days(date.parse('01/01/2020'),
        date.parse('02/02/2019'));
    System.assertEquals(false, flag);
}
@isTest static void Test_DateWithin30Days_case3(){
    Boolean flag = VerifyDate.DateWithin30Days(date.parse('01/01/2020'),
        date.parse('01/15/2020'));
    System.assertEquals(true, flag);
}
@isTest static void Test_SetEndOfMonthDate(){
    Date returndate = VerifyDate.SetEndOfMonthDate(date.parse('01/01/2020'));
}
}

```

Test Apex Triggers:-

1.RestrictContactByName.apxt:-

```

trigger RestrictContactByName on Contact (before insert, before update) {
    For (Contact c : Trigger.New) {
        if(c.LastName == 'INVALIDNAME') {
            c.AddError('The Last Name "' + c.LastName + '" is not allowed for DML');
        }
    }
}

```

2.TestRestrictContactByName.apxc:-

```

@isTest
public class TestRestrictContactByName {
    @isTest static void Test_insertupdateContact (){
        Contact cnt = new Contact();
        cnt.LastName = 'INVALIDNAME';
        Test.startTest();
        Database.SaveResult result = Database.insert(cnt, false);
        Test.stopTest();
        System.assert(!result.isSuccess());
        System.assert(result.getErrors().size() > 0);
        System.assertEquals('The Last Name "INVALIDNAME" is not allowed for
            DML',result.getErrors()[0].getMessage ());
    }
}

```

```
}
```

Create Test Data for Apex Tests:-

1.RandomContactFactory.apxc:-

```
public class RandomContactFactory {  
    public static List<Contact> generateRandomContacts(Integer numcnt, string  
    lastname){  
        List<Contact> contacts = new List<Contact>(); for(Integer  
        i=0;i<numcnt;i++){  
            Contact cnt = new Contact(FirstName = 'Test '+i, LastName = lastname);  
            contacts.add(cnt);  
        }  
        return contacts;  
    }  
}
```

Asynchronous Apex:-

Use Future Methods:-

1.AccountProcessor.apxc :-

```
public class AccountProcessor {  
    @future  
    public static void countContacts(List<Id> accountIds){  
        List<Account> accList = [Select Id, Number_Of_Contacts__c, (Select Id from  
        Contacts) from Account where Id in :accountIds];  
        For(Account acc : accList){  
            acc.Number_Of_Contacts__c = acc.Contacts.size();  
        }  
        update accList;  
    }  
}
```

2.AccountProcessorTest.apxc:-

```
@isTest  
public class AccountProcessorTest {  
    public static testmethod void testAccountProcessor(){  
        Account a = new Account();  
        a.Name = 'Test Account';  
        insert a;  
        Contact con = new Contact();  
        con.FirstName = 'Binary';  
        con.LastName = 'Programming';
```

```

con.AccountId = a.Id;
insert con;
List<Id> accListId = new List<Id>();
accListId.add(a.Id);
Test.startTest();
AccountProcessor.countContacts(accListId);
Test.stopTest();
Account acc = [Select Number_Of_Contacts__c from Account where Id =
:a.Id];
System.assertEquals(Integer.valueOf(acc.Number_Of_Contacts__c),1);
}
} U

```

se Batch Apex:-

1.LeadProcessor.apxc :-

```

global class LeadProcessor implements Database.Batchable<sObject>,
Database.Stateful {
global Integer recordsProcessed = 0;
global Database.QueryLocator start(Database.BatchableContext bc) {
return Database.getQueryLocator('SELECT Id, LeadSource FROM Lead');
}
global void execute(Database.BatchableContext bc, List<Lead> scope){
List<Lead> leads = new List<Lead>();
for (Lead lead : scope) {
lead.LeadSource = 'Dreamforce';
recordsProcessed = recordsProcessed + 1;
}
update leads;
}
global void finish(Database.BatchableContext bc){
System.debug(recordsProcessed + ' records processed. Shazam!');
}
} 2

```

.LeadProcessorTest.apxc :-

```

@isTest
public class LeadProcessorTest {
@testSetup
static void setup() {

```

```

List<Lead> leads = new List<Lead>();
for (Integer i=0;i<200;i++) {
leads.add(new Lead(LastName='Lead '+i, Company='Lead', Status='Open - Not
Contacted'));
}
insert leads;
}
static testmethod void test() {
Test.startTest();
LeadProcessor lp = new LeadProcessor();
Id batchId = Database.executeBatch(lp, 200);
Test.stopTest();
System.assertEquals(200, [select count() from lead where LeadSource =
'Dreamforce']);
} } C

```

Control Processes with Queueable Apex:-

1.AddPrimaryContact.apxc:-

```

public class AddPrimaryContact implements Queueable {
private Contact c;
private String state;
public AddPrimaryContact(Contact c, String state) {
this.c = c;
this.state = state;
}
public void execute(QueueableContext context) {
List<Account> ListAccount = [SELECT ID, Name ,(Select id, FirstName, LastName
from contacts ) from ACCOUNT where BillingState = :state LIMIT 200];
List<Contact> lstContact = new List<Contact>();
for (Account acc:ListAccount)
{
Contact cont = c.clone(false,false,false,false); cont.AccountId = acc.id;
lstContact.add( cont );
}
if(lstContact.size() >0 ) {
insert lstContact;
} } }

```

2.AddPrimaryContactTest.apxc:-

```

@Test
public class AddPrimaryContactTest {
    @isTest static void TestList() {
        List<Account> Teste = new List <Account>();
        for(Integer i=0;i<50;i++)
        {

            Teste.add(new Account(BillingState = 'CA', name = 'Test'+i));
        }
        for(Integer j=0;j<50;j++) {
            Teste.add(new Account(BillingState = 'NY', name = 'Test'+j));
        }
        insert Teste;
        Contact co = new Contact();
        co.FirstName='demo';
        co.LastName ='demo';
        insert co;
        String state = 'CA';
        AddPrimaryContact apc = new AddPrimaryContact(co, state);
        Test.startTest();
        System.enqueueJob(apc);
        Test.stopTest();
    } }

```

Schedule Jobs Using Apex Scheduler:-

1.DailyLeadProcessor.apxc:-

```

public class DailyLeadProcessor implements Schedulable{
    public void execute(SchedulableContext sc){
        List<Lead> leadObj = [Select Id from Lead where LeadSource = null limit 200];
        for(Lead l : LeadObj){
            l.LeadSource = 'DreamForce';
            update l;
        } } }

```

2.DailyLeadProcessorTest.apxc:-

```

@Test private class DailyLeadProcessorTest{
    static testmethod void testDailyLeadProcessor(){
        String CRON_EXP = '0 0 1 * * ?';
        List<Lead> lList = new List<Lead>();
    }
}

```

```

for(Integer i = 0; i < 200; i++){
IList.add(new Lead(LastName = 'Dreamforce' + i, Company = 'Test1 Inc. ', Status
= 'Open - Not Contacted'));
}
insert IList;
Test.startTest();
String jobId = System.schedule('DailyLeadProcessor', CRON_EXP, new
DailyLeadProcessor());
Test.stopTest();
} }

```

Apex Integration Services:-

Apex Rest Callouts:-

1. AnimalLocator.apxc:-

```

public class AnimalLocator{
public static String getAnimalNameById(Integer x){
Http http = new Http();
HttpRequest req = new HttpRequest();
req.setEndpoint('https://th-apex-http-callout.herokuapp.com/animals/'+x);
req.setMethod('GET');
Map<String, Object> animal= new Map<String, Object>();
HttpResponse res = http.send(req);
if(res.getStatusCode() == 200) {
Map<String, Object> results = (Map<String,
Object>)JSON.deserializeUntyped(res.getBody());
animal = (Map<String, Object>) results.get('animal');
}
return (String)animal.get('name');
} }

```

2. AnimalLocatorMock.apxc:-

```

@isTest
global class AnimalLocatorMock implements HttpCalloutMock {
global HTTPResponse respond(HTTPRequest request) {
HttpResponse response = new HttpResponse();
response.setHeader('Content-Type', 'application/json');
response.setBody('{"animals": ["majestic badger", "fluffy bunny", "scary bear",
"chicken", "mighty moose"]}');
response.getStatusCode(200);
}
}

```



```
return response;
```

```
}}}
```

3. AnimalLocatorTest.apxc:-

@isTest

```
private class AnimalLocatorTest{
```

```
@isTest static void AnimalLocatorMock1() {
```

```
Test.setMock(HttpCalloutMock.class, new AnimalLocatorMock());
```

```
String result = AnimalLocator.getAnimalNameById(3);
```

```
String expectedResult='chicken'; System.assertEquals(result,expectedResult);
```

```
}
```

```
}
```

Apex Soap Callouts:-

1. ParkLocator.apxc:-

```
public class ParkLocator {
```

```
public static string[] country(string theCountry){
```

```
ParkService.ParksImplPort parkSvc = new ParkService.ParksImplPort();
```

```
return parkSvc.byCountry(theCountry);
```

```
}}}
```

2. ParkServiceMock.apxc :-

@isTest

```
global class ParkServiceMock implements WebServiceMock {
```

```
global void doInvoke( Object stub,
```

```
Object request,
```

```
Map<String, Object> response,
```

```
String endpoint,
```

```
String soapAction,
```

```
String requestName,
```

```
String responseNS,
```

```
String responseName,
```

```
String responseType) {
```

```
ParkService.byCountryResponse response_x = new
```

```
ParkService.byCountryResponse();
```

```
response_x.return_x = new List<String>{'Yellowstone', 'Mackinac
```

```
National Park', 'Yosemite'};
```

```
response.put('response_x', response_x);
```

```
}}}
```

3. ParkLocatorTest.apxc :-

```

@Test
private class ParkLocatorTest {
@Test static void testCallout() {
Test.setMock(WebServiceMock.class, new ParkServiceMock ());
String country = 'United States';
List<String> result = ParkLocator.country(country);
List<String> parks = new List<String>{'Yellowstone', 'Mackinac National Park',
'Yosemite'};
System.assertEquals(parks, result);
}
}

```

Apex Web Services:-

1.AccountManager.apxc:-

```

@RestResource(urlMapping='/Accounts/*/contacts') global class AccountManager {
@HttpGet
global static Account getAccount() {
RestRequest req = RestContext.request;
String accId = req.requestURI.substringBetween('Accounts/', '/contacts');
Account acc = [SELECT Id, Name, (SELECT Id, Name FROM Contacts) FROM
Account WHERE Id = :accId];
return acc;
} }

```

2.AccountManagerTest.apxc:-

```

@Test
private class AccountManagerTest {
private static testMethod void getAccountTest1() {
Id recordId = createTestRecord();
RestRequest request = new RestRequest();
request.requestUri = 'https://na1.salesforce.com/services/apexrest/Accounts/' +
recordId + '/contacts' ;
request.httpMethod = 'GET';
RestContext.request = request;
Account thisAccount = AccountManager.getAccount();
System.assert(thisAccount != null);
System.assertEquals('Test record', thisAccount.Name);
}
static Id createTestRecord() {

```

```

Account TestAcc = new Account(Name='Test record');
insert TestAcc;
Contact TestCon= new Contact(LastName='Test',AccountId = TestAcc.id);
return TestAcc.Id;
} }

```

Apex Specialist Superbadge:-

Automate Record Creation:-

1.MaintenanceRequestHelper.apxc :-

```

public with sharing class MaintenanceRequestHelper {
public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
Set<Id> validIds = new Set<Id>();
For (Case c : updWorkOrders){
if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
validIds.add(c.Id);
}
} }
if (!validIds.isEmpty()){
List<Case> newCases = new List<Case>();
Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT
Id,Equipment__c,Quantity__c FROM Equipment_Maintenance_Items__r)
FROM Case WHERE Id IN :validIds]);
Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM
Equipment_Maintenance_Item__c WHERE Maintenance_Request__c IN :ValidIds
GROUP
BY Maintenance_Request__c];
for (AggregateResult ar : results){
maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
}
for(Case cc : closedCasesM.values()){
Case nc = new Case (
ParentId = cc.Id,

```

```

Status = 'New',
Subject = 'Routine Maintenance',
Type = 'Routine Maintenance',
Vehicle__c = cc.Vehicle__c,
Equipment__c = cc.Equipment__c,
Origin = 'Web',
Date_Reported__c = Date.Today()
);
If (maintenanceCycles.containsKey(cc.Id)){
nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.Id));
} else {
nc.Date_Due__c = Date.today().addDays((Integer)
cc.Equipment__r.maintenance_Cycle__c);
}
newCases.add(nc);
}
insert newCases;
List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
for (Case nc : newCases){
for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
Equipment_Maintenance_Item__c wpClone = wp.clone();
wpClone.Maintenance_Request__c = nc.Id;
ClonedWPs.add(wpClone);
} }
insert ClonedWPs;
} } }

```

2.MaintenanceRequest.apxt

```

trigger MaintenanceRequest on Case (before update, after update) {
if(Trigger.isUpdate && Trigger.isAfter){
MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
} } S

```

ynchronize Salesforce data with an external system:-

1.WarehouseCalloutService.apxc :-

```

public with sharing class WarehouseCalloutService implements Queueable {

```

```

private static final String WAREHOUSE_URL =
'https://thsuperbadgeapex.herokuapp.com/equipment';
//class that makes a REST callout to an external warehouse system to get a list
of equipment that needs to be updated.
//The callout's JSON response returns the equipment records that you upsert
in Salesforce.
@future(callout=true)
public static void runWarehouseEquipmentSync(){
Http http = new Http();
HttpRequest request = new HttpRequest();
request.setEndpoint(WAREHOUSE_URL);
request.setMethod('GET');
HttpResponse response = http.send(request);
List<Product2> warehouseEq = new List<Product2>();
if (response.getStatusCode() == 200){
List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
System.debug(response.getBody());
//class maps the following fields: replacement part (always true), cost,
current inventory, lifespan, maintenance cycle, and warehouse SKU
//warehouse SKU will be external ID for identifying which equipment
records to update within Salesforce
for (Object eq : jsonResponse){
Map<String,Object> mapJson = (Map<String,Object>)eq;
Product2 myEq = new Product2();
myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
myEq.Name = (String) mapJson.get('name');
myEq.Maintenance_Cycle__c = (Integer)
mapJson.get('maintenanceperiod');
myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
myEq.Cost__c = (Integer) mapJson.get('cost');
myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
myEq.ProductCode = (String) mapJson.get('_id');

```

```

warehouseEq.add(myEq);
}if
(warehouseEq.size() > 0){
upsert warehouseEq;
System.debug('Your equipment was synced with the warehouse one');
} } }

```

```

public static void execute (QueueableContext context){
runWarehouseEquipmentSync();
}
} S

```

chedule Synchronization Using Apex Code:-

1.WarehouseSyncSchedule.apxc:-

```

global with sharing class WarehouseSyncSchedule implements Schedulable{
global void execute(SchedulableContext ctx){
System.enqueueJob(new WarehouseCalloutService());
}
}

```

Test Automation Logic:-

1.MaintenanceRequestHelperTest.apxc:-

@istest

```

public with sharing class MaintenanceRequestHelperTest {
private static final string STATUS_NEW = 'New';
private static final string WORKING = 'Working';
private static final string CLOSED = 'Closed';
private static final string REPAIR = 'Repair';
private static final string REQUEST_ORIGIN = 'Web';
private static final string REQUEST_TYPE = 'Routine Maintenance';
private static final string REQUEST_SUBJECT = 'Testing subject';
PRIVATE STATIC Vehicle__c createVehicle(){
Vehicle__c Vehicle = new Vehicle__C(name = 'SuperTruck');
return Vehicle;
}
PRIVATE STATIC Product2 createEq(){
product2 equipment = new product2(name = 'SuperEquipment',
lifespan_months__C = 10,

```

```

maintenance_cycle__C = 10,
replacement_part__c = true);
return equipment;
}
PRIVATE STATIC Case createMaintenanceRequest(id vehicleId, id equipmentId){
case cs = new case(Type=REPAIR,
Status=STATUS_NEW,
Origin=REQUEST_ORIGIN,
Subject=REQUEST_SUBJECT,
Equipment__c=equipmentId,
Vehicle__c=vehicleId);
return cs;
}
PRIVATE STATIC Equipment_Maintenance_Item__c createWorkPart(id equipmentId,id
requestId){
Equipment_Maintenance_Item__c wp = new
Equipment_Maintenance_Item__c(Equipment__c = equipmentId,
Maintenance_Request__c = requestId);
return wp;
}
@istest
private static void testMaintenanceRequestPositive(){
Vehicle__c vehicle = createVehicle();
insert vehicle;
id vehicleId = vehicle.Id;
Product2 equipment = createEq();
insert equipment;
id equipmentId = equipment.Id;
case somethingToUpdate = createMaintenanceRequest(vehicleId,equipmentId);
insert somethingToUpdate;
Equipment_Maintenance_Item__c workP =
createWorkPart(equipmentId,somethingToUpdate.id);
insert workP;
test.startTest();
somethingToUpdate.status = CLOSED;
update somethingToUpdate;
test.stopTest();
}

```

```

Case newReq = [Select id, subject, type, Equipment__c, Date_Reported__c,
Vehicle__c, Date_Due__c
from case
where status =:STATUS_NEW];
Equipment_Maintenance_Item__c workPart = [select id
from Equipment_Maintenance_Item__c
where Maintenance_Request__c =:newReq.Id];
system.assert(workPart != null);
system.assert(newReq.Subject != null);
system.assert(newReq.Type, REQUEST_TYPE);
SYSTEM.assertEquals(newReq.Equipment__c, equipmentId);
SYSTEM.assertEquals(newReq.Vehicle__c, vehicleId);
SYSTEM.assertEquals(newReq.Date_Reported__c, system.today());
}
@istest
private static void testMaintenanceRequestNegative(){
Vehicle__C vehicle = createVehicle();
insert vehicle;
id vehicleId = vehicle.Id;
product2 equipment = createEq();
insert equipment;
id equipmentId = equipment.Id;
case emptyReq = createMaintenanceRequest(vehicleId,equipmentId);
insert emptyReq;
Equipment_Maintenance_Item__c workP = createWorkPart(equipmentId,
emptyReq.Id);
insert workP;
test.startTest();
emptyReq.Status = WORKING;
update emptyReq;
test.stopTest();
list<case> allRequest = [select id
from case];
Equipment_Maintenance_Item__c workPart = [select id
from Equipment_Maintenance_Item__c
where Maintenance_Request__c = :emptyReq.Id];
system.assert(workPart != null);

```



```

system.assert(allRequest.size() == 1);
}
@istest
private static void testMaintenanceRequestBulk(){
list<Vehicle__C> vehicleList = new list<Vehicle__C>();
list<Product2> equipmentList = new list<Product2>();
list<Equipment_Maintenance_Item__c> workPartList = new
list<Equipment_Maintenance_Item__c>();
list<case> requestList = new list<case>();
list<id> oldRequestIds = new list<id>();
for(integer i = 0; i < 300; i++){
vehicleList.add(createVehicle());
equipmentList.add(createEq());
}
insert vehicleList;
insert equipmentList;
for(integer i = 0; i < 300; i++){
requestList.add(createMaintenanceRequest(vehicleList.get(i).id,
equipmentList.get(i).id));
}
insert requestList;
for(integer i = 0; i < 300; i++){
workPartList.add(createWorkPart(equipmentList.get(i).id, requestList.get(i).id));
}
insert workPartList;
test.startTest();
for(case req : requestList){
req.Status = CLOSED;
oldRequestIds.add(req.Id);
}
update requestList;
test.stopTest();
list<case> allRequests = [select id
from case
where status =: STATUS_NEW];
list<Equipment_Maintenance_Item__c> workParts = [select id
from Equipment_Maintenance_Item__c

```

```

where Maintenance_Request__c in: oldRequestIds];
system.assert(allRequests.size() == 300);
} }

```

2.MaintenanceRequestHelper.apxc:-

```

public with sharing class MaintenanceRequestHelper {
public static void updateWorkOrders(List<Case> updWorkOrders, Map<Id,Case>
nonUpdCaseMap) {
Set<Id> validIds = new Set<Id>();
For (Case c : updWorkOrders){
if (nonUpdCaseMap.get(c.Id).Status != 'Closed' && c.Status == 'Closed'){
if (c.Type == 'Repair' || c.Type == 'Routine Maintenance'){
validIds.add(c.Id);
} } }
if (!validIds.isEmpty()){
List<Case> newCases = new List<Case>();
Map<Id,Case> closedCasesM = new Map<Id,Case>([SELECT Id, Vehicle__c,
Equipment__c, Equipment__r.Maintenance_Cycle__c,(SELECT
Id,Equipment__c,Quantity__c FROM Equipment_Maintenance_Items__r)
FROM Case WHERE Id IN :validIds]);
Map<Id,Decimal> maintenanceCycles = new Map<ID,Decimal>();
AggregateResult[] results = [SELECT Maintenance_Request__c,
MIN(Equipment__r.Maintenance_Cycle__c)cycle FROM
Equipment_Maintenance_Item__c WHERE Maintenance_Request__c IN :ValidIds
GROUP
BY Maintenance_Request__c];
for (AggregateResult ar : results){
maintenanceCycles.put((Id) ar.get('Maintenance_Request__c'), (Decimal)
ar.get('cycle'));
}
for(Case cc : closedCasesM.values()){
Case nc = new Case (
ParentId = cc.Id,
Status = 'New',
Subject = 'Routine Maintenance',
Type = 'Routine Maintenance',
Vehicle__c = cc.Vehicle__c,
Equipment__c =cc.Equipment__c,

```

```

Origin = 'Web',
Date_Reported__c = Date.Today()
);
If (maintenanceCycles.containsKey(cc.Id)){
nc.Date_Due__c = Date.today().addDays((Integer)
maintenanceCycles.get(cc.Id));
}
newCases.add(nc);
}
insert newCases;
List<Equipment_Maintenance_Item__c> clonedWPs = new
List<Equipment_Maintenance_Item__c>();
for (Case nc : newCases){
for (Equipment_Maintenance_Item__c wp :
closedCasesM.get(nc.ParentId).Equipment_Maintenance_Items__r){
Equipment_Maintenance_Item__c wpClone = wp.clone();
wpClone.Maintenance_Request__c = nc.Id;
ClonedWPs.add(wpClone);
} }
insert ClonedWPs;
} } }

```

3.MaintenanceRequest.apxt :-

```

trigger MaintenanceRequest on Case (before update, after update) {
if(Trigger.isUpdate && Trigger.isAfter){
MaintenanceRequestHelper.updateWorkOrders(Trigger.New, Trigger.OldMap);
} }

```

Test Callout Logic:-

1.WarehouseCalloutService.apxc:-

```

public with sharing class WarehouseCalloutService implements Queueable {
private static final String WAREHOUSE_URL =
'https://thsuperbadgeapex.herokuapp.com/equipment';
//class that makes a REST callout to an external warehouse system to get a list of
equipment that needs to be updated.
//The callout's JSON response returns the equipment records that you upsert in
Salesforce.
@future(callout=true)
public static void runWarehouseEquipmentSync(){

```

```

Http http = new Http();
HttpRequest request = new HttpRequest();
request.setEndpoint(WAREHOUSE_URL);
request.setMethod('GET');
HttpResponse response = http.send(request);
List<Product2> warehouseEq = new List<Product2>();
if (response.getStatusCode() == 200){
List<Object> jsonResponse =
(List<Object>)JSON.deserializeUntyped(response.getBody());
System.debug(response.getBody());
//class maps the following fields: replacement part (always true), cost, current
inventory, lifespan, maintenance cycle, and warehouse SKU
//warehouse SKU will be external ID for identifying which equipment records to
update within Salesforce
for (Object eq : jsonResponse){
Map<String,Object> mapJson = (Map<String,Object>)eq;
Product2 myEq = new Product2();
myEq.Replacement_Part__c = (Boolean) mapJson.get('replacement');
myEq.Name = (String) mapJson.get('name');
myEq.Maintenance_Cycle__c = (Integer) mapJson.get('maintenanceperiod');
myEq.Lifespan_Months__c = (Integer) mapJson.get('lifespan');
myEq.Cost__c = (Integer) mapJson.get('cost');
myEq.Warehouse_SKU__c = (String) mapJson.get('sku');
myEq.Current_Inventory__c = (Double) mapJson.get('quantity');
myEq.ProductCode = (String) mapJson.get('_id');
warehouseEq.add(myEq);
}
if (warehouseEq.size() > 0){
upsert warehouseEq;
System.debug('Your equipment was synced with the warehouse one');
} } }
public static void execute (QueueableContext context){
runWarehouseEquipmentSync();
} }
2.WarehouseCalloutServiceText.apxc
@isTest
private class WarehouseCalloutServiceTest {

```

```

@isTest
static void testWareHouseCallout(){
Test.startTest();
// implement mock callout test here
Test.setMock(HTTPCalloutMock.class, new WarehouseCalloutServiceMock());
WarehouseCalloutService.runWarehouseEquipmentSync();
Test.stopTest();
System.assertEquals(1, [SELECT count() FROM Product2]);
} }

```

3.WarehouseCalloutServiceMock.apxc

```

@isTest
global class WarehouseCalloutServiceMock implements HttpCalloutMock {
// implement http mock callout
global static HttpResponse respond(HttpRequest request){
System.assertEquals('https://th-superbadge-apex.herokuapp.com/equipment',
request.getEndpoint());
System.assertEquals('GET', request.getMethod());
// Create a fake response
HttpResponse response = new HttpResponse();
response.setHeader('Content-Type', 'application/json');
response.setBody(['{"_id":"55d66226726b611100aaf741","replacement":false,"quantity":5
,"name":"Generator 1000
kW","maintenanceperiod":365,"lifespan":120,"cost":5000,"sku":"100003"}']);
response.setStatusCode(200);
return response;
}
}

```

Test Scheduling Logic:-

1.WarehouseSyncSchedule.apxc

```

global class WarehouseSyncSchedule implements Schedulable {
global void execute(SchedulableContext ctx) {
WarehouseCalloutService.runWarehouseEquipmentSync();
} }

```

2.WarehouseSyncScheduleTest.apxc

```

@isTest
public class WarehouseSyncScheduleTest {

```

```
@isTest static void WarehousescheduleTest(){
String scheduleTime = '00 00 01 * * ?';
Test.startTest();
Test.setMock(HttpCalloutMock.class, new WarehouseCalloutServiceMock());
String jobID=System.schedule('Warehouse Time To Schedule to Test',
scheduleTime, new WarehouseSyncSchedule());
Test.stopTest();
//Contains schedule information for a scheduled job. CronTrigger is similar to a
cron job on UNIX systems.
// This object is available in API version 17.0 and later.
CronTrigger a=[SELECT Id FROM CronTrigger where NextFireTime > today];
System.assertEquals(jobID, a.Id,'Schedule ');
} }
```