

# Focus Project

Repository:  
[smartire1/FocusProject](#)

Ingegneria del Software  
2023/2024



Università degli Studi di Salerno

---

Paladino Kevin  
Martire Salvatore  
Landolfi Andrea



FOCUS PROJECT

TEST EXECUTION REPORT

## Sommario

1. PANORAMICA .....	2
2. TESTING DI UNITA'.....	3
3. TESTING DI INTEGRAZIONE.....	8
4. TESTING DI SISTEMA .....	9

# 1. PANORAMICA

---

Il presente documento offre una visione dettagliata e completa dell'esecuzione dei test. Seguono tre sezioni principali, ciascuna dedicata a una fase specifica del processo di testing:

## Testing di Unità

Report sui test eseguiti utilizzando il framework JUnit.

Identificazione e risoluzione degli errori a livello di unità.

## Testing di Integrazione

Report sull'esecuzione dei test di integrazione per garantire il corretto funzionamento delle componenti combinate.

Analisi delle dipendenze e degli errori riscontrati durante le fasi di integrazione.

## Testing di Sistema

Report dettagliato sull'automazione dei test tramite Selenium.

Risultati dell'esecuzione dei test che coprono il flusso completo dell'applicazione.

## 2. TESTING DI UNITÀ

The screenshot shows the code editor with the `AziendaTest.java` file open. The code contains several test methods for the `Azienda` class, including tests for invalid input, invalid names, and toString(). The test results indicate 12 successful runs, 0 errors, and 0 failures. The failure trace section is empty.

```
1 AziendaTest.java ×
66     void testIsValidInput_InvalidPiva() {
67         Azienda azienda = new Azienda("12345678901", "ExampleCompany");
68         assertFalse(azienda.isValidInput("invalid_piva", "ExampleCompany"));
69     }
70
71     @Test
72     void testIsValidInput_InvalidName() {
73         Azienda azienda = new Azienda("12345678901", "ExampleCompany");
74         assertFalse(azienda.isValidInput("12345678901", "Invalid@Name"));
75     }
76
77     @Test
78     void testToString() {
79         Azienda azienda = new Azienda("12345678901", "ExampleCompany");
80         assertEquals("Azienda [piva=12345678901, nome=ExampleCompany]", azienda.toString());
81     }
82 }
```

Markers Properties Servers Data Source Explorer Snippets Console Terminal Search JUnit ×

Finished after 0.124 seconds

Runs: 12/12 Errors: 0 Failures: 0

Failure Trace

The screenshot shows the code editor with the `AziendaDAOTest.java` file open. The code uses Mockito to mock a `DataSource` and set up a `AziendaDAO` instance. It includes `@BeforeEach` and `@AfterEach` annotations. The test results indicate 2 successful runs, 0 errors, and 0 failures. The failure trace section is empty.

```
1 AziendaDAOTest.java ×
1 package account.bean;
2
3 import static org.junit.jupiter.api.Assertions.*;
16
17 class AziendaDAOTest {
18
19     private AziendaDAO aziendaDAO;
20     private DataSource mockDataSource;
21
22     @BeforeEach
23     void setUp() throws Exception {
24         mockDataSource = Mockito.mock(DataSource.class);
25         aziendaDAO = new AziendaDAO(mockDataSource);
26     }
27
28     @AfterEach
29     void tearDown() throws Exception {
30         aziendaDAO = null;
31     }
32 }
```

Markers Properties Servers Data Source Explorer Snippets Console Terminal Search JUnit ×

Finished after 0.767 seconds

Runs: 2/2 Errors: 0 Failures: 0

Failure Trace

```
1 UtenteTest.java x
1 package account.bean;
2
3 import static org.junit.jupiter.api.Assertions.*;
4
5 class UtenteTest {
6
7     private Utente utente;
8
9     @BeforeEach
10    void setUp() throws Exception {
11         utente = new Utente("test@example.com", "Test123!", "Mario", "Rossi", "azienda", true, "UtenteNormale");
12     }
13
14     @Test
15     void testIsValidInput() {
16         assertTrue(utente.isValidInput("Mario", "Rossi", "test@example.com", "Test123!"));
17         assertFalse(utente.isValidInput("123", "Rossi", "test@example.com", "Test123!"));
18         assertFalse(utente.isValidInput("Mario", "123", "test@example.com", "Test123!"));
19     }
20
21 }
```

Markers Properties Servers Data Source Explorer Snippets Console Terminal Search JUnit

Finished after 0.097 seconds

Runs: 2/2 Errors: 0 Failures: 0

UtenteTest [Runner: JUnit 5] (0.020 s)

- testIsValidInput() (0.017 s)
- testToString() (0.003 s)

Failure Trace

```
1 UtenteDAOTest.java x
1 package account.bean;
2
3 import static org.junit.jupiter.api.Assertions.*;
4
5 class UtenteDAOTest {
6
7     private UtenteDAO utenteDAO;
8     private DataSource mockDataSource;
9
10    @BeforeEach
11    void setUp() {
12        mockDataSource = Mockito.mock(DataSource.class);
13        utenteDAO = new UtenteDAO(mockDataSource);
14    }
15
16    @Test
17    void testDoSave() throws SQLException {
18        // Creare un utente di prova
19    }
20
21 }
```

Markers Properties Servers Data Source Explorer Snippets Console Terminal Search JUnit

Finished after 0.826 seconds

Runs: 12/12 Errors: 0 Failures: 0

UtenteDAOTest [Runner: JUnit 5] (0.742 s)

- testDoRetrieveByKey() (0.693 s)
- testDoRetrieveAllResponsabili() (0.006 s)
- testDoRetrieveByKeyWithAzienda() (0.005 s)
- testDoRetrieveByNotProjectResp() (0.006 s)
- testDoRetrieveAll() (0.005 s)
- testDoUpdateCredentials() (0.004 s)
- testDoRetrieveByNotProject() (0.004 s)
- testDoRetrieveAllSubMngdByResp() (0.004 s)
- testDoDelete() (0.002 s)
- testDoRetrieveAllSubordinati() (0.004 s)
- testDoReHire() (0.002 s)
- testDoSave() (0.003 s)

Failure Trace

```
1 ComunicazioneDAOTest.java x
75     when(resultSet.getString("titolo")).thenReturn("Titolo");
76     when(resultSet.getString("corpo")).thenReturn("Corpo del messaggio");
77     when(resultSet.getString("mittente_email")).thenReturn("mittente@example.com");
78
79     List<Comunicazione> comunicazioni = comunicazioneDAO.doRetrieveAll("idAzienda");
80
81     assertEquals(1, comunicazioni.size());
82     Comunicazione comunicazione = comunicazioni.get(0);
83     assertEquals(1, comunicazione.getId());
84     assertEquals("Titolo", comunicazione.getTitolo());
85     assertEquals("Corpo del messaggio", comunicazione.getCorpo());
86     assertEquals("mittente@example.com", comunicazione.getMittenteEmail());
87
88     verify(preparedStatement).setString(1, "idAzienda");
89     verify(preparedStatement).executeQuery();
90 }
91 }
92
```

Markers Properties Servers Data Source Explorer Snippets Console Terminal Search JUnit ×

Finished after 0.824 seconds

Runs: 2/2 Errors: 0 Failures: 0

ComunicazioneDAOTest [Runner: JUnit 5] (0.735 s)

- testDoRetrieveAll() (0.731 s)
- testDoSave() (0.003 s)

Failure Trace

```
1 PermessoDAOTest.java x
1 / 1
172     when(resultSet.getString("richiedente_email")).thenReturn("richiedente@example.com");
173
174     List<Permesso> permessi = permessoDAO.doRetrieveAllNotManagedAndByRuolo("idAzienda", "ruolo");
175
176     verify(preparedStatement, times(1)).executeQuery();
177
178     assertEquals(1, permessi.size());
179     Permesso permesso = permessi.get(0);
180     assertEquals(1, permesso.getId());
181     assertEquals("2022-01-01", permesso.getDalGiorno());
182     assertEquals("2022-01-10", permesso.getAlGiorno());
183     assertEquals("Vacanza", permesso.getMotivo());
184     assertTrue(permesso.isStato());
185     assertEquals("richiedente@example.com", permesso.getRichiedenteEmail());
186
187 }
188
```

Markers Properties Servers Data Source Explorer Snippets Console Terminal Search JUnit ×

Finished after 0.799 seconds

Runs: 5/5 Errors: 0 Failures: 0

PermessoDAOTest [Runner: JUnit 5] (0.710 s)

- testDoRetrieveAllManagedAndByRuolo() (0.682 s)
- testDoRetrieveByKey() (0.008 s)
- testDoRetrieveAllNotManagedAndByRuolo1() (0.005 s)
- testDoUpdate() (0.006 s)
- testDoSave() (0.006 s)

Failure Trace

```
LavoraDAOTest.java x
1 package progetto.bean;
2
3 import static org.junit.jupiter.api.Assertions.*;
12
13 class LavoraDAOTest {
14
15     private DataSource dataSource;
16     private Connection connection;
17     private PreparedStatement preparedStatement;
18     private ResultSet resultSet;
19     private LavoraDAO lavoraDAO;
20
21     @BeforeEach
22     void setUp() throws SQLException {
23         dataSource = mock(DataSource.class);
24         connection = mock(Connection.class);
25         preparedStatement = mock	PreparedStatement.class);
26         resultSet = mock	ResultSet.class);

```

Markers Properties Servers Data Source Explorer Snippets Console Terminal Search JUnit x

Finished after 0.818 seconds

Runs: 4/4 Errors: 0 Failures: 0

LavoraDAOTest [Runner: JUnit 5] (0.736 s)

- testDoRetrieveByUser() (0.722 s)
- testDoDelete() (0.004 s)
- testDoSave() (0.004 s)
- testDoRetrieveByProject() (0.004 s)

Failure Trace

```
ProgettoDAOTest.java x
1 package progetto.bean;
2
3 import static org.junit.jupiter.api.Assertions.*;
17
18 class ProgettoDAOTest {
19
20     private DataSource dataSource;
21     private ProgettoDAO progettoDAO;
22     private Connection connection;
23     private PreparedStatement preparedStatement;
24     private ResultSet resultSet;
25
26     @BeforeEach
27     void setUp() throws SQLException {
28         dataSource = mock(DataSource.class);
29         progettoDAO = new ProgettoDAO(dataSource);
30         connection = mock(Connection.class);
31         preparedStatement = mock.PreparedStatement.class);

```

Markers Properties Servers Data Source Explorer Snippets Console Terminal Search JUnit x

Finished after 0.824 seconds

Runs: 7/7 Errors: 0 Failures: 0

ProgettoDAOTest [Runner: JUnit 5] (0.741 s)

- testDoRetrieveByKey0 (0.709 s)
- testDoRetrieveAllByRespAndStato0 (0.007 s)
- testDoRetrieveAllBySubAndStato0 (0.006 s)
- testDoDelete0 (0.004 s)
- testDoRetrieveAllByStato0 (0.004 s)
- testDoUpdate0 (0.004 s)
- testDoSave0 (0.004 s)

```
TaskDAOTest.java x
153     int projectId = 1;
154     String userEmail = "test@example.com";
155
156     when(preparedStatement.executeQuery()).thenReturn(resultSet);
157     when(resultSet.next()).thenReturn(true, false);
158     when(resultSet.getInt("id_task")).thenReturn(1);
159
160     Collection<Task> tasks = taskDAO.doRetrieveAllByProjectAndUser(projectId, userEmail);
161
162     verify(preparedStatement).setInt(1, projectId);
163     verify(preparedStatement).setString(2, userEmail);
164
165     assertFalse(tasks.isEmpty());
166
167     assertEquals(1, tasks.size());
168 }
169 }
170
```

Markers Properties Servers Data Source Explorer Snippets Console Terminal Search JUnit ×

Finished after 0.787 seconds

Runs: 6/6 Errors: 0 Failures: 0

TaskDAOTest [Runner: JUnit 5] (0.705 s)

- testDoRetrieveByKey() (0.686 s)
- testDoRetrieveAllByProject() (0.004 s)
- testDoDelete() (0.002 s)
- testDoUpdate() (0.003 s)
- testDoSave() (0.003 s)
- testDoRetrieveAllByProjectAndUser() (0.003 s)

Failure Trace

### 3. TESTING DI INTEGRAZIONE

---

L'integrazione dei sottosistemi è avvenuta dopo aver completato l'implementazione dei controlli, i quali sono stati incorporati nelle diverse funzionalità del sistema. Questa strategia è stata adottata per assicurare il corretto funzionamento delle singole unità di codice quando integrate per formare il sistema completo.

L'approccio 'bottom-up' è stato scelto per gestire le dipendenze delle componenti a un livello inferiore, garantendo la stabilità delle fondamenta del sistema prima di procedere con integrazioni più avanzate. L'obiettivo principale era individuare e risolvere gradualmente eventuali problemi di integrazione, assicurando una solidità complessiva del sistema durante le diverse fasi di sviluppo e test.

# 4. TESTING DI SISTEMA

Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

Project: Focus\_Project\*

Tests + ✓ TC\_1.1 Registrazione\* ✖ TC\_1.2 Accesso\*

Search tests... ✓ TC\_1.1 Registrazione\* ✖ TC\_1.2 Accesso\*

http://localhost:8080/Focus\_Project/

Command	Target	Value
13 ✓ click	id=snowi-pass	
14 ✓ click	id=passwordInput	
15 ✓ type	id=passwordInput	Salerno34_
16 ✓ click	id=submit-button	

Command: ✓ click ✖ # [ ]

Target: ✓ ✖ [ ] [ ]

Value: ✓ ✖

Description: ✓ ✖

Log Reference

8. click on name=nome\_azienza OK 18:21:00  
9. type on name=nome\_azienza with value FocusProject OK 18:21:00  
10. type on name=email with value focus34@mail.it OK 18:21:01  
11. click on css=.col-md-7 OK 18:21:01  
12. click on id=passwordInput OK 18:21:01  
13. click on id=showPass OK 18:21:01  
14. click on id=passwordInput OK 18:21:01  
15. type on id=passwordInput with value Salerno34\_ OK 18:21:01  
16. click on id=submit-button OK 18:21:01  
**TC\_1.1 Registrazione' completed successfully** 18:21:02

Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

Project: Focus\_Project\*

Tests + ✓ TC\_1.1 Registrazione\* ✖ TC\_1.2 Accesso\*

Search tests... ✓ TC\_1.1 Registrazione\* ✖ TC\_1.2 Accesso\*

http://localhost:8080/Focus\_Project/

Command	Target	Value
/ ✓ click	id=snowi-pass	
8 ✓ click	id=passwordInput	
9 ✓ type	id=passwordInput	Salerno34_
10 ✓ click	css=btms	

Command: ✓ click ✖ # [ ]

Target: ✓ ✖ [ ] [ ]

Value: ✓ ✖

Description: ✓ ✖

Log Reference

1. open on http://localhost:8080/Focus\_Project/ OK 18:30:10  
2. setWindowSize on 1400x760 OK 18:30:10  
3. click on linkText=Accedi OK 18:30:10  
4. click on name=email OK 18:30:10  
5. type on name=email with value focus34@mail.it OK 18:30:11  
6. click on css=body OK 18:30:11  
8. click on id=passwordInput OK 18:30:11  
9. type on id=passwordInput with value Salerno34\_ OK 18:30:11  
10. click on css=btms OK 18:30:11  
**TC\_1.2 Accesso' completed successfully** 18:30:11



Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

**Project: Focus\_Project\***

Executing > [http://localhost:8080/Focus\\_Project/](http://localhost:8080/Focus_Project/)

**TC\_2.1 Aggiungi dipendente**

Command	Target	Value
17 ✓ type	id=cognome	Dauria
18 ✓ type	id=email	francescodauria@gmail.com
19 ✓ click	id=responsabile	
20 ✓ click	css=#addEmployeeForm > button	
21 // ✓ click	css=#closeBtn1 > fas	

Command:  [/](#) [\[ \]](#)

Target:  [\[ \]](#) [\[ \]](#)

Value:

Description:

Runs: 1 Failures: 0

**Log** **Reference**

- 11. click on id=subordinato OK 18:36:54
- 12. click on css=#addEmployeeForm > button OK 18:36:54
- 14. click on id=showAddEmployee OK 18:36:56
- 15. click on id=nome OK 18:36:56
- 16. type on id=nome with value Francesco OK 18:36:56
- 17. type on id=cognome with value Dauria OK 18:36:56
- 18. type on id=email with value francescodauria@gmail.com OK 18:36:56
- 19. click on id=responsabile OK 18:36:57
- 20. click on css:#addEmployeeForm > button OK 18:36:57
- 'TC\_2.1 Aggiungi dipendente' completed successfully** 18:36:57

Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

**Project: Focus\_Project\***

Tests < + [http://localhost:8080/Focus\\_Project/](http://localhost:8080/Focus_Project/)

**TC\_1.1 Registrazione\***

**TC\_1.2 Accesso\***

**TC\_1.3 Cambio E-mail\***

**TC\_1.4 Cambio Password**

**TC\_2.1 Aggiungi dipendente**

**TC\_2.2 Rimuovi dipendente**

Command	Target	Value
5 ✓ click	id=logo	
6 ✓ click	linkText=Dashboard Dipendenti	
7 ✓ click	id=showRemoveEmployee	
8 ✓ click	css=form:nth-child(3) > p > button	

Command:  [/](#) [\[ \]](#)

Target:  [\[ \]](#) [\[ \]](#)

Value:

Description:

**Log** **Reference**

- 1. open on [http://localhost:8080/Focus\\_Project/](http://localhost:8080/Focus_Project/) OK 18:37:59
- 2. setWindowSize on 1408x760 OK 18:37:59
- 3. click on id=logo OK 18:37:59
- 4. click on linkText=Salvatore (dirigente) OK 18:37:59
- 5. click on id=logo OK 18:37:59
- 6. click on linkText=Dashboard Dipendenti OK 18:38:00
- 7. click on id=showRemoveEmployee OK 18:38:00
- 8. Trying to find css=form:nth-child(3) > p > button... OK 18:38:00
- Warning Element found with secondary locator xpath=(//button[@type='submit'])[3]. To use it by default, update the test step to use it as the primary locator. 18:38:30
- 'TC\_2.2 Rimuovi dipendente' completed successfully** 18:38:30

Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* – Mozilla Firefox

Project: Focus\_Project\*

Executing ▾

Run current test Ctrl+R

TC\_2.4 Rimuovi turno

Command	Target	Value
2 ✓ set window size	1408x760	
3 ✓ click	linkText=Home	
4 ✓ click	linkText=Dashboard Dipendenti	
5 ✓ click	id=showRemoveShift	
6 ✓ click	id=rimuoviTurno	

Command

Target

Value

Description

Runs: 1 Failures: 0

Log Reference

Running 'TC\_2.4 Rimuovi turno'

1. open on http://localhost:8080/Focus_Project/	OK	18:46:54
2. setWindowSize on 1408x760	OK	18:46:54
3. click on linkText=Home	OK	18:46:54
4. click on linkText=Dashboard Dipendenti	OK	18:46:55
5. click on id=showRemoveShift	OK	18:46:55
6. click on id=rimuoviTurno	OK	18:46:55

'TC\_2.4 Rimuovi turno' completed successfully

Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

**Project: Focus\_Project\***

Tests + D E O C

Search tests... Run current test Ctrl+R icus\_Project/

Command	Target	Value
✓ TC_1.1 Registrazione*		
✓ TC_1.2 Accesso*		
✓ TC_1.3 Cambio E-mail*		
✓ TC_1.4 Cambio Password		
✓ TC_2.1 Aggiungi dipendente		
✓ TC_2.2 Rimuovi dipendente		
✓ TC_2.3 Aggiungi turno*		
✓ TC_2.4 Rimuovi turno*		
✓ TC_3.1 Aggiungi Progetto		
✓ TC_3.2 Modifica Progetto		

Log Reference

```

17. click on css=ui-icon-circle-triangle-w OK
18. click on css=ui-icon-circle-triangle-w OK
19. click on css=ui-icon-circle-triangle-w OK
20. click on linkText=29 OK
21. click on id=budget OK
22. click on id=budget OK
23. click on id=budget OK
24. type on id=budget with value 10000 OK
25. click on css=button:nth-child(15) OK
'TC_3.1 Aggiungi Progetto' completed successfully

```

Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

**Project: Focus\_Project\***

Tests + D E O C

Search tests... Run current test Ctrl+R icus\_Project/

Command	Target	Value
✓ TC_1.1 Registrazione*		
✓ TC_1.2 Accesso*		
✓ TC_1.3 Cambio E-mail*		
✓ TC_1.4 Cambio Password		
✓ TC_2.1 Aggiungi dipendente		
✓ TC_2.2 Rimuovi dipendente		
✓ TC_2.3 Aggiungi turno*		
✓ TC_2.4 Rimuovi turno*		
✓ TC_3.1 Aggiungi Progetto		
✓ TC_3.2 Modifica Progetto		Sviluppare backend, sviluppare frontend, FORZAI

Log Reference

```

11. click on id=scadenzeProgetto OK
12. click on css=ui-icon-circle-triangle-e OK
13. click on linkText=5 OK
14. click on id=budgetProgetto OK
15. type on id=budgetProgetto with value 5.0 OK
16. click on id=testoObiettivi OK
17. click on id=testoObiettivi OK
18. type on id=testoObiettivi with value Sviluppare backend, sviluppare frontend, FORZAI OK
19. click on id=applicaMod OK
'TC_3.2 Modifica Progetto' completed successfully

```

Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

**Project: Focus\_Project\***

Tests + D E S Run current test Ctrl+R icus\_Project/ REC

Command	Target	Value
✓ TC_1.1 Registrazione*	linkText=Home	
✓ TC_1.2 Accesso*	linkText=Dashboard Progetti	
✓ TC_1.3 Cambio E-mail*	id=showOngoingProject	
✓ TC_1.4 Cambio Password	linkText=FocusProject	
✓ TC_2.1 Aggiungi dipendente	css=#concludiProgettoForm > .btn	
✓ TC_2.2 Rimuovi dipendente		
✓ TC_2.3 Aggiungi turno*		
✓ TC_2.4 Rimuovi turno*		
✓ TC_3.1 Aggiungi Progetto		
✓ TC_3.2 Modifica Progetto		

Log Reference

**'TC\_3.2 Modifica Progetto' completed successfully**

Running 'TC\_3.3 Elimina Progetto'

- open on http://localhost:8080/Focus\_Project/ OK
- setWindowSize on 1408x760 OK
- click on linkText=Home OK
- click on linkText=Dashboard Progetti OK
- click on id=showOngoingProject OK
- click on linkText=FocusProject OK
- click on css=#concludiProgettoForm > .btn OK

**'TC\_3.3 Elimina Progetto' completed successfully**

18:52:26 18:53:13 18:53:13 18:53:13 18:53:14 18:53:14 18:53:14 18:53:14

Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

**Project: Focus\_Project\***

Tests + D E S Run current test Ctrl+R icus\_Project/ REC

Command	Target	Value
✓ TC_1.1 Registrazione	linkText=Home	
✓ TC_1.2 Accesso	linkText=Dashboard Progetti	
✓ TC_1.3 Cambio E-mail	id=showOngoingProject	
✓ TC_1.4 Cambio Password	linkText=FocusProject	
✓ TC_2.1 Aggiungi dipendente	css=#concludiProgettoForm > .btn	
✓ TC_2.2 Rimuovi dipendente		
✓ TC_2.3 Aggiungi turno		
✓ TC_2.4 Rimuovi turno		
✓ TC_3.1 Aggiungi Progetto		
✓ TC_3.2 Modifica Progetto		

Log Reference

**'TC\_3.1 Aggiungi Progetto' completed successfully**

Running 'TC\_3.4 Concludi Progetto'

- open on http://localhost:8080/Focus\_Project/ OK
- setWindowSize on 1408x760 OK
- click on linkText=Home OK
- click on linkText=Dashboard Progetti OK
- click on id=showOngoingProject OK
- click on linkText=FocusProject OK
- click on css=#concludiProgettoForm > .btn OK

**'TC\_3.4 Concludi Progetto' completed successfully**

19:04:42 19:05:21 19:05:21 19:05:21 19:05:22 19:05:22 19:05:22 19:05:22



Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

**Project: Focus\_Project\***

Tests + ⌂ Run current test Ctrl+R cus\_Project/

Command	Target	Value
✓ TC_2.2 Rimuovi dipendente	linkText=Gestione Task	
✓ TC_2.3 Aggiungi turno	css=.apri-form	
✓ TC_2.4 Rimuovi turno	id=neri.24@gmail.com_descrizione	
✓ TC_3.1 Aggiungi Progetto	id=neri.24@gmail.com_descrizione	Fai frontend
✓ TC_3.2 Modifica Progetto	css= aggiungi-task	
✓ TC_3.3 Elimina Progetto		
✓ TC_3.4 Concludi Progetto		
✓ TC_3.5 Assegna Subordinato*		
✓ TC_3.6 Rimuovi Subordinato*		
✓ TC_3.7 Assegna Task*		

Log Reference

- 3. click on linkText=Home OK 19:12:42
- 4. click on linkText=Dashboard Progetti OK 19:12:42
- 5. click on id=showOngoingProject OK 19:12:43
- 6. click on linkText=FocusProject OK 19:12:43
- 7. click on linkText=Gestione Task OK 19:12:43
- 8. click on css=.apri-form OK 19:12:43
- 9. click on id=neri.24@gmail.com\_descrizione OK 19:12:43
- 10. type on id=neri.24@gmail.com\_descrizione with value Fai frontend OK 19:12:43
- 11. click on css= aggiungi-task OK 19:12:43

**'TC\_3.7 Assegna Task' completed successfully** 19:12:44

Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

**Project: Focus\_Project\***

Tests + ⌂ Run current test Ctrl+R cus\_Project/

Command	Target	Value
✓ TC_2.3 Aggiungi turno	linkText=Dashboard Progetti	
✓ TC_2.4 Rimuovi turno	id=showOngoingProject	
✓ TC_3.1 Aggiungi Progetto	linkText=FocusProject	
✓ TC_3.2 Modifica Progetto	linkText=Gestione Task	
✓ TC_3.3 Elimina Progetto	css=li:nth-child(2) #rimuovi-task	
✓ TC_3.4 Concludi Progetto		
✓ TC_3.5 Assegna Subordinato*		
✓ TC_3.6 Rimuovi Subordinato*		
✓ TC_3.7 Assegna Task*		
✓ TC_3.8 Rimuovi Task*		

Log Reference

Running 'TC\_3.8 Rimuovi Task'

- 1. open on http://localhost:8080/Focus\_Project/ OK 19:15:03
- 2. setWindowSize on 1408x760 OK 19:15:04
- 3. click on linkText=Home OK 19:15:04
- 4. click on linkText=Dashboard Progetti OK 19:15:04
- 5. click on id=showOngoingProject OK 19:15:04
- 6. click on linkText=FocusProject OK 19:15:04
- 7. click on linkText=Gestione Task OK 19:15:04
- 8. click on css=li:nth-child(2) #rimuovi-task OK 19:15:05

**'TC\_3.8 Rimuovi Task' completed successfully** 19:15:05

Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

Project: Focus\_Project\*

Tests + > Run current test Ctrl+R cus\_Project/

Command	Target	Value
4 ✓ click	linkText=Dashboard Progetti	
5 ✓ click	id=showOngoingProject	
6 ✓ click	linkText=FocusProject	
7 ✓ click	linkText=Visualizza Task	
8 ✓ click	id=completa-task	

Command Target Value

Log Reference

Running 'TC\_3.9 Completa Task'

- 1. open on http://localhost:8080/Focus\_Project/ OK 19:18:06
- 2. setWindowSize on 1408x760 OK 19:18:06
- 3. click on linkText=Home OK 19:18:06
- 4. click on linkText=Dashboard Progetti OK 19:18:07
- 5. click on id=showOngoingProject OK 19:18:07
- 6. click on linkText=FocusProject OK 19:18:07
- 7. click on linkText=Visualizza Task OK 19:18:07
- 8. click on id=completa-task OK 19:18:07

'TC\_3.9 Completa Task' completed successfully 19:18:08

Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

Project: Focus\_Project\*

Tests + > Run current test Ctrl+R cus\_Project/

Command	Target	Value
6 ✓ click	linkText=FocusProject	
7 ✓ click	id=makeAvviso	
8 ✓ click	id=testoAvviso	
9 ✓ type	id=testoAvviso	Forza e coraggio che prendete il bonus!
10 ✓ click	id=inviaAvviso	

Command Target Value

Log Reference

- 2. setWindowSize on 1408x760 OK 19:19:55
- 3. click on linkText=Home OK 19:19:55
- 4. click on linkText=Dashboard Progetti OK 19:19:56
- 5. click on id=showOngoingProject OK 19:19:56
- 6. click on linkText=FocusProject OK 19:19:56
- 7. click on id=makeAvviso OK 19:19:56
- 8. click on id=testoAvviso OK 19:19:57
- 9. type on id=testoAvviso with value Forza e coraggio che prendete il bonus! OK 19:19:57
- 10. click on id=inviaAvviso OK 19:19:57

'TC\_3.10 Inviare Avviso Progetto' completed successfully 19:19:57

Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

**Project: Focus\_Project\***

Tests + ⌂ Run current test Ctrl+R cus\_Project/

	Command	Target	Value
5	✓ click	id=showAddNews	
6	✓ click	id=titolo	
7	✓ type	id=titolo	Benvenuti in azienda
8	✓ type	id=testo	vi auguri di trovare colleghi simpatici, buon lavoro!
9	✓ click	css=button:nth-child(5)	

Command Target Value

TC\_4.1 Inserire News\* completed successfully

Log Reference

- 1. open on http://localhost:8080/Focus\_Project/ OK 19.21.27
- 2. setWindowSize on 1408x760 OK 19.21.27
- 3. click on linkText=Home OK 19.21.27
- 4. click on linkText=Comunicazioni OK 19.21.27
- 5. click on id=showAddNews OK 19.21.27
- 6. click on id=titolo OK 19.21.27
- 7. type on id=titolo with value Benvenuti in azienda OK 19.21.28
- 8. type on id=testo with value vi auguri di trovare colleghi simpatici, buon lavoro! OK 19.21.28
- 9. click on css=button:nth-child(5) OK 19.21.28

TC\_4.1 Inserire News\* completed successfully 19.21.28

Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

**Project: Focus\_Project\***

Tests + ⌂ Run current test Ctrl+R cus\_Project/

	Command	Target	Value
8	✓ click	id=alGiorno	
9	✓ click	linkText=30	
10	✓ click	id=motivazione	
11	✓ type	id=motivazione	Malattia
12	✓ click	css=input:nth-child(7)	

Command Target Value

TC\_4.2 Richiesta Permesso\* completed successfully

Log Reference

- 4. click on linkText=Comunicazioni OK 19.22.43
- 5. click on id=showRequestPermission OK 19.22.44
- 6. click on id=dalGiorno OK 19.22.44
- 7. click on linkText=29 OK 19.22.44
- 8. click on id=dalGiorno OK 19.22.44
- 9. click on linkText=30 OK 19.22.44
- 10. click on id=motivazione OK 19.22.44
- 11. type on id=motivazione with value Malattia OK 19.22.45
- 12. click on css=input:nth-child(7) OK 19.22.45

TC\_4.2 Richiesta Permesso\* completed successfully 19.22.45

Estensione: (Selenium IDE) - Selenium IDE - Focus\_Project\* - Mozilla Firefox

Project: Focus\_Project\*

Tests + > ▶ ○ ⊞ ○ ⊞ REC

Search tests...

http://localhost:8080/Focus\_Project/

	Command	Target	Value
3	✓ click	linkText=Home	
4	✓ click	linkText=Comunicazioni	
5	✓ click	id=showPermissionManagement	
6	✓ click	name=action	

Command  //

Target

Value

Description

Log Reference

12. click on css=input:nth-child(7) OK 19:22:45

**TC\_4.2 Richiesta Permesso' completed successfully** 19:22:45

Running 'TC\_4.3 Gestione Permessi'

1. open on http://localhost:8080/Focus\_Project/ OK 19:24:16

2. setWindowSize on 1408x760 OK 19:24:17

3. click on linkText=Home OK 19:24:17

4. click on linkText=Comunicazioni OK 19:24:17

5. click on id=showPermissionManagement OK 19:24:18

6. click on name=action OK 19:24:18

**TC\_4.3 Gestione Permessi' completed successfully** 19:24:18