TabuLLM: AI Benchmark Report

1. Executive Summary: Consolidated Audit Results

This report consolidates the results of the TabuLLM data augmentation pipeline. The objective is to audit the fidelity, diversity, and privacy of the synthetic data generated via LLM inference. Below are the averaged performance indicators across all processed datasets in this session.

Audit Indicator	Global Session Mean (± Std)
Synthetic Fidelity (JSD)	73.9 ± 2.91
Correlation Stability	87.3 ± 1.95
Distribution Consistency	85.0 ± 4.98
Entropy Preservation	81.8 ± 2.64
Mean Z Score Drift	0.4 ± 0.10
Categorical Fidelity	0.0 ± 0.00
Privacy Risk	30.8 ± 10.01
Data Density	98.8 ± 0.58
Coverage Score	50.8 ± 11.62
Feature Accuracy	74.3 ± 6.36
Novelty Score	0.5 ± 0.09

TabuLLM: AI Benchmark Report

Dataset Audit: parkinsons.csv

1. Dataset Portrait

Attribute	Value
Rows	195
Columns	23
Numeric features	23
Categorical features	0
Missing cells (%)	0.0%

2. Generation Strategy & LLM Config [1]

Parameter	Configuration
Algorithm (*12)	gpt-4o-mini
Folds (*13)	10
Context % (*14)	20%
Generation % (*15)	100%
Join context (*16)	True

3. Statistical Significance & Data Drift

Feature	Orig Mean	Aug Mean	Shift	P-Value	Status
MDVP:Fo	154.229	159.862	+5.633	3.7%	OK
MDVP:Fhi	197.105	197.737	+0.632	0.3%	OK
MDVP:Flo	116.325	119.121	+2.796	2.4%	OK
MDVP:Jitter	0.006	0.008	+0.002	35.6%	Drift
MDVP:Jitter.1	0.006	0.008	+0.002	35.6%	Drift
MDVP:RAP	0.003	0.004	+0.001	35.0%	Drift
MDVP:PPQ	0.003	0.005	+0.001	37.4%	Drift
Jitter:DDP	0.010	0.013	+0.003	29.5%	Drift
MDVP:Shimmer	0.030	0.035	+0.005	17.9%	Warn
MDVP:Shimmer.1	0.030	0.035	+0.005	17.9%	Warn
Shimmer:APQ3	0.016	0.018	+0.002	14.6%	Warn
Shimmer:APQ5	0.018	0.021	+0.003	18.4%	Warn

4. Quality & Fidelity Metrics (Mean ± Std)

Metric Category	Aggregated Score
Synthetic Fidelity (JSD) (*1)	73.9 ± 2.91
Correlation Stability (*2)	87.3 ± 1.95
Distribution Consistency (*3)	85.0 ± 4.98
Entropy Preservation (*4)	81.8 ± 2.64
Mean Z Score Drift (*5)	0.4 ± 0.10
Categorical Fidelity (*6)	0.0 ± 0.00
Privacy Risk (*7)	30.8 ± 10.01

Data Density (*8)	98.8 ± 0.58
Coverage Score (*9)	50.8 ± 11.62
Feature Accuracy (*10)	74.3 ± 6.36
Novelty Score (*11)	0.5 ± 0.09

*[1] (*12) Algorithm: Contextual constraint or model parameter.*

*[2] (*13) Folds: Contextual constraint or model parameter.*

*[3] (*14) Context %: Contextual constraint or model parameter.*

*[4] (*15) Generation %: Contextual constraint or model parameter.*

*[5] (*16) Join context: Contextual constraint or model parameter.*

[6] Synthetic Fidelity (JSD): Overall distribution similarity.
[7] Correlation Stability: Multivariate relationships preserved.
[8] Distribution Consistency: Median feature similarity.
[9] Entropy Preservation: Information diversity maintained.
[10] Mean Z Score Drift: Standardized distribution shift.
[11] Categorical Fidelity: Category distribution similarity.
[12] Privacy Risk: Synthetic rows too close to originals.
[13] Data Density: Non-missing cells in augmented data.
[14] Coverage Score: Synthetic coverage of original space.
[15] Feature Accuracy: Mean feature similarity.
[16] Novelty Score: Distance ratio to nearest neighbors.

6. Downstream ML Utility: Comparative Analysis

Model: KNN

Metric	Real (Baseline)	Generated	Augmented	Delta (Lift)	Sig.
ACCURACY	0.8358974358974359	0.6025641025641026	0.8179487179487179	-0.01794871794871796	
F1	0.8946275603661134	0.6099998005624143	0.8738943871375573	-0.0207331732285561	

Model: DT

Metric	Real (Baseline)	Generated	Augmented	Delta (Lift)	Sig.
ACCURACY	0.8435897435897436	0.7769230769230769	0.8538461538461538	0.01025641025641023	
F1	0.8905101108832773	0.8381534310075386	0.8977316088046656	0.00722149792138842	

Model: GB

Metric	Real (Baseline)	Generated	Augmented	Delta (Lift)	Sig.
ACCURACY	0.9179487179487179	0.8076923076923077	0.9179487179487178	2.2204460492503132e-17	
F1	0.9446656740391101	0.8617903159636956	0.9434878639496667	-0.00117781008944397	

Model: SVM

Metric	Real (Baseline)	Generated	Augmented	Delta (Lift)	Sig.
ACCURACY	0.8102564102564103	0.6025641025641025	0.7743589743589744	-0.03589743589743588	
F1	0.8848220246893213	0.5915389686903827	0.8596047419720385	-0.02521728271728272	

Model: MLP

Metric	Real (Baseline)	Generated	Augmented	Delta (Lift)	Sig.
ACCURACY	0.8128205128205128	0.5948717948717949	0.7897435897435898	-0.02307692307692306	
F1	0.8863319554944604	0.5985540898878043	0.8592325730771921	-0.02709938241726799	

Model: LR

Metric	Real (Baseline)	Generated	Augmented	Delta (Lift)	Sig.
ACCURACY	0.8692307692307694	0.7589743589743589	0.8153846153846154	-0.05384615384615382	*
F1	0.9130547168372463	0.8137894817681858	0.8768791278744154	-0.03617558896283111	*

Model: XGB

Metric	Real (Baseline)	Generated	Augmented	Delta (Lift)	Sig.
ACCURACY	0.9333333333333333	0.8102564102564103	0.9256410256410257	-0.00769230769230767	
F1	0.9560674056986365	0.8622630871041693	0.9501159105678673	-0.00595149513076898	

Model: RF

Metric	Real (Baseline)	Generated	Augmented	Delta (Lift)	Sig.
ACCURACY	0.917948717948718	0.7743589743589744	0.917948717948718	-1.1102230246251566e-17	
F1	0.9454014301799594	0.8289991609519873	0.9453692239661992	-3.220621376024413e-05	

Model: AB

Metric	Real (Baseline)	Generated	Augmented	Delta (Lift)	Sig.
ACCURACY	0.9128205128205129	0.8	0.8794871794871796	-0.03333333333333334	
F1	0.941802264596966	0.8573868066535626	0.9189820472879457	-0.022802173090202996	

Model: NB

Metric	Real (Baseline)	Generated	Augmented	Delta (Lift)	Sig.
ACCURACY	0.7153846153846153	0.5128205128205128	0.6307692307692307	-0.0846153846153846	
F1	0.765535606787701	0.489537234583279	0.6629209252367885	-0.1026146815509125	

Appendix: Benchmark Data Trace

Legend: [Blue] = Real Context | [Green] = Generated Synthetic | [Yellow] = Real Training (Remaining) | [Grey] = Real Test Baseline

A. Baseline: Original Dataset (Full Record Sample)

#	MDVP:Fo	MDVP:Fhi	MDVP:Flo	MDVP:Jitter	MDVP:Jitter.1	MDVP:RAP	MDVP:PPQ	Jitter:DDP	MDVP:Shimmer	MDVP:Shimmer.1
1	119.992	157.302	74.997	0.00784	0.00784	0.0037	0.00554	0.01109	0.04374	0.04374
2	122.4	148.65	113.819	0.00968	0.00968	0.00465	0.00696	0.01394	0.06134	0.06134
3	116.682	131.111	111.555	0.0105	0.0105	0.00544	0.00781	0.01633	0.05233	0.05233
4	116.676	137.871	111.366	0.00997	0.00997	0.00502	0.00698	0.01505	0.05492	0.05492
5	116.014	141.781	110.655	0.01284	0.01284	0.00655	0.00908	0.01966	0.06425	0.06425
6	120.552	131.162	113.787	0.00968	0.00968	0.00463	0.0075	0.01388	0.04701	0.04701
7	120.267	137.244	114.82	0.00333	0.00333	0.00155	0.00202	0.00466	0.01608	0.01608
8	107.332	113.84	104.315	0.0029	0.0029	0.00144	0.00182	0.00431	0.01567	0.01567
9	95.73	132.068	91.754	0.00551	0.00551	0.00293	0.00332	0.0088	0.02093	0.02093
10	95.056	120.103	91.226	0.00532	0.00532	0.00268	0.00332	0.00803	0.02838	0.02838
11	88.333	112.24	84.072	0.00505	0.00505	0.00254	0.0033	0.00763	0.02143	0.02143
12	91.904	115.871	86.292	0.0054	0.0054	0.00281	0.00336	0.00844	0.02752	0.02752
13	136.926	159.866	131.276	0.00293	0.00293	0.00118	0.00153	0.00355	0.01259	0.01259
14	139.173	179.139	76.556	0.0039	0.0039	0.00165	0.00208	0.00496	0.01642	0.01642
15	152.845	163.305	75.836	0.00294	0.00294	0.00121	0.00149	0.00364	0.01828	0.01828
16	142.167	217.455	83.159	0.00369	0.00369	0.00157	0.00203	0.00471	0.01503	0.01503
17	144.188	349.259	82.764	0.00544	0.00544	0.00211	0.00292	0.00632	0.02047	0.02047
18	168.778	232.181	75.603	0.00718	0.00718	0.00284	0.00387	0.00853	0.03327	0.03327
19	153.046	175.829	68.623	0.00742	0.00742	0.00364	0.00432	0.01092	0.05517	0.05517
20	156.405	189.398	142.822	0.00768	0.00768	0.00372	0.00399	0.01116	0.03995	0.03995

TabuLLM: AI Benchmark Report

B.1 Audit Trace: Fold 1 | Ctx: 20% | Gen: 100%

#	MDVP:Fo	MDVP:Fhi	MDVP:Flo	MDVP:Jitter	MDVP:Jitter.1	MDVP:RAP	MDVP:PPQ	Jitter:DDP	MDVP:Shimmer	MDVP:Shimmer.1
1	157.821	172.975	68.401	0.00358	0.00358	0.00196	0.00196	0.00587	0.03716	0.03716
2	171.041	208.313	75.501	0.00455	0.00455	0.0025	0.00234	0.0075	0.01966	0.01966
3	198.116	233.099	174.478	0.02714	0.02714	0.01568	0.01699	0.04705	0.08684	0.08684
4	177.876	192.921	168.013	0.00411	0.00411	0.00233	0.00241	0.007	0.02126	0.02126
5	117.963	134.209	100.757	0.01813	0.01813	0.01117	0.00718	0.03351	0.04912	0.04912
6	202.266	211.604	197.079	0.0018	0.0018	0.00093	0.00107	0.00278	0.00954	0.00954
7	150.234	180.456	70.123	0.00412	0.00412	0.00201	0.00215	0.00634	0.03876	0.03876
8	165.789	205.678	75.234	0.00567	0.00567	0.00278	0.00256	0.00789	0.02034	0.02034
9	190.456	220.123	180.456	0.0289	0.0289	0.01678	0.01789	0.0489	0.09012	0.09012
10	172.345	198.456	160.789	0.00445	0.00445	0.00245	0.00256	0.00745	0.02234	0.02234
11	120.678	135.789	95.123	0.01967	0.01967	0.01189	0.00789	0.03456	0.05012	0.05012
12	203.456	215.678	200.123	0.00234	0.00234	0.00112	0.00123	0.00345	0.01012	0.01012
13	110.417	131.067	103.37	0.00784	0.00784	0.00352	0.00514	0.01056	0.03715	0.03715
14	208.083	253.792	91.802	0.00757	0.00757	0.00428	0.00428	0.01285	0.06725	0.06725
15	244.99	272.21	239.17	0.00451	0.00451	0.00279	0.00237	0.00837	0.01897	0.01897
16	228.969	239.541	113.201	0.00238	0.00238	0.00136	0.0014	0.00408	0.01745	0.01745

B.2 Audit Trace: Fold 2 | Ctx: 20% | Gen: 100%

#	MDVP:Fo	MDVP:Fhi	MDVP:Flo	MDVP:Jitter	MDVP:Jitter.1	MDVP:RAP	MDVP:PPQ	Jitter:DDP	MDVP:Shimmer	MDVP:Shimmer.1
1	156.239	195.107	79.82	0.00694	0.00694	0.00403	0.00395	0.01209	0.02343	0.02343
2	192.818	224.429	168.793	0.03107	0.03107	0.018	0.01958	0.05401	0.11908	0.11908
3	237.226	247.326	225.227	0.00298	0.00298	0.00169	0.00182	0.00507	0.01752	0.01752
4	176.858	205.56	75.344	0.00747	0.00747	0.00418	0.0042	0.01254	0.04795	0.04795
5	117.004	144.466	99.923	0.00353	0.00353	0.00176	0.00218	0.00528	0.01657	0.01657
6	200.714	223.982	89.686	0.00621	0.00621	0.00371	0.00337	0.01112	0.02286	0.02286
7	150.234	210.567	80.123	0.00567	0.00567	0.00234	0.00245	0.00987	0.02234	0.02234
8	180.456	230.789	150.456	0.0289	0.0289	0.01567	0.01678	0.04567	0.11012	0.11012
9	230.567	250.123	220.789	0.00345	0.00345	0.00123	0.00145	0.00456	0.0189	0.0189
10	175.678	200.456	90.123	0.00789	0.00789	0.00456	0.00467	0.01234	0.04567	0.04567
11	120.345	150.678	100.123	0.00456	0.00456	0.00234	0.00245	0.00567	0.01789	0.01789
12	205.678	220.123	85.456	0.00678	0.00678	0.00345	0.00356	0.01012	0.02123	0.02123
13	245.51	262.09	231.848	0.00235	0.00235	0.00127	0.00148	0.0038	0.01608	0.01608
14	115.38	123.109	108.634	0.00332	0.00332	0.0016	0.00199	0.0048	0.01503	0.01503
15	95.056	120.103	91.226	0.00532	0.00532	0.00268	0.00332	0.00803	0.02838	0.02838
16	143.533	162.215	65.809	0.01101	0.01101	0.00647	0.00467	0.01941	0.05384	0.05384

B.3 Audit Trace: Fold 3 | Ctx: 20% | Gen: 100%

#	MDVP:Fo	MDVP:Fhi	MDVP:Flo	MDVP:Jitter	MDVP:Jitter.1	MDVP:RAP	MDVP:PPQ	Jitter:DDP	MDVP:Shimmer	MDVP:Shimmer.1
1	152.125	161.469	76.596	0.00382	0.00382	0.00191	0.00226	0.00574	0.05925	0.05925
2	193.03	208.9	80.297	0.00766	0.00766	0.0045	0.00389	0.01351	0.03044	0.03044
3	188.62	216.302	165.982	0.01719	0.01719	0.00996	0.01027	0.02987	0.07118	0.07118
4	176.17	185.604	163.564	0.00369	0.00369	0.00205	0.00218	0.00616	0.01851	0.01851
5	108.807	134.656	102.874	0.00761	0.00761	0.00349	0.00486	0.01046	0.02719	0.02719
6	122.964	130.049	114.676	0.00428	0.00428	0.00124	0.00155	0.00373	0.01681	0.01681
7	150.25	160.45	75.5	0.0045	0.0045	0.002	0.0025	0.006	0.058	0.058
8	180.3	200.8	85.0	0.0065	0.0065	0.0035	0.004	0.012	0.028	0.028
9	190.5	210.0	170.0	0.018	0.018	0.01	0.0105	0.03	0.07	0.07
10	175.0	190.0	160.0	0.004	0.004	0.002	0.0023	0.006	0.02	0.02
11	110.0	130.0	100.0	0.008	0.008	0.003	0.004	0.01	0.025	0.025
12	125.0	135.0	115.0	0.004	0.004	0.0015	0.0018	0.0035	0.017	0.017
13	242.852	255.034	227.911	0.00225	0.00225	0.00117	0.00139	0.0035	0.01494	0.01494
14	139.224	586.567	66.157	0.03011	0.03011	0.01854	0.01628	0.05563	0.09419	0.09419
15	186.163	197.724	177.584	0.00298	0.00298	0.00165	0.00175	0.00496	0.01495	0.01495
16	116.879	131.897	108.153	0.00788	0.00788	0.00334	0.00493	0.01003	0.02645	0.02645

B.4 Audit Trace: Fold 4 | Ctx: 20% | Gen: 100%

#	MDVP:Fo	MDVP:Fhi	MDVP:Flo	MDVP:Jitter	MDVP:Jitter.1	MDVP:RAP	MDVP:PPQ	Jitter:DDP	MDVP:Shimmer	MDVP:Shimmer.1
1	149.689	160.368	133.608	0.00257	0.00257	0.00116	0.00134	0.00349	0.01346	0.01346
2	113.166	130.27	100.673	0.00502	0.00502	0.00257	0.00312	0.00772	0.05279	0.05279
3	126.512	141.756	99.77	0.01936	0.01936	0.01159	0.0099	0.03476	0.06734	0.06734
4	116.676	137.871	111.366	0.00997	0.00997	0.00502	0.00698	0.01505	0.05492	0.05492
5	151.737	190.204	129.859	0.00314	0.00314	0.00135	0.00162	0.00406	0.01469	0.01469
6	242.852	255.034	227.911	0.00225	0.00225	0.00117	0.00139	0.0035	0.01494	0.01494
7	145.32	160.45	130.67	0.0025	0.0025	0.0011	0.0013	0.0034	0.0125	0.0125
8	120.45	135.67	102.34	0.0045	0.0045	0.0023	0.0029	0.007	0.05	0.05
9	130.67	140.9	98.5	0.018	0.018	0.01	0.009	0.03	0.065	0.065
10	115.9	138.0	110.5	0.008	0.008	0.004	0.007	0.015	0.053	0.053
11	150.0	195.0	130.0	0.003	0.003	0.0014	0.0015	0.004	0.015	0.015
12	240.0	250.0	230.0	0.002	0.002	0.001	0.0012	0.003	0.014	0.014
13	208.519	220.315	199.02	0.00609	0.00609	0.00368	0.00339	0.01105	0.01761	0.01761
14	173.898	211.35	74.677	0.00448	0.00448	0.00237	0.00254	0.0071	0.06727	0.06727
15	116.014	141.781	110.655	0.01284	0.01284	0.00655	0.00908	0.01966	0.06425	0.06425
16	98.804	102.305	87.804	0.00432	0.00432	0.00247	0.00258	0.00742	0.02223	0.02223

B.5 Audit Trace: Fold 5 | Ctx: 20% | Gen: 100%

#	MDVP:Fo	MDVP:Fhi	MDVP:Flo	MDVP:Jitter	MDVP:Jitter.1	MDVP:RAP	MDVP:PPQ	Jitter:DDP	MDVP:Shimmer	MDVP:Shimmer.1
1	156.405	189.398	142.822	0.00768	0.00768	0.00372	0.00399	0.01116	0.03995	0.03995
2	115.38	123.109	108.634	0.00332	0.00332	0.0016	0.00199	0.0048	0.01503	0.01503
3	192.818	224.429	168.793	0.03107	0.03107	0.018	0.01958	0.05401	0.11908	0.11908
4	108.807	134.656	102.874	0.00761	0.00761	0.00349	0.00486	0.01046	0.02719	0.02719
5	201.774	262.707	78.228	0.00694	0.00694	0.00412	0.00396	0.01235	0.02574	0.02574
6	151.989	157.339	132.857	0.00174	0.00174	0.00075	0.00096	0.00225	0.01024	0.01024
7	145.678	190.234	130.456	0.00512	0.00512	0.00234	0.00245	0.00876	0.03456	0.03456
8	120.456	130.789	110.345	0.00456	0.00456	0.00189	0.00234	0.00567	0.01234	0.01234
9	198.123	220.456	160.789	0.03045	0.03045	0.01789	0.0189	0.05234	0.11567	0.11567
10	110.234	135.678	100.123	0.00678	0.00678	0.00345	0.00456	0.01123	0.02567	0.02567
11	205.678	250.123	80.456	0.00789	0.00789	0.00456	0.00345	0.01234	0.02789	0.02789
12	150.123	160.456	135.678	0.00234	0.00234	0.00089	0.00123	0.00234	0.01123	0.01123
13	177.876	192.921	168.013	0.00411	0.00411	0.00233	0.00241	0.007	0.02126	0.02126
14	119.992	157.302	74.997	0.00784	0.00784	0.0037	0.00554	0.01109	0.04374	0.04374
15	116.556	592.03	86.228	0.00496	0.00496	0.00254	0.00263	0.00762	0.0166	0.0166
16	148.272	164.989	142.299	0.00459	0.00459	0.0025	0.00256	0.0075	0.0419	0.0419

B.6 Audit Trace: Fold 6 | Ctx: 20% | Gen: 100%

#	MDVP:Fo	MDVP:Fhi	MDVP:Flo	MDVP:Jitter	MDVP:Jitter.1	MDVP:RAP	MDVP:PPQ	Jitter:DDP	MDVP:Shimmer	MDVP:Shimmer.1
1	128.94	479.697	88.251	0.00581	0.00581	0.00241	0.00314	0.00723	0.02008	0.02008
2	177.876	192.921	168.013	0.00411	0.00411	0.00233	0.00241	0.007	0.02126	0.02126
3	139.224	586.567	66.157	0.03011	0.03011	0.01854	0.01628	0.05563	0.09419	0.09419
4	198.458	219.29	148.691	0.00376	0.00376	0.00182	0.00215	0.00546	0.03527	0.03527
5	96.106	108.664	84.51	0.00694	0.00694	0.00389	0.00415	0.01168	0.04024	0.04024
6	128.451	150.449	75.632	0.01551	0.01551	0.00905	0.00909	0.02716	0.0617	0.0617
7	130.45	490.32	90.12	0.0055	0.0055	0.0023	0.003	0.007	0.019	0.019
8	180.0	200.0	170.0	0.004	0.004	0.002	0.0025	0.0065	0.02	0.02
9	140.0	600.0	70.0	0.03	0.03	0.018	0.015	0.05	0.09	0.09
10	200.0	220.0	150.0	0.0035	0.0035	0.0015	0.002	0.005	0.036	0.036
11	95.0	110.0	85.0	0.007	0.007	0.004	0.0045	0.012	0.041	0.041
12	130.0	150.0	76.0	0.015	0.015	0.009	0.009	0.027	0.06	0.06
13	100.96	110.019	95.628	0.00606	0.00606	0.00351	0.00348	0.01053	0.02427	0.02427
14	240.301	245.135	219.783	0.00517	0.00517	0.00316	0.00283	0.00949	0.02018	0.02018
15	157.821	172.975	68.401	0.00358	0.00358	0.00196	0.00196	0.00587	0.03716	0.03716
16	152.125	161.469	76.596	0.00382	0.00382	0.00191	0.00226	0.00574	0.05925	0.05925

B.7 Audit Trace: Fold 7 | Ctx: 20% | Gen: 100%

#	MDVP:Fo	MDVP:Fhi	MDVP:Flo	MDVP:Jitter	MDVP:Jitter.1	MDVP:RAP	MDVP:PPQ	Jitter:DDP	MDVP:Shimmer	MDVP:Shimmer.1
1	173.898	211.35	74.677	0.00448	0.00448	0.00237	0.00254	0.0071	0.06727	0.06727
2	156.239	195.107	79.82	0.00694	0.00694	0.00403	0.00395	0.01209	0.02343	0.02343
3	118.747	123.723	109.836	0.00331	0.00331	0.00168	0.00171	0.00504	0.01043	0.01043
4	116.676	137.871	111.366	0.00997	0.00997	0.00502	0.00698	0.01505	0.05492	0.05492
5	222.236	231.345	205.495	0.00266	0.00266	0.00152	0.00144	0.00457	0.01643	0.01643
6	192.818	224.429	168.793	0.03107	0.03107	0.018	0.01958	0.05401	0.11908	0.11908
7	180.5	210.1	75.2	0.0052	0.0052	0.0025	0.0026	0.0083	0.065	0.065
8	160.3	200.5	80.1	0.0075	0.0075	0.0041	0.0039	0.0125	0.022	0.022
9	120.7	130.2	110.5	0.0035	0.0035	0.0017	0.0018	0.0052	0.011	0.011
10	115.0	140.0	112.0	0.0105	0.0105	0.0055	0.007	0.0155	0.055	0.055
11	225.0	230.0	200.0	0.0028	0.0028	0.0016	0.0015	0.0048	0.017	0.017
12	195.0	220.0	170.0	0.032	0.032	0.0185	0.02	0.055	0.12	0.12
13	129.336	139.867	118.604	0.0049	0.0049	0.00165	0.00183	0.00495	0.02498	0.02498
14	120.256	125.306	104.773	0.00407	0.00407	0.00224	0.00205	0.00671	0.01516	0.01516
15	116.15	131.731	109.815	0.00381	0.00381	0.00181	0.00232	0.00542	0.03026	0.03026
16	117.87	127.349	95.654	0.00647	0.00647	0.00356	0.003	0.01067	0.03087	0.03087

B.8 Audit Trace: Fold 8 | Ctx: 20% | Gen: 100%

#	MDVP:Fo	MDVP:Fhi	MDVP:Flo	MDVP:Jitter	MDVP:Jitter.1	MDVP:RAP	MDVP:PPQ	Jitter:DDP	MDVP:Shimmer	MDVP:Shimmer.1
1	143.533	162.215	65.809	0.01101	0.01101	0.00647	0.00467	0.01941	0.05384	0.05384
2	149.689	160.368	133.608	0.00257	0.00257	0.00116	0.00134	0.00349	0.01346	0.01346
3	115.322	135.738	107.802	0.00619	0.00619	0.00352	0.00329	0.01057	0.03273	0.03273
4	192.818	224.429	168.793	0.03107	0.03107	0.018	0.01958	0.05401	0.11908	0.11908
5	157.447	163.267	149.605	0.00369	0.00369	0.00201	0.00197	0.00602	0.03272	0.03272
6	242.852	255.034	227.911	0.00225	0.00225	0.00117	0.00139	0.0035	0.01494	0.01494
7	145.678	160.234	70.456	0.00512	0.00512	0.00234	0.00245	0.00876	0.04567	0.04567
8	152.345	165.789	130.456	0.00234	0.00234	0.00123	0.00145	0.00456	0.01234	0.01234
9	118.456	140.678	110.234	0.00678	0.00678	0.00345	0.00321	0.01123	0.03567	0.03567
10	195.678	220.123	175.456	0.02876	0.02876	0.01567	0.01789	0.05234	0.11567	0.11567
11	160.234	162.345	150.678	0.00456	0.00456	0.00234	0.00245	0.00789	0.03012	0.03012
12	240.123	250.678	230.456	0.00123	0.00123	0.00089	0.00101	0.00345	0.01567	0.01567
13	100.96	110.019	95.628	0.00606	0.00606	0.00351	0.00348	0.01053	0.02427	0.02427
14	163.656	200.841	76.779	0.00742	0.00742	0.0038	0.0039	0.0114	0.01659	0.01659
15	148.09	162.824	67.343	0.00762	0.00762	0.00467	0.00354	0.014	0.05428	0.05428
16	153.848	165.738	65.782	0.0084	0.0084	0.00428	0.0045	0.01285	0.0381	0.0381

B.9 Audit Trace: Fold 9 | Ctx: 20% | Gen: 100%

#	MDVP:Fo	MDVP:Fhi	MDVP:Flo	MDVP:Jitter	MDVP:Jitter.1	MDVP:RAP	MDVP:PPQ	Jitter:DDP	MDVP:Shimmer	MDVP:Shimmer.1
1	115.322	135.738	107.802	0.00619	0.00619	0.00352	0.00329	0.01057	0.03273	0.03273
2	176.17	185.604	163.564	0.00369	0.00369	0.00205	0.00218	0.00616	0.01851	0.01851
3	139.224	586.567	66.157	0.03011	0.03011	0.01854	0.01628	0.05563	0.09419	0.09419
4	223.365	238.987	98.664	0.00264	0.00264	0.00154	0.00151	0.00461	0.01906	0.01906
5	169.774	191.759	151.451	0.01568	0.01568	0.00863	0.00946	0.02589	0.08143	0.08143
6	120.256	125.306	104.773	0.00407	0.00407	0.00224	0.00205	0.00671	0.01516	0.01516
7	130.456	145.678	112.345	0.00567	0.00567	0.00298	0.00285	0.00912	0.02789	0.02789
8	185.234	195.678	170.123	0.00456	0.00456	0.00234	0.00245	0.00789	0.01987	0.01987
9	145.678	600.123	72.345	0.0289	0.0289	0.01789	0.01567	0.05345	0.08567	0.08567
10	220.456	250.123	100.456	0.00345	0.00345	0.00123	0.00145	0.00456	0.0189	0.0189
11	175.678	200.123	155.678	0.01456	0.01456	0.00789	0.0089	0.02456	0.08012	0.08012
12	125.678	130.456	105.678	0.00345	0.00345	0.00234	0.00212	0.00789	0.01678	0.01678
13	126.144	154.284	97.543	0.00975	0.00975	0.00593	0.00454	0.01778	0.02852	0.02852
14	223.361	263.872	87.638	0.00352	0.00352	0.00169	0.00188	0.00506	0.02536	0.02536
15	112.014	588.518	107.024	0.00533	0.00533	0.00268	0.00329	0.00805	0.02448	0.02448
16	107.332	113.84	104.315	0.0029	0.0029	0.00144	0.00182	0.00431	0.01567	0.01567

B.10 Audit Trace: Fold 10 | Ctx: 20% | Gen: 100%

#	MDVP:Fo	MDVP:Fhi	MDVP:Flo	MDVP:Jitter	MDVP:Jitter.1	MDVP:RAP	MDVP:PPQ	Jitter:DDP	MDVP:Shimmer	MDVP:Shimmer.1
1	178.222	202.45	141.047	0.00321	0.00321	0.00163	0.00194	0.00488	0.03759	0.03759
2	119.1	128.442	88.833	0.00692	0.00692	0.00393	0.003	0.01179	0.02682	0.02682
3	188.62	216.302	165.982	0.01719	0.01719	0.00996	0.01027	0.02987	0.07118	0.07118
4	112.547	133.374	105.715	0.00355	0.00355	0.00166	0.0019	0.00499	0.01358	0.01358
5	242.852	255.034	227.911	0.00225	0.00225	0.00117	0.00139	0.0035	0.01494	0.01494
6	112.014	588.518	107.024	0.00533	0.00533	0.00268	0.00329	0.00805	0.02448	0.02448
7	150.123	200.456	120.789	0.00456	0.00456	0.00234	0.00245	0.00678	0.03012	0.03012
8	130.456	180.789	110.123	0.00567	0.00567	0.00345	0.00356	0.00789	0.0289	0.0289
9	160.789	210.123	130.456	0.00678	0.00678	0.00456	0.00467	0.0089	0.03567	0.03567
10	140.123	190.456	115.789	0.00345	0.00345	0.00123	0.00134	0.00567	0.02987	0.02987
11	170.456	220.789	140.123	0.00789	0.00789	0.00567	0.00578	0.00901	0.03234	0.03234
12	125.789	175.123	105.456	0.00434	0.00434	0.00234	0.00245	0.00678	0.02789	0.02789
13	128.001	138.052	122.08	0.00436	0.00436	0.00137	0.00166	0.00411	0.02297	0.02297
14	155.078	163.736	144.148	0.00168	0.00168	0.00068	0.00092	0.00204	0.01064	0.01064
15	157.821	172.975	68.401	0.00358	0.00358	0.00196	0.00196	0.00587	0.03716	0.03716
16	129.336	139.867	118.604	0.0049	0.0049	0.00165	0.00183	0.00495	0.02498	0.02498