Nordvik Ingredients AS

Industriveien 12, 1385 Asker, Norway

Certificate of Analysis

Product: Magnesium Bisglycinate
Lot No.: B322537
Manufacture Date: 11-Apr-2026
Expiry Date: 03-Oct-2027
Issued: 07-Sep-2026
Storage: Store below 25 °C in a dry place

Parameter	Result	Specification
Appearance	Off-white powder	Report
Identification (IR)	Complies	Conforms
Assay (on dried basis)	99.7 %	98.0 - 101.5 %
Loss on drying	0.07 %	max. 0.5 %
Arsenic (As)	1040 ppb	max. 1000 ppb
Cadmium (Cd)	0.07 ppm	max. 0.5 ppm
Mercury (Hg)	0.037 ppm	max. 0.1 ppm
Salmonella spp. (25 g)	Not detected	Absent
Bulk density	0.51 g/mL	0.45 - 0.75 g/mL
pH (1% solution)	5.9	5.5 - 7.5

Lot No.: L414910
Manufacture Date: 30-Aug-2026
Retest Date: 21-Feb-2028

Parameter	Result	Specification
Appearance	Off-white powder	Report
Identification (IR)	Conforms to reference	Conforms
Assay (on dried basis)	99.0 %	98.0 - 101.5 %
Loss on drying	0.30 %	max. 0.5 %
Arsenic (As)	460 ppb	max. 1000 ppb
Cadmium (Cd)	0.26 ppm	max. 0.5 ppm
Mercury (Hg)	0.045 ppm	max. 0.1 ppm
Salmonella spp. (25 g)	Not detected	Absent
Bulk density	0.50 g/mL	0.45 - 0.75 g/mL
pH (1% solution)	6.1	5.5 - 7.5

Approved: Kari Solberg, Quality Assurance

This certificate was generated electronically and is valid without signature.