

# Table of contents I

- Introduction
- 2 Accomplishments
- Scalability
- 4 Q & A

- Conclusion
- 6 References

# What are we going to cover?

- Things that we've done
- How to scale the system



### How to measure success?

- Downloaded tweets in real-time
- Stored tweets for future analysis
- Conducted sentiment analysis on tweets
- Displayed sentiment analysis in different ways




## Image from [1].



# Amdahl's Law (A summary)

Division and measurement of serial and parallel operations appears time and again. (Shades of Mandelbrot.)

- "Make the common fast"
- "Make the fast common"
- Understand what parts have to be done serially
- Understand what parts can be done in parallel




Need to factor in "overhead" costs when computing speed up.

# Some details

#### In our system:

- Parallelizable data collection, each hashtag could be assigned its own program
- Parallelizable scheduling of data collection based on hashtag (have the OS do the work)
- Parallelizable parsing of data based on "known" questions
- Sequential data storage
- Sequential data analysis and display



# Virtualization as a testing environment

#### Things to remember

- Virtualization as proof of concept
- Not as fast as real hardware
- Commands and control almost usable



Image from [2].

Q & A time.

"The Answer to the Great Question ... Of Life, the Universe and Everything ... is ... forty-two,' said Deep Thought, with infinite majesty and calm."

Douglas Adams, The Hitchhiker's Guide to the Galaxy



## What have we covered?

- Used our twitter developer account
- Data wrangled using python
- Conducted sentiment analysis on live tweets
- Looked at the sentiment analysis in different ways



Next: Hands on analysing tweets with R.

## References I

- [1] jhoncarter071, Road to success, http://imgur.com/gallery/nBnkz06, 2016.
- [2] NixOS Staff, <u>Nixos screenshots</u>, https://nixos.org/nixos/screenshots.html, 2016.