

CTA Trace: why-good-calls-dont-close#download

Page: <https://salesbreakdowninstitute.com/why-good-calls-dont-close#download>

Generated: June 10, 2026

Page profile

Field	Value
Slug	why-good-calls-dont-close
contentType	landing_page
renderMode	html_snippet (custom HTML + scoped CSS)
leadMagnetId	the-call-felt-fine
Form destination	lead-magnet:the-call-felt-fine
Form anchor	#zenith-form-lead-magnet-the-call-felt-fine
#download target	<section class="download" id="download">
Global footer	Hidden (layout.hideGlobalFooter: true)

Production LP1 is ingested as html_snippet, not the structured components[] layout in the repo example JSON. There is one form on the page, inside #download.

What #download does

The URL hash is browser-only - it is never sent to the server.

- Browser requests GET /why-good-calls-dont-close (200)
- Server returns full page HTML
- Browser paints the page
- Browser scrolls to id="download"
- User sees the download card + LeadForm

1. Page load

Route: src/app/(marketing)/[slug]/page.tsx

- getPublishedZenithPageBySlug loads published doc from Firestore
- ZenithPageRenderer dispatches to html_snippet flow
- ZenithHtmlSnippetShell - full-bleed wrapper (no max-w marketing shell)
- ZenithHtmlRenderer injects scoped html.css + sanitized html.body
- data-sbi-slot placeholders replaced in-place with React LeadForm
- Middleware + SiteLayout hide global marketing footer via SSR

There is no embedded page JSON in public HTML. Config is loaded server-side from Firestore.

2. CTA types

A. Scroll CTAs -> #download (no API call)

CTA label	Location / behavior
See What The Recording Captured ->	Hero - scrolls to form
See All Seven Moments ->	Mid-page - scrolls to form

#download is the only in-page hash on this page.

B. Conversion CTA - form submit (API + GHL)

Inside #download, inside .dl-card:

- Fields: Name, Email (landing_page rule)
- Submit: Download The Analysis Guide ->
- Form id: zenith-form-lead-magnet-the-call-felt-fine
- App LeadForm injected via slots[] lead-form entry

3. Full conversion trace (submit)

Step 1 - Client validation

LeadForm validates name + email locally. No API call if validation fails.

Step 2 - POST body

```
POST /api/zenith/forms/submit
{
  "pageSlug": "why-good-calls-dont-close",
  "slot": "<slot-id from Firestore>",
  "variant": "lead-magnet-capture",
  "destination": "lead-magnet:the-call-felt-fine",
  "fields": { "name": "...", "email": "..." },
  "tracking": { "utmSource", "path", "referrer", ... }
}
```

Step 3 - Server processing

- Load ZenithPage from Firestore by pageSlug
- resolveStoredFormSource - tags/redirect from stored slot only
- Validate name + valid email for lead-magnet landing_page
- resolveZenithFormGHLTags (default: lead_magnet:the-call-felt-fine)
- Write zenithFormSubmissions document in Firestore
- syncContactWithTags -> GoHighLevel
- Return thankYouPageUrl or thankYouMessage

Tags and redirect URLs come from stored config, not the client body.

Step 4 - Client after success

Redirect to thankYouPageUrl via window.location.assign(), or show inline success message.

Expected redirect: /cta/thank-you-the-call-felt-fine

Production note (June 2026): That thank-you URL currently returns HTTP 500. Submissions may still save and sync to GHL, but redirect may fail until TY page is fixed.

4. Typical user journeys

- A - Direct #download link: load -> scroll to form -> submit -> API + GHL -> redirect
- B - Hero CTA: click See What The Recording Captured -> scroll -> submit
- C - Mid-page CTA: click See All Seven Moments -> scroll -> submit

All paths converge on the same single form in #download.

5. What does NOT happen

Action	Result
Visit #download	Browser scroll only
Click scroll CTAs	Browser scroll; no API
Client custom GHL tags	Ignored - server uses stored slot config
Client custom redirect	Ignored - server uses stored successBehavior
ZenithCtaButton auto-scroll	Not used - raw HTML anchors only

6. LP1 vs repo example JSON

docs/examples/zenith-lp1-forensic-landing-page-request.json describes a components page. Production uses html_snippet with CTAs scrolling to #download and one slot-backed LeadForm.

7. Verify in admin Raw JSON

- slots[].slot - id sent in POST body
- slots[].successBehavior - redirect vs inline message
- slots[].ghlTagStrategy - exact GHL tags
- /cta/thank-you-the-call-felt-fine published and returns 200

Key source files

- src/app/(marketing)/[slug]/page.tsx - public route
- src/components/zenith/ZenithHtmlRenderer.tsx - HTML + slots
- src/components/zenith/components/LeadForm.tsx - client submit
- src/app/api/zenith/forms/submit/route.ts - server + GHL
- src/lib/zenith/slot-config.ts - stored form resolution
- src/lib/zenith/resolve-public-layout.ts - footer hide SSR