



PUMPS & MOTORS



PUMPS & MOTORS

Contact Details:-

Name: Jaimin Ramani

Phone No. +91 8217524980

E-mail: smeoceanways@gmail.com



INDEX

SR. NO.	DESCRIPTION	PAGE NO.
1	V-3 Primium Submersible Pumpset (Single Phase)	1
2	V-4 Deluxe Radial Flow Submersible Pumpset (Single Phase - Three Phase)	2 / 3 / 4
3	V-4 Primium Mix Flow Submersible Pumpset (Single Phase - Three Phase)	5 / 6
4	V-5 Deluxe Radial Flow Submersible Pumpset (Three Phase)	7 / 8
5	V-5 Primium Radial Flow Submersible Pumpset (Three Phase)	9 / 10
6	V-6 Deluxe Radial Flow Submersible Pumpset (Three Phase)	11 / 12 / 13
7	V-6 Primium Radial Flow Submersible Pumpset (Three Phase)	14 / 15 / 16
8	V-6 Deluxe Mix Flow Q type Submersible Pumpset (Three Phase)	17 / 18
9	V-7 Openwell Horizontal Pumpset (Single Phase - Three Phase)	19
10	V-9 Openwell Horizontal Pumpset (Three Phase)	19
11	Terms & Condition	20
12	V-4 Eco Model	21



PUMPS & MOTORS

Our Products



V-3



V-4



V-4 SS Solar



V-4 Q-Type



V-5



V-6 Slim



V-6



V-6 SS Q-Type



V-6 SS Solar



V-6



Vertical Openwell
V-9



SS Vertical Openwe
V-9



V-7 Openwell



V-9 Openwell



CI V-9 Openwell



PRIMIUM SUBMERSIBLE PUMPSET (SINGLE PHASE)

Submersible Pump Set S.S. Body & Noryl Bowl

Suitable for 75 mm Bore Dia.

TX3 - 2

Noryl 14 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				50	40	35	30	25	20	10
				TOTAL HEAD IN METER						
TX3-5010	0.50	10	1"	12	22	39	31	34	37	38
TX3-7515	0.75	15	1"	14	23	31	35	42	46	55
TX3-1020	1.00	20	1"	18	29	45	54	65	69	74
TX3-1525	1.50	25	1"	23	38	57	69	80	85	92

TX3 - 4

Noryl 14 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				60	50	45	40	35	25	15
				TOTAL HEAD IN METER						
TX3-508	0.50	8	1"	8	14	18	25	26	28	31
TX3-7512	0.75	12	1"	12	20	28	32	37	40	45
TX3-1015	1.00	15	1"	15	25	32	36	43	48	55
TX3-1520	1.50	20	1"	20	31	45	55	66	69	75

TX3 - 5

Noryl 14 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				70	60	55	50	40	30	20
				TOTAL HEAD IN METER						
TX3-506	0.50	6	1"	9	10	12	15	17	20	23
TX3-7510	0.75	10	1"	14	20	29	31	34	36	38
TX3-1012	1.00	12	1"	17	23	33	33	38	42	45
TX3-1515	1.50	15	1"	20	29	33	38	45	48	55

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



DELUXE SUBMERSIBLE PUMPSET (SINGLE / THREE PHASE)

Submersible Pump Set S.S. Body & Noryl Grey Bowl
Suitable for 100 mm Bore Dia.

TXN - 01

Noryl 20 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	55	45	40	30	25	20	15
				TOTAL HEAD IN METER						
TXN-1510	0.50	10	1"	13	22	31	42 55 78 92 123 130 180	46	48	53
TXN-1715	0.75	15	1"	14	26	43		63	70	78
TXN-1120	1.00	20	1"	18	38	58		80	90	108
TXN-1525	1.50	25	1"	31	58	80		104	117	130
TXN-1230	2.00	30	1"	38	61	100		136	151	156
TXN-1335	3.00	35	1"	64	69	107		141	164	183
TXN-1545	5.00	45	1"	95	121	150		200	220	234

TXN - 02

Noryl 20 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	75	65	55	40	30	25	20
				TOTAL HEAD IN METER						
TXN-258	0.50	8	1"	9	23	28	31 42 49 55 78 92 126 149	34	37	42
TXN-2710	0.75	10	1"	12	26	31		46	49	53
TXN-2712	0.75	12	1"	15	31	42		54	58	63
TXN-2115	1.00	15	1"	17	34	43		63	71	78
TXN-2520	1.50	20	1"	22	38	58		80	89	108
TXN-2225	2.00	25	1"	31	58	80		105	118	131
TXN-2330	3.00	30	1"	40	62	100		138	151	157
TXN-2540	5.00	40	1"	78	89	122		172	197	210

TXN - 04

Noryl 20 Feet Head

				DISCHARGE IN LPM							
Model No.	H.P.	STAGE	OUTLET	90	80	70	60	50	40	35	
				TOTAL HEAD IN METER							
TXN-456	0.50	6	1.25"	11	15	18	22	25	28	31	
TXN-478	0.75	8	1.25"	12	22	26		29	34	37	42
TXN-4110	1.00	10	1.25"	14	25	31			40	46	49
TXN-4112	1.00	12	1.25"	15	32	40		46		52	58
TXN-4515	1.50	15	1.25"	17	34	45			55	62	72
TXN-4220	2.00	20	1.25"	22	40	60		78		82	89
TXN-4325	3.00	25	1.25"	34	60	83			95	108	118
TXN-4535	5.00	35	1.25"	66	70	108		131		148	169

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



DELUXE SUBMERSIBLE PUMPSET (SINGLE / THREE PHASE)

Submersible Pump Set S.S. Body & Noryl Grey Bowl

Suitable for 100 mm Bore Dia.

TXN - 05

Noryl 20 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				115	100	90	75	65	55	45
				TOTAL HEAD IN METER						
TXN-576	0.75	6	1.25"	12	17	18	23	26	28	31
TXN-518	1.00	8	1.25"	14	21	26	29	35	37	42
TXN-5510	1.50	10	1.25"	15	27	33	43	47	49	53
TXN-5512	1.50	12	1.25"	16	34	41	49	52	58	63
TXN-5215	2.00	15	1.25"	23	37	46	57	65	73	78
TXN-5320	3.00	20	1.25"	26	43	61	78	85	92	108
TXN-5530	5.00	30	1.25"	67	83	114	123	138	150	157

TXN - 07

Noryl 20 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				150	135	115	90	80	70	60
				TOTAL HEAD IN METER						
TXN-716	1.00	6	1.5"	12	17	18	23	25	28	31
TXN-758	1.50	8	1.5"	15	23	28	31	37	38	42
TXN-7210	2.00	10	1.5"	18	31	37	42	48	51	52
TXN-7212	2.00	12	1.5"	20	34	42	49	52	58	63
TXN-7315	3.00	15	1.5"	23	37	46	57	65	74	78
TXN-7525	5.00	25	1.5"	46	68	86	98	108	118	131

TXN - 10

Noryl 20 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				180	160	140	120	110	95	80
				TOTAL HEAD IN METER						
TXN-1056	1.50	6	2"	12	15	18	23	26	29	31
TXN-1028	2.00	8	2"	15	23	28	31	35	38	42
TXN-10310	3.00	10	2"	18	31	37	42	48	50	53
TXN-10312	3.00	12	2"	22	34	42	49	52	58	62
TXN-10520	5.00	20	2"	31	45	65	78	89	97	108

TXN - 12

Noryl 20 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				230	180	150	135	125	110	90
				TOTAL HEAD IN METER						
TXN-1226	2.00	6	2"	14	17	20	23	26	28	31
TXN-1238	3.00	8	2"	17	26	31	34	37	38	42
TXN-12515	5.00	15	2"	34	42	49	62	68	75	78



DELUXE SUBMERSIBLE PUMPSET (SINGLE / THREE PHASE)

Submersible Pump Set S.S. Body & Noryl Grey Bowl
Suitable for 100 mm Bore Dia.

TXN - 18

Noryl 15 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				270	240	200	145	135	115	100
				TOTAL HEAD IN METER						
TXN-1856	1.50	6	2"	12	15	18	20	22	24	26
TXN-1828	2.00	8	2"	13	16	21	23	29	32	35
TXN-18310	3.00	10	2"	15	20	25	29	35	40	43
TXN-18512	5.00	12	2"	20	26	30	36	48	56	62
TXN-18515	5.00	15	2"	25	29	33	40	52	60	64

TXN - 30

Noryl 15 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				350	330	280	230	180	140	120
				TOTAL HEAD IN METER						
TXN-105	1.50	5	2"	8	10	12	15	18	20	22
TXN-206	2.00	6	2"	9	12	15	18	20	22	31
TXN-308	3.00	8	2"	12	15	20	24	22	28	31
TXN-512	5.00	12	2"	18	24	31	36	43	48	55

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



PRIMIUM SUBMERSIBLE PUMPSET (SINGLE PHASE/THREE PHASE)

Submersible Pump Set S.S. Body & Virgin Bowl
Suitable for 100 mm Bore Dia.

TXR - 01

Virgin 25 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	70	63	55	45	33	22	0
				TOTAL HEAD IN METER						
TXR-158	0.50	8	1.25"	13	21	29	37 56 70 93 116 162 185 208	45	53	61
TXR-1712	0.75	12	1.25"	20	32	44		68	80	92
TXR-1115	1.00	15	1.25"	25	40	55		85	100	115
TXR-1520	1.50	20	1.25"	33	53	73		113	133	153
TXR-1225	2.00	25	1.25"	41	66	91		141	166	191
TXR-1335	3.00	35	1.25"	57	92	127		197	232	267
TXR-1540	5.00	40	1.25"	65	105	145		225	265	305
TXR-1645	6.00	45	1.25"	73	118	163		253	298	343

TXR - 02

Virgin 25 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	95	85	75	64	50	35	0
				TOTAL HEAD IN METER						
TXR-256	0.50	6	1.50"	9	15	21	27	33	39	45
TXR-278	0.75	8	1.50"	13	21	29		37	45	53
TXR-2110	1.00	10	1.50"	16	26	36	46	56	66	76
TXR-2515	1.50	15	1.50"	25	40	55	70	85	100	115
TXR-2220	2.00	20	1.50"	33	53	73	93	113	133	153
TXR-2330	3.00	30	1.50"	50	80	110	140	170	200	230
TXR-2535	5.00	35	1.50"	57	92	127	162	197	232	267
TXR-2640	6.00	40	1.50"	65	105	145	185	225	265	305

TXN - 03

Virgin 25 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	105	95	85	73	60	45	0
				TOTAL HEAD IN METER						
TXR-376	0.75	6	1.50"	9	15	21	27	33	39	45
TXR-318	1.00	8	1.50"	13	21	29		37	45	53
TXR-3512	1.50	12	1.50"	20	32	44	56	66	78	92
TXR-3215	2.00	15	1.50"	25	40	55	70	85	100	115
TXR-3325	3.00	25	1.50"	40	65	90	115	140	165	190
TXR-3530	5.00	30	1.50"	50	80	110	140	172	202	230
TXR-3635	6.00	35	1.50"	57	92	127	162	199	239	267

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



PRIMIUM SUBMERSIBLE PUMPSET (SINGLE PHASE/THREE PHASE)

Submersible Pump Set S.S. Body & Virgin Bowl
Suitable for 100 mm Bore Dia.

TXR - 05

Virgin 25 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				145	130	120	110	90	60	0
				TOTAL HEAD IN METER						
TXR-516	1.00	6	2"	9	15	21	27	33	39	45
TXR-558	1.50	8	2"	13	23	29	37	45	53	61
TXR-5212	2.00	12	2"	21	32	45	56	67	80	92
TXR-5320	3.00	20	2"	32	52	72	92	112	132	152
TXR-5525	5.00	25	2"	40	65	90	115	140	165	190
TXR-5630	6.00	30	2"	48	78	108	138	168	198	230

TXR - 07

Virgin 25 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				160	150	135	120	105	80	0
				TOTAL HEAD IN METER						
TXR-756	1.50	6	2"	9	15	21	27	33	39	45
TXR-7210	2.00	10	2"	16	26	36	46	56	66	76
TXR-7315	3.00	15	2"	25	40	55	70	86	100	113
TXR-7520	5.00	20	2"	32	52	78	92	112	132	152
TXR-7625	6.00	25	2"	40	65	90	115	140	165	190

TXR - 11

Virgin 25 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				210	185	160	135	115	90	0
				TOTAL HEAD IN METER						
TXR-1128	2.00	8	2"	13	24	30	37	47	55	61
TXR-11310	3.00	10	2"	16	26	36	46	56	66	76
TXR-11515	5.00	15	2"	25	40	55	70	85	100	115
TXR-11620	6.00	20	2"	32	52	72	92	112	135	152

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



DELUXE SUBMERSIBLE PUMPSET (THREE PHASE)

Submersible Pump Set S.S. Body & Virgin Bowl
Suitable for 142 mm Bore Dia.

TX5-4

Virgin 25 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				130	120	100	80	60	40	30
				TOTAL HEAD IN METER						
TX5-315	3.00	15	1.50"	16	31	54	75	94	104	108
TX5-422	4.00	22	1.50"	23	45	80	110	138	153	158
TX5-527	5.00	27	1.50"	29	56	98	135	170	188	195
TX5-632	6.50	32	1.50"	34	66	116	160	200	222	230
TX5-740	7.50	40	1.50"	43	83	145	200	250	258	288

TX5-5

Virgin 25 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				150	140	120	100	90	80	70
				TOTAL HEAD IN METER						
TX5-312	3.00	12	1.50"	15	38	53	72	75	80	88
TX5-418	4.00	18	1.50"	25	65	95	108	116	121	130
TX5-522	5.00	22	1.50"	35	75	100	120	138	150	158
TX5-627	6.50	27	1.50"	50	92	130	162	168	172	175
TX5-732	7.50	32	1.50"	65	120	165	192	200	207	215
TX5-1040	10.0	40	1.50"	80	165	221	240	245	253	265

TX5-7

Virgin 25 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				175	165	150	130	120	110	90
				TOTAL HEAD IN METER						
TX5-310	3.00	10	2"	20	35	45	60	65	70	75
TX5-412	4.00	12	2"	25	45	56	72	77	80	88
TX5-516	5.00	16	2"	30	65	80	95	102	110	116
TX5-622	6.50	22	2"	45	88	110	132	140	150	158
TX5-725	7.50	25	2"	50	110	125	150	160	170	178
TX5-1028	10.0	28	2"	60	120	140	168	180	190	196

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



DELUXE SUBMERSIBLE PUMPSET (THREE PHASE)

Submersible Pump Set S.S. Body & Virgin Bowl
Suitable for 142 mm Bore Dia.

TX5-10

Virgin 25 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				360	250	210	180	160	140	110
				TOTAL HEAD IN METER						
TX5-308	3.00	8	2"	16	28	40	48	52	55	58
TX5-410	4.00	10	2"	20	38	50	60	65	70	74
TX5-512	5.00	12	2"	24	48	60	72	78	84	90
TX5-616	6.50	16	2"	32	55	80	96	102	110	115
TX5-720	7.50	20	2"	40	75	100	120	128	136	145
TX5-1025	10.0	25	2"	52	100	125	150	160	168	185

TX5-262 MIX FLOW

CI 25 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				580	530	460	370	290	170	120
				TOTAL HEAD IN METER						
TX5-33	3.00	3	2.5"	12	15	18	21	24	25	30
TX5-55	5.00	5	2.5"	20	25	30	35	38	42	50
TX5-66	6.50	6	2.5"	24	30	36	42	48	51	60
TX5-78	7.50	8	2.5"	32	40	48	56	61	68	80
TX5-1010	10.0	10	2.5"	40	50	60	70	75	85	100

TX5-262 MIX FLOW

CI 25 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				540	520	410	330	250	150	100
				TOTAL HEAD IN METER						
TX5-34	3.00	4	2.5"	16	20	24	28	30	32	40
TX5-56	5.00	6	2.5"	24	30	36	42	45	48	60
TX5-68	6.50	8	2.5"	32	40	48	56	60	64	80
TX5-710	7.50	10	2.5"	40	50	60	70	75	80	100
TX5-1012	10.0	12	2.5"	48	60	72	84	90	100	120

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



PRIMIUM SUBMERSIBLE PUMPSET (THREE PHASE)

Submersible Pump Set S.S. Body & S.S. Bowl, S.S. Impeller
Suitable for 142 mm Bore Dia.

TXS 5-30

SS 40 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	140	130	115	105	95	75	60
				TOTAL HEAD IN METER						
TXS5-310	3.00	10	2"	50	60	70	80	90	100	110
TXS5-413	4.00	13	2"	65	78	91	104	117	130	143
TXS5-516	5.00	16	2"	80	96	112	128	144	160	176
TXS5-620	6.50	20	2"	100	120	140	160	180	200	220
TXS5-724	7.50	24	2"	120	144	168	192	216	240	264
TXS5-1032	10.0	32	2"	160	192	224	256	288	320	352

TXS 5-40

SS 40 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	160	150	140	130	120	100	70
				TOTAL HEAD IN METER						
TXS5-307	3.00	7	2"	35	42	49	56 80 90 120 144 192	63	70	77
TXS5-410	4.00	10	2"	50	60	70		90	100	110
TXS5-512	5.00	12	2"	60	72	84		108	120	132
TXS5-615	6.50	15	2"	75	90	105		135	150	165
TXS5-718	7.50	18	2"	90	108	126		162	180	198
TXS5-1024	10.0	24	2"	120	144	168		216	240	264

TXS 5-50

SS 40 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	250	230	205	185	155	120	85
				TOTAL HEAD IN METER						
TXS5-306	3.00	6	2"	30	36	42	48 64 80 96 120 160	54	60	66
TXS5-408	4.00	8	2"	40	48	56		72	80	88
TXS5-510	5.00	10	2"	50	60	70		90	100	110
TXS5-612	6.50	12	2"	60	72	84		108	120	132
TXS5-715	7.50	15	2"	75	90	105		135	150	165
TXS5-1020	10.0	20	2"	100	120	140		180	200	220

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



PRIMIUM SUBMERSIBLE PUMPSET (THREE PHASE)

Submersible Pump Set S.S. Body & S.S. Bowl, S.S. Impeller
Suitable for 142 mm Bore Dia.

TXS 5-60

SS 40 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	270	250	230	200	175	135	95
				TOTAL HEAD IN METER						
TXS5-305	3.00	5	2"	25	30	35	40 56 64 80 96 128	45	50	55
TXS5-407	4.00	7	2"	35	42	49		63	70	77
TXS5-508	5.00	8	2"	40	48	56		72	80	88
TXS5-610	6.50	10	2"	50	60	70		90	100	110
TXS5-712	7.50	12	2"	60	72	84		108	120	132
TXS5-1016	10.0	16	2"	80	96	112		144	160	176

TXS 5-80

SS 40 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	340	330	290	260	225	180	140
				TOTAL HEAD IN METER						
TXS5-304	3.00	4	2"	20	24	28	32 40 48 64 80 96	36	40	44
TXS5-405	4.00	5	2"	25	30	35		45	50	55
TXS5-506	5.00	6	2"	30	36	42		54	60	66
TXS5-608	6.50	8	2"	40	48	56		72	80	88
TXS5-710	7.50	10	2"	50	60	70		90	100	110
TXS5-1012	10.0	12	2"	60	72	84		108	120	132

TXS 5-100

SS 40 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	360	340	310	280	240	200	160
				TOTAL HEAD IN METER						
TXS5-303	3.00	3	2"	15	18	21	24 32 40 48 64 80	27	30	33
TXS5-404	4.00	4	2"	20	24	28		36	40	44
TXS5-505	5.00	5	2"	25	30	35		45	50	55
TXS5-606	6.50	6	2"	30	36	42		54	60	66
TXS5-708	7.50	8	2"	40	48	56		72	80	88
TXS5-1010	10.0	10	2"	50	60	70		90	100	110

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



DELUXE SUBMERSIBLE PUMPSET (THREE PHASE)

Submersible Pump Set S.S. Body & C.I. Bowl, Nylon Impeller
Suitable for 142 mm Bore Dia.

TXC-50

CI 50 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	195	165	145	120	95	75	50
				TOTAL HEAD IN METER						
TXC-306	3.00	6	2"	24	48	60	66 88 110 132 165 220 264	78	84	90
TXC-408	4.00	8	2"	32	64	80		104	112	120
TXC-510	5.00	10	2"	40	80	100		130	140	150
TXC-612	6.50	12	2"	48	96	120		156	168	180
TXC-715	7.50	15	2"	60	120	150		195	210	225
TXC-1020	10.00	20	2"	80	160	200		260	280	300
TXC-1225	12.50	25	2"	96	192	240		312	336	360

TXC-60

CI 50 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	240	200	180	150	135	110	85
				TOTAL HEAD IN METER						
TXC-305	3.00	5	2"	20	40	50	55	65	70	75
TXC-407	4.00	7	2"	28	56	70		77	91	98
TXC-508	5.00	8	2"	32	64	80	88	104	112	120
TXC-610	6.50	10	2"	40	80	100	110	130	140	150
TXC-712	7.50	12	2"	48	96	120	132	156	168	180
TXC-1016	10.00	16	2"	64	128	160	176	208	224	240
TXC-1220	12.50	20	2"	80	160	200	220	260	280	300
TXC-1524	15.00	24	2"	92	185	230	264	300	325	350

TXC-80

CI 50 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	310	260	235	200	180	150	120
				TOTAL HEAD IN METER						
TXC-304	3.00	4	2"	16	32	40	46 58 69 92 115 150 173 219 253 288	52	56	60
TXC-405	4.00	5	2"	20	40	50		65	70	75
TXC-506	5.00	6	2"	24	48	60		78	84	90
TXC-608	6.50	8	2"	32	64	80		104	112	120
TXC-710	7.50	10	2"	40	80	100		130	140	150
TXC-1012	10.00	12	2"	52	104	130		169	182	195
TXC-1215	12.50	15	2"	60	120	150		195	210	225
TXC-1518	15.00	18	2"	76	152	190		247	266	285
TXC-1722	17.50	22	2"	88	176	220		286	308	330
TXC-2025	20.00	25	2"	100	200	250		325	350	375

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



DELUXE SUBMERSIBLE PUMPSET (THREE PHASE)

Submersible Pump Set S.S. Body & C.I. Bowl, Nylon Impeller
Suitable for 142 mm Bore Dia.

TXC-100

CI 50 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				310	260	235	200	180	150	120
				TOTAL HEAD IN METER						
TXC-303	3.00	3	2"	12	24	30	36	39	42	45
TXC-404	4.00	4	2"	16	32	40	48	52	56	60
TXC-505	5.00	5	2"	20	40	50	60	65	70	75
TXC-606	6.50	6	2"	24	48	60	72	78	84	90
TXC-708	7.50	8	2"	32	64	80	96	104	112	120
TXC-1010	10.00	10	2"	40	80	100	120	130	140	150
TXC-1212	12.50	12	2"	48	96	120	144	156	168	180
TXC1515	15.00	15	2"	60	120	150	180	195	210	225
TXC-1718	17.50	18	2"	72	144	180	216	234	252	270
TXC-2020	20.00	20	2"	80	160	200	240	260	280	300
TXC-2525	25.00	25	2"	100	200	250	300	330	350	375

TXC-125

CI 50 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				500	410	370	330	290	250	180
				TOTAL HEAD IN METER						
TXC-403	4.00	3	2.5"	12	24	30	36	39	42	45
TXC-504	5.00	4	2.5"	16	32	40	48	52	56	60
TXC-605	6.50	5	2.5"	20	40	50	60	65	70	75
TXC-706	7.50	6	2.5"	24	48	60	72	78	84	90
TXC-108	10.00	8	2.5"	32	64	80	96	104	112	120
TXC-1210	12.50	10	2.5"	40	80	100	120	130	140	150
TXC-1512	15.00	12	2.5"	48	96	120	144	156	168	180
TXC-1714	17.50	14	2.5"	56	112	140	168	182	196	210
TXC-2016	20.00	16	2.5"	64	128	160	192	208	224	240
TXC-2520	25.00	20	2.5"	90	170	200	240	260	280	300

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



DELUXE SUBMERSIBLE PUMPSET (THREE PHASE)

Submersible Pump Set S.S. Body & C.I. Bowl, Nylon Impeller
Suitable for 142 mm Bore Dia.

TXC-150

CI 50 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				645	540	480	400	350	290	210
				TOTAL HEAD IN METER						
TXC-402	4.00	2	2.5"	8	16	20	24	26	28	30
TXC-503	5.00	3	2.5"	12	24	30	36	39	42	45
TXC-604	6.50	4	2.5"	16	32	40	48	52	56	60
TXC-705	7.50	5	2.5"	20	40	50	60	65	70	75
TXC-107	10.00	7	2.5"	28	56	70	84	91	98	105
TXC-1208	12.50	8	2.5"	32	64	80	96	104	112	120
TXC-1510	15.00	10	2.5"	40	80	100	120	130	140	150
TXC-1712	17.50	12	2.5"	48	96	120	144	156	168	180
TXC-2013	20.00	13	2.5"	52	104	130	156	169	182	195
TXC-2517	25.00	17	2.5"	100	155	180	204	220	240	255

TXC-200

CI 50 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				645	540	480	400	350	290	210
				TOTAL HEAD IN METER						
TXC-402	4.00	2	2.5"	8	16	20	24	26	28	30
TXC-603	6.50	3	2.5"	12	24	30	36	39	42	45
TXC-704	7.50	4	2.5"	16	32	40	48	52	56	60
TXC-105	10.00	5	2.5"	20	40	50	60	64	70	75
TXC-126	12.50	6	2.5"	24	48	60	72	78	84	90
TXC-158	15.00	8	2.5"	32	64	80	96	104	112	120
TXC-179	17.50	9	2.5"	36	72	90	108	117	126	135
TXC-2010	20.00	10	2.5"	40	80	100	120	130	140	150
TXC-2512	25.00	12	2.5"	90	120	140	156	170	180	190

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



PRIMIUM SUBMERSIBLE PUMPSET (THREE PHASE)

Submersible Pump Set S.S. Body & S.S. Bowl, S.S. Impeller
Suitable for 142 mm Bore Dia.

TXS-50

SS 50 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	195	165	145	120	95	75	50
				TOTAL HEAD IN METER						
TXS-306	3.00	6	2"	24	48	60	66 88 110 132 165 220 264	78	84	90
TXS-408	4.00	8	2"	32	64	80		104	112	120
TXS-510	5.00	10	2"	40	80	100		130	140	150
TXS-612	6.50	12	2"	48	96	120		156	168	180
TXS-715	7.50	15	2"	60	120	150		195	210	225
TXS-1020	10.00	20	2"	80	160	200		260	280	300
TXS-1224	12.50	24	2"	96	192	240		312	336	360

TXS-60

SS 50 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	240	200	180	150	135	110	85
				TOTAL HEAD IN METER						
TXS-305	3.00	5	2"	20	40	50	55 77 88 110 132 176 220 264	65	70	75
TXS-407	4.00	7	2"	28	56	70		91	98	105
TXS-508	5.00	8	2"	32	64	80		104	112	120
TXS-610	6.50	10	2"	40	80	100		130	140	150
TXS-712	7.50	12	2"	48	96	120		156	168	180
TXS-1016	10.00	16	2"	64	128	160		208	224	240
TXS-1220	12.50	20	2"	80	160	200		260	280	300
TXS-1524	15.00	24	2"	92	185	230	300	325	350	

TXS-80

SS 50 Feet Head

				DISCHARGE IN LPM						
Model No.	H.P.	STAGE	OUTLET	310	260	235	200	180	150	120
				TOTAL HEAD IN METER						
TXS-304	3.00	4	2"	16	32	40	46	52	56	60
TXS-405	4.00	5	2"	20	40	50	58	65	70	75
TXS-506	5.00	6	2"	24	48	60	69	78	84	90
TXS-608	6.50	8	2"	32	64	80	92	104	112	120
TXS-710	7.50	10	2"	40	80	100	115	130	140	150
TXS-1012	10.00	12	2"	52	104	130	150	169	182	195
TXS-1215	12.50	15	2"	60	120	150	173	195	210	225
TXS-1518	15.00	18	2"	76	152	190	219	247	266	285
TXS-1722	17.50	22	2"	88	176	220	253	286	308	330
TXS-2024	20.00	24	2"	100	200	250	288	325	350	375

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



PRIMIUM SUBMERSIBLE PUMPSET (THREE PHASE)

Submersible Pump Set S.S. Body & S.S. Bowl, S.S. Impeller
Suitable for 142 mm Bore Dia.

TXS-100

SS 50 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				310	260	235	200	180	150	120
				TOTAL HEAD IN METER						
TXS-303	3.00	3	2"	12	24	30	36	39	42	45
TXS-404	4.00	4	2"	16	32	40	48	52	56	60
TXS-505	5.00	5	2"	20	40	50	60	65	70	75
TXS-606	6.50	6	2"	24	48	60	72	78	84	90
TXS-708	7.50	8	2"	32	64	80	96	104	112	120
TXS-1010	10.00	10	2"	40	80	100	120	130	140	150
TXS-1212	12.50	12	2"	48	96	120	144	156	168	180
TXS-1515	15.00	15	2"	60	120	150	180	195	210	225
TXS-1718	17.50	18	2"	72	144	180	216	234	252	270
TXS-2020	20.00	20	2"	80	160	200	240	260	280	300
TXS-2525	25.00	25	2"	100	200	250	300	330	350	375

TXS-125

SS 50 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				500	410	370	330	290	250	180
				TOTAL HEAD IN METER						
TXS-403	4.00	3	2.5"	12	24	30	36	39	42	45
TXS-504	5.00	4	2.5"	16	32	40	48	52	56	60
TXS-605	6.50	5	2.5"	20	40	50	60	65	70	75
TXS-706	7.50	6	2.5"	24	48	60	72	78	84	90
TXS-108	10.00	8	2.5"	32	64	80	96	104	112	120
TXS-1210	12.50	10	2.5"	40	80	100	120	130	140	150
TXS-1512	15.00	12	2.5"	48	96	120	144	156	168	180
TXS-1714	17.50	14	2.5"	56	112	140	168	182	196	210
TXS-2016	20.00	16	2.5"	64	128	160	192	208	224	240
TXS-2520	25.00	20	2.5"	90	170	200	240	260	280	300

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



PRIMIUM SUBMERSIBLE PUMPSET (THREE PHASE)

Submersible Pump Set S.S. Body & S.S. Bowl, S.S. Impeller

Suitable for 142 mm Bore Dia.

TXS-150

SS 50 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				645	540	480	400	350	290	210
				TOTAL HEAD IN METER						
TXS-402	4.00	2	2.5"	8	16	20	24	26	28	30
TXS-503	5.00	3	2.5"	12	24	30	36	39	42	45
TXS-604	6.50	4	2.5"	16	32	40	48	52	56	60
TXS-705	7.50	5	2.5"	20	40	50	60	65	70	75
TXS-107	10.00	7	2.5"	28	56	70	84	91	98	105
TXS-1208	12.50	8	2.5"	32	64	80	96	104	112	120
TXS-1510	15.00	10	2.5"	40	80	100	120	130	140	150
TXS-1712	17.50	12	2.5"	48	96	120	144	156	168	180
TXS-2013	20.00	13	2.5"	52	104	130	156	169	182	195
TXS-2517	25.00	17	2.5"	100	155	180	204	220	240	255

TXS-200

SS 50 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				645	540	480	400	350	290	210
				TOTAL HEAD IN METER						
TXS-402	4.00	2	2.5"	8	16	20	24	26	28	30
TXS-603	6.50	3	2.5"	12	24	30	36	39	42	45
TXS-704	7.50	4	2.5"	16	32	40	48	52	56	60
TXS-105	10.00	5	2.5"	20	40	50	60	64	70	75
TXS-126	12.50	6	2.5"	24	48	60	72	78	84	90
TXS-158	15.00	8	2.5"	32	64	80	96	104	112	120
TXS-179	17.50	9	2.5"	36	72	90	108	117	126	135
TXS-2010	20.00	10	2.5"	40	80	100	120	130	140	150
TXS-2512	25.00	12	2.5"	90	120	140	156	170	180	190

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



DELUXE Q TYPE SUBMERSIBLE PUMPSET (THREE PHASE)

Submersible Pump Set S.S. Body & C.I. Bowl & Nylon Impeller
Suitable for 142 mm Bore Dia.

TXQ-60

CI 30 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				850	830	790	600	500	410	320
				TOTAL HEAD IN METER						
TXQ-303	3.00	3	2.5"	5	8	12	18	20	22	25
TXQ-404	4.00	4	2.5"	6	10	16	25	28	30	33
TXQ-505	5.00	5	2.5"	8	12	20	30	35	38	41
TXQ-606	6.50	6	2.5"	8	14	25	37	41	47	49
TXQ-708	7.50	8	2.5"	10	25	35	50	55	62	66
TXQ-1010	10.00	10	2.5"	12	30	45	62	70	78	82
TXQ-1212	12.50	12	2.5"	13	38	55	74	85	92	98
TXQ-1515	15.00	15	2.5"	15	42	65	90	115	110	123
TXQ-1717	17.50	17	2.5"	19	52	78	105	120	132	139
TXQ-2020	20.00	20	2.5"	23	60	85	125	130	155	164
TXQ-2525	25.00	25	2.5"	28	65	98	155	170	190	205

TXQ-61

CI 30 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				880	850	800	650	600	540	400
				TOTAL HEAD IN METER						
TXQ-403	4.00	3	2.5"	5	8	12	18	20	22	25
TXQ-504	5.00	4	2.5"	6	10	16	25	28	30	33
TXQ-605	6.50	5	2.5"	8	12	20	30	35	38	41
TXQ-706	7.50	6	2.5"	8	14	25	37	40	46	19
TXQ-1008	10.00	8	2.5"	10	25	35	50	55	61	65
TXQ-1210	12.50	10	2.5"	12	30	45	62	70	78	82
TXQ-1512	15.00	12	2.5"	13	38	55	74	85	92	98
TXQ-1714	17.50	14	2.5"	14	40	62	87	95	100	115
TXQ-2016	20.00	16	2.5"	17	48	70	99	103	120	131
TXQ-2520	25.00	20	2.5"	23	60	85	125	130	155	164

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.



DELUXE Q TYPE SUBMERSIBLE PUMPSET (THREE PHASE)

Submersible Pump Set S.S. Body & C.I. Bowl & Nylon Impeller
Suitable for 142 mm Bore Dia.

TXQ-62

CI 30 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				950	920	840	750	650	550	490
				TOTAL HEAD IN METER						
TXQ-402	4.00	2	2.5"	3	5	9	17	14	16	17
TXQ-503	5.00	3	2.5"	5	8	12	18	20	22	25
TXQ-604	6.00	4	2.5"	6	10	10	25	28	30	33
TXQ-705	7.50	5	2.5"	8	12	20	30	35	38	47
TXQ-107	10.00	7	2.5"	9	18	25	43	48	52	57
TXQ-128	12.50	8	2.5"	10	25	35	50	55	61	66
TXQ-1510	15.00	10	2.5"	12	30	45	62	70	78	82
TXQ-1712	17.50	12	2.5"	13	38	55	74	85	92	98
TXQ-2014	20.00	14	2.5"	14	40	62	87	95	100	115
TXQ-2516	25.00	16	2.5"	17	48	70	99	103	120	131

TXQ-64

CI 30 Feet Head

Model No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				1150	1080	980	850	700	640	550
				TOTAL HEAD IN METER						
TXQ-603	6.00	3	3"	5	8	12	18	20	22	25
TXQ-704	7.50	4	3"	6	10	16	25	28	30	33
TXQ-105	10.00	5	3"	8	12	20	30	35	38	41
TXQ-126	12.50	6	3"	8	14	25	37	40	46	49
TXQ-158	15.00	8	3"	10	25	35	50	55	61	66
TXQ-179	17.50	9	3"	11	28	40	56	62	68	74
TXQ-2010	20.00	10	3"	12	30	45	62	70	78	82
TXQ-2512	25.00	12	3"	13	38	55	74	85	92	98

TXQ-65

CI 30 Feet Head

No.	H.P.	STAGE	OUTLET	DISCHARGE IN LPM						
				1250	1160	1050	960	850	780	600
				TOTAL HEAD IN METER						
TXQ-502	5.00	2	3"	3	5	9	12	14	16	17
TXQ-703	7.50	3	3"	5	8	12	18	20	22	25
TXQ-104	10.00	4	3"	6	10	16	25	28	30	33
TXQ-125	12.50	5	3"	8	12	20	30	35	38	41
TXQ-156	15.00	6	3"	8	14	25	37	40	46	49
TXQ-177	17.50	7	3"	9	18	25	43	48	52	57
TXQ-208	20.00	8	3"	10	25	35	50	55	61	66
TXQ-2510	25.00	10	3"	12	30	45	62	70	78	82

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (±) Depending site Volts Situation.

V-7 Horizontal Open Well Pump Set (Single Phase / Three

No.

Model	H.P.	OUTLET	Phase)										TOT
SNGLE	8	10	12	14	16	18	20	22	24	28	AL 30 HEA		
	DISCHARGE IN LPM										D IN		
TH-05	0.5	1.00"	160	130	120	110	80	60	-	-	MET ER		
TH-10	1.00	1.00"	250	300	260	240	220	200	150	120	90	80	50
TH-15	1.50	1.50"	350	325	290	270	230	220	200	180	140	100	80
TH-20	2.00	2.00"	400	350	340	330	325	320	310	300	250	200	100
TH-30	3.00	2.00"	500	480	460	430	400	350	330	300	280	230	130
TH-50	5.00	2.50"	625	580	560	500	470	430	370	320	322	250	280

V-9 Horizontal Open Well Pump Set (Three Phase)

Model No.	H.P.	Outlet	TOTAL HEAD IN METER																							
			12	14	16	18	20	22	24	26	28	30	32	34	36	38	40	42	44	46	48	50	52			
			DISCHARGE IN LPM																							
TXH-35	3.0	2.5"x2.5"	1000	880	760	640	520	370	240																	
THH-30	3.0	2.5"x2"	750	630	530	480	380	330	291	240	200	180	150													
TXH-55	5.0	2.5"x2.5"	1100	970	840	710	580	450	360	310	280	260														
THH-50	5.0	2.5"x2"	800	760	720	680	640	600	560	520	480	440	400	360	320	280	240	160								
TXH-65	6.5	2.5"x2.5"	1110	1070	1000	930	860	790	720	650	570	480	380	360												
THH-60	6.5	2.5"x2"	840	800	760	720	680	640	600	560	520	480	440	400	360	320	280	240	160							
TXF-73	7.5	3"x3"	1450	1350	1250	1150	1050	950	850	750	650	500	300													
TXH-75	7.5	2.5"x2.5"	1240	1170	1100	1030	960	890	820	750	680	610	540	470	400	260										
THH-70	7.5	2.5"x2"	950	910	870	830	790	750	710	670	630	590	550	510	470	430	390	350	310	270	230	190	150			
TXF-103	10.0	3"x3"	1500	1410	1320	1230	1140	1050	960	870	760	690	590	500	380	300										
TXH-105	10.0	2.5"x2.5"	1290	1220	1150	1080	1010	940	870	800	730	660	590	520	450	380	310	260								
THH-100	10.0	2.5"x2"	1000	960	920	880	840	800	760	720	680	640	600	560	520	480	440	400	360	320	280	240	200			



Important Note :-

All Result of this Price List Description are tested at 230 volt for single Phase & 415 volts for Three Phase. Further Result may Variation by 5% (\pm) Depending site Volts Situation.

