Analysis and reporting templates

The illustrative baseline of 28 Oct 2026 puts portfolio readiness at 44%: Article 14 reporting is the strongest domain at 72% and conformity and market access the weakest at 16%. This tab sets how each instrument is aggregated, shows the output tables filled with that baseline, and defines the RAG thresholds and the route into the KPI pack.

Aggregation rules

Each instrument rolls up to one headline measure, with a minimum base below which nothing is reported.

Instrument	Unit	Headline measure	Aggregation	Minimum base	Cadence
DIA	Product family	Readiness index	Mean of min(score, 3) ÷ 3 over 40 statements; portfolio, BU and class indices are unweighted means of family indices	All 40 statements scored	Monthly update; quarterly moderation
PUL	Respondent	Knowledge index	Mean share correct over PUL-04 to PUL-11; "Don't know" is not correct	10 per reported cell	23 Nov – 4 Dec 2026 (reported 11 Dec); [Mar 2027]; [Oct 2027]
SUP	Supplier and component	Score and route	Points ÷ applicable maximum; must-pass items judged separately; route by tier	Every in-scope supplier	Wave 1 Dec 2026; wave 2 Jan 2027; then at renewal
INT	Interview	Stance by theme	Count of S, M and O stances per theme across the nine core interviews	9 core interviews	Nov 2026; follow-ups as needed
CUS	Respondent organisation	Evidence demand	% of respondents requesting each item, by segment	5 per reported segment	Dec 2026
ENG	Release train	Practice score	Points ÷ applicable maximum over ENG-05 to ENG-14	Every release train	Nov 2026; repeat Jun 2027

Output 1: portfolio summary and domain readiness

Portfolio readiness is 44%, Amber and on plan at baseline, but four of ten domains are red and only 21 of 520 family scores (4%) reach level 3. Illustrative baseline of 28 Oct 2026 covering all 13 families, self-assessed by product teams and moderated by the programme.

Measure	Value	RAG
Portfolio readiness index (K01)	44%	Amber
Strongest domain	Art 14 reporting, 72%	Amber
Weakest domain	Conformity & access, 16%	Red
By business unit	HBS 39%; IC 52%; S&S 41%	Red; Amber; Amber
By class	Default 42%; Class I 45%; Class II 54%	Amber; Amber; Amber

Outside SRP registration (Q8.1, level 3 for every family), level 3 appears only in the secure development of four Industrial Connectivity families, where the IEC 62443-4-1 process already produces records: IR-500 (Q4.1, Q4.2), IS-300 (Q4.1, Q4.3), SG-900 (Q4.1, Q4.3, Q6.2) and SecureLink (Q4.1). Class I home products are least ready: L2 at 35% and V1 at 38%.

Domain	Average level (0–4)	Readiness index	Gap to level 3	Weakest statement (average level)	RAG
D1 Governance	1.75	58%	1.25	Q1.3 (1.00)	Amber
D2 Scope & class	1.35	45%	1.65	Q2.4 (0.92)	Amber
D3 Risk & design	1.40	47%	1.60	Q3.2 (1.08)	Amber
D4 SDLC & testing	1.67	56%	1.33	Q4.4 (1.23)	Amber
D5 SBOM & supply chain	1.13	38%	1.87	Q5.3 (0.92)	Red
D6 Vulnerability handling	1.15	38%	1.85	Q6.4 (0.69)	Red
D7 Updates & support	1.44	48%	1.56	Q7.3 (1.23)	Amber
D8 Art 14 reporting	2.15	72%	0.85	Q8.4 (1.62)	Amber; target 100% now
D9 Documentation & DoC	0.73	24%	2.27	Q9.1 (0.46)	Red

Domain	Average level (0–4)	Readiness index	Gap to level 3	Weakest statement (average level)	RAG
D10 Conformity & access	0.48	16%	2.52	Q10.4 (0.08)	Red

Gap to level 3 is 3 minus the average level. RAG follows the thresholds below; D8 uses its own rule because reporting already applies.

Source: CRA Readiness Diagnostic, baseline 28 Oct 2026; Illustrative.

Output 2: family heatmap

Conformity & access is the joint-lowest domain for 12 of 13 families, while Industrial Connectivity's IEC 62443-4-1 heritage shows in SDLC scores of 2.00 to 2.50. Families are sorted from least to most ready.

Family	BU	Class	Gov	Scope	Risk	SDLC	SBOM	Vuln	Upd	Art 14	Doc	Conf	Index
L2 Smart Lock	HBS	Class I	1.75	1.00	1.25	1.00	0.50	0.75	1.50	2.00	0.50	0.25	35%
S-Series Room Sensors	HBS	Default	1.75	1.00	1.25	1.00	0.50	0.75	2.00	2.00	0.50	0.50	38%
HomeHub H3	HBS	Default (prov.)	1.75	0.75	1.25	1.00	0.50	1.00	1.75	2.00	0.75	0.50	38%
V1 Video Doorbell	HBS	Class I	1.75	1.25	1.50	1.00	1.00	0.50	1.75	2.00	0.50	0.25	38%
Example IoT SDK	S&S	Default	1.75	1.00	0.75	1.50	2.00	0.75	0.50	2.25	0.75	0.25	38%
FleetView Device Manager	S&S	Class I	1.75	1.75	1.00	1.75	1.25	0.75	1.00	2.25	0.50	0.25	41%
Config Studio	S&S	Default	1.75	1.75	1.00	1.75	1.75	1.00	0.50	2.25	1.00	0.25	43%
T200 Smart Thermostat	HBS	Default	1.75	1.50	2.00	1.00	1.25	0.50	1.75	2.00	1.00	1.00	46%
EG-700 Edge Gateway	IC	Default (prov.)	1.75	1.50	1.75	2.00	1.00	1.75	1.75	2.25	0.50	0.50	49%
IR-500 Industrial Router	IC	Class I	1.75	1.50	1.50	2.50	1.00	1.75	1.75	2.25	0.75	0.25	50%

Family	BU	Class	Gov	Scope	Risk	SDLC	SBOM	Vuln	Upd	Art 14	Doc	Conf	Index
IS-300 Managed Switch	IC	Class I	1.75	1.75	1.50	2.50	1.25	1.75	1.50	2.25	1.00	0.50	52%
Secure Link Remote Access	IC	Class I	1.75	1.50	1.50	2.25	1.50	1.75	1.75	2.25	0.75	0.75	52%
SG-900 Industrial Firewall /IDS	IC	Class II	1.75	1.25	2.00	2.50	1.25	2.00	1.25	2.25	1.00	1.00	54%
Portfolio average			**1.75**	**1.35**	**1.40**	**1.67**	**1.13**	**1.15**	**1.44**	**2.15**	**0.73**	**0.48**	**44%**

Cells show the average level per domain (0–4; target 3). Colour bands: red below 1.00, orange 1.00 to 1.99, yellow 2.00 to 2.99, green 3.00 and above; the number is always printed. Default (prov.) marks EG-700 and HomeHub H3, whose classification awaits the legal opinion due 27 Nov 2026.

Source: CRA Readiness Diagnostic, baseline 28 Oct 2026; Illustrative.

Output 3: the ten weakest statements

Six of the ten weakest statements sit in documentation and conformity, and each already carries its action; Q10.4 averages 0.08, with 12 of 13 families at level 0.

Rank	ID	Statement	Average level	Action
1	Q10.4	EU representation, importer and distributor duties and marketplace arrangements are settled for each market.	0.08	Confirm the role per market, appoint an authorised representative where useful and brief importers on their checks.
2	Q10.2	Candidate notified bodies are shortlisted and a pre-assessment is contracted where the route needs one.	0.38	Shortlist three candidates, contract pre-assessments with conversion options, and check NANDO at every programme board.

Rank	ID	Statement	Average level	Action
3	Q10.3	A complete Module A internal-control record is kept for the product, even where a notified body will be used.	0.38	Build the Module A record and evidence index now; it is the fallback and the body's application pack.
4	Q9.1	An Annex VII technical file exists for each product version and is versioned with releases.	0.46	Adopt the 13-part file outline and generate version-linked contents from the release pipeline.
5	Q6.4	Vulnerability case records are retained and response metrics are reported.	0.69	Report acknowledgement and fix times quarterly and retain case files for 10 years or the support period.
6	Q9.2	Annex II user information, including the support end date and the vulnerability contact, is drafted and ready to publish.	0.69	Draft the Annex II document per product family and publish it at a stable, versioned URL.
7	Q9.4	Evidence sits in a system of record with 10-year retention and can answer a reasoned request within 10 working days.	0.77	Select a system of record, compute retention per version and test an end-to-end reasoned-request export.
8	Q2.4	The economic-operator role per market and the legacy status of each product line are recorded.	0.92	Record manufacturer, importer, distributor or representative per market; flag lines still sold after 11 Dec 2027.
9	Q5.3	Supplier contracts require vulnerability notification, SBOM delivery and support-period commitments.	0.92	Add the CRA clause pack to master agreements, starting with suppliers of security-relevant components.

Rank	ID	Statement	Average level	Action
10	Q1.3	A written product-risk acceptance rule excludes cost, risk appetite and commercial strategy as reasons to leave risk unaddressed.	1.00	Add a product-risk category to the enterprise risk framework with its own acceptance authority and a non-cost appeal route.

Q6.3 and Q9.3 also average 1.00; ties are listed in question order.

Source: CRA Readiness Diagnostic, baseline 28 Oct 2026; Illustrative.

Output shells for the other instruments

No fieldwork has run yet, so these shells carry structure only. The interview matrix sits in 5 · Executive interviews and the platform sizing matrix in 7 · Engineering practice survey.

Staff awareness pulse, by role group

Role group	Responses (n)	Knowledge index	Essentials score	Confidence index	PUL-03 agree (Bitkom: 29%)	PUL-11 not correct among PUL-03 agreers (LF: 56% of CRA-aware)	Target, [Mar 2027] wave	RAG
PSIRT or security operations							90%	▼
Executive or senior leader							75%	▼
Quality and regulatory							75%	▼
Engineering							70%	▼
Product management							70%	▼
Procurement or legal							70%	▼

Role group	Responses (n)	Knowledge index	Essentials score	Confidence index	PUL-03 agree (Bitkom: 29%)	PUL-11 not correct among PUL-03 agreers (LF: 56% of CRA-aware)	Target, [Mar 2027] wave	RAG
Sales, key accounts or customer support							60%	▼
Other role							50%	▼
All staff							Role targets	▼

Supplier risk register

Supplier	Component	Tier	Score	Must-pass met	Route	Conditions and due date	Owner	Review date
[supplier]	[component]	▼	[ ]%	[yes or no]	▼	[ ]	[ ]	[ ]
[supplier]	[component]	▼	[ ]%	[yes or no]	▼	[ ]	[ ]	[ ]
[supplier]	[component]	▼	[ ]%	[yes or no]	▼	[ ]	[ ]	[ ]

Customer evidence demand, by segment (% of respondents requesting each item, base in brackets)

Evidence item	All	OEM or integrator	Utility or operator	Installer	Distributor or importer	Retailer
EU declaration of conformity						
CE marking under the CRA						
Support period end date						
Security update policy						
Vulnerability contact and disclosure policy						
SBOM access						
Machine-readable advisories (CSAF)						
VEX statements						

Evidence item	All	OEM or integrator	Utility or operator	Installer	Distributor or importer	Retailer
Annex II user information						
Test reports or certificates						

RAG thresholds

Readiness RAG combines an absolute band with a check against the plan, so a family can be amber on level and red on trajectory.

Measure	Green	Amber	Red
Readiness index: family, domain, BU, class or portfolio	70% or more, and at or above plan for the month	40–69%, or 70% or more but below plan	Below 40%, or more than 10 points below plan
Art 14 reporting domain (D8), family or portfolio	Every D8 statement at level 3 or above	Average level 2.00 or above	Average level below 2.00
Knowledge index by role (PUL)	At or above the role target	Up to 10 points below target	More than 10 points below target
Essentials score by role (PUL)	At or above the role target	Up to 5 points below target	More than 5 points below target
Supplier portfolio (SUP), Critical and High components	90% or more approved, or conditioned with dates	75–89%	Below 75%, or any Critical component on an exit plan without a funded alternative
Platform readiness (ENG), Wave 1 release trains	Every Wave 1 train scores 2 on ENG-05 and ENG-07	Gaps remain, each with an onboarding date before 31 Mar 2027	Any Wave 1 gap without an onboarding date

The plan for the portfolio index runs from the 44% baseline to 46% in Nov 2026, 48% in Dec 2026, 58% in Mar 2027, 71% in Jun 2027, 83% in Sep 2027 and 91% in Nov 2027; monthly values sit in the KPI pack.

Applied to the baseline, the portfolio is Amber (44%, on plan) and HBS is Red (39%). Five families are Red: L2 Smart Lock, S-Series Room Sensors, HomeHub H3, V1 Video Doorbell and Example IoT SDK. Four domains are Red: SBOM & supply chain, Vulnerability handling,

Documentation & DoC, and Conformity & access.

How results update the KPI pack

Results enter the KPI pack through fixed routes, so no KPI moves without a named source; the research readout in the week of 14 Dec 2026 is the first full update.

Result	KPI or register (value at 30 Oct 2026)	How it updates	When
DIA portfolio index	K01 Portfolio readiness index (44%)	Replaces the value; moderated quarterly	Monthly programme board
DIA Q2.3	K02 Families with final scope and class decision (11 of 13)	Cross-checked against the scope register	Monthly
DIA Q10.1 and Q10.2	K03 Class I/II families with route and notified-body plan (5 of 7); K12 notified-body candidates (3 shortlisted, 1 proposal)	Cross-checked against route decisions and contracts	Monthly
DIA domain D8	K04 to K06, Article 14 readiness	Any D8 statement below level 3 opens an action; drill records stay the source for K05	Monthly
ENG-05 to ENG-07	K07 Releases with signed SBOM (38%)	Locates the gaps; the build pipeline stays the source of the value	Nov 2026; Jun 2027
SUP routes	K09 In-scope suppliers on CRA clauses (6 of 41)	Approved and conditioned suppliers enter clause negotiation; exit plans are logged	Each wave
PUL	K10 Engineers trained (140 of 920); proposed knowledge-index KPI	The pulse shows whether training landed; K10 shows whether it was delivered	Each wave
INT	Risk register (R01 to R10); board decisions BD1 to BD5	New risks reach owners within a week; stances go into the board pre-read	Nov 2026

Result	KPI or register (value at 30 Oct 2026)	How it updates	When
CUS	Customer FAQ; support-period records	Evidence demand sets FAQ content; CUS-09 feeds support-period determinations	Dec 2026
All six	Programme RAG (Amber)	Research readout to the programme board, then the next SteerCo	Week of 14 Dec 2026

Project Rampart · Survey and Interview Instruments (D07) · Illustrative · 31 Oct 2026