

Mounting Instruction for Nordex, N175 Hub on Deck protective cover

The cover is delivered on a pallet, ready to mount.
Please do not change the position of the cover on the pallet

Mounting of cover page 2

Removal of cover page 6

Folding of cover page 8





Mounting of Hub on Deck protective cover

Step 1

Place the pallet near the hub. Lift the cover by placing the handling hook in the lifting strap on the cover. The cover is packed with the lifting eyelets visible



Handling strap




Step 2

When the cover is hanging in the lift, ensure the zippers are fully opened and mount the four guide strings in the buckles.

The guide strings are used for the cover placement on the Hub



Guidestring in buckles





Step 3

Use the guide strings to unfold the cover widely above the hub. For this, you need to be four persons, one for each guide string. Each person should hold firm, getting the cover spread as widely as possible.

Be aware of the correct orientation of the cover, so the blade bearing side for the truck lashing points are orientated correctly.

Slowly you can lower the cover and place it on the Hub, using the guide strings to adjust and secure a correct placement of the cover



Step 4

Very carefully close the three sides with zippers when the cover is on the Hub



Step 5

Use the webbing strap to secure the zippers from opening by tightening the webbing around the bottom of the hub through all three zippers



Step 6

Tighten the straps on the protruding brackets, so the cover is tight around the brackets



Step 7

If lashing points aren't used, stow away the hoods for the lashing chains by using the Velcro straps in the cover

If lashing points are used, tighten the velcro around the lashing chain



Removal of Hub on Deck protective cover

Step 1

If any lashing chains are installed, remove, and dismount the lashing chains from the Hub


Step 2

Loosen the straps on the protruding brackets



Step 3

Loosen the webbing straps at bottom for all zippers



Step 4

Very carefully open all three zippers on the cover, around the Hub



Step 5

Lift the Hub cover by using the handling strap at the top of the cover




Folding of Hub on Deck protective cover

Step 1

Prepare the pallet (120x80 cm)


Step 2

Place cover on the floor with one bearing face upwards. So, the four handling straps on the top of the cover are positioned at 12 o'clock.




Step 3

Fold the cover in half



Step 4

Fold once again in half



Step 5

Make a fold every 115 cm (approx.) from the bottom - four folds total

