The Report

You are given two tables: *Students* and *Grades*. *Students* contains three columns *ID*, *Name* and *Marks*.

Column	Type
ID	Integer
Name	String
Marks	Integer

Grades contains the following data:

Grade	Min_Mark	Max_Mark
1	0	9
2	10	19
3	20	29
4	30	39
5	40	49
6	50	59
7	60	69
8	70	79
9	80	89
10	90	100

Ketty gives *Eve* a task to generate a report containing three columns: *Name*, *Grade* and *Mark*. *Ketty* doesn't want the NAMES of those students who received a grade lower than *8*. The report must be in descending order by grade -- i.e. higher grades are entered first. If there is more than one student with the same grade (8-10) assigned to them, order those particular students by their name alphabetically. Finally, if the grade is lower than 8, use "NULL" as their name and list them by their grades in descending order. If there is more than one student with the same grade (1-7) assigned to them, order those particular students by their marks in ascending order.

Write a query to help Eve.

Sample Input

ID	Name	Marks
1	Julia	88
2	Samantha	68
3	Maria	99
4	Scarlet	78
5	Ashley	63
6	Jane	81

Sample Output

```
Maria 10 99
Jane 9 81
Julia 9 88
Scarlet 8 78
NULL 7 63
NULL 7 68
```

Note

Print "NULL" as the name if the grade is less than 8.

Explanation

Consider the following table with the grades assigned to the students:

ID	Name	Marks	Grade
1	Julia	88	9
2	Samantha	68	7
3	Maria	99	10
4	Scarlet	78	8
5	Ashley	63	7
6	Jane	81	9

So, the following students got *8*, *9* or *10* grades:

- *Maria (grade 10)*
- *Jane (grade 9)*
- *Julia (grade 9)*
- *Scarlet (grade 8)*

```sql
-- InCorrect
Select
s.Name
, g.Grade
, s.Marks
From
Students as s
Left Join Grades as g
On s.Marks >= g.Min_Mark
and s.Marks <= g.Max_Mark
Order By g.Grade desc, s.Name

-- Correct
Select
IF(g.Grade < 8, NULL, Name)
, g.Grade
, s.Marks
From
Students as s
Left Join Grades as g
On s.Marks >= g.Min_Mark
and s.Marks <= g.Max_Mark
Order By g.Grade desc, s.Name
```