

EXT: 1 Click Login

Extension Key: oneclicklogin

Language: en

Keywords: openid, login

Copyright 2000-2010, Sebastian Michaelsen, <sebastian.gebhard@gmail.com>

This document is published under the Open Content License available from http://www.opencontent.org/opl.shtml

The content of this document is related to TYPO3

- a GNU/GPL CMS/Framework available from www.typo3.org



Table of Contents

EXT:	1 Click Login	1
In	troduction	.3
	What does it do?	.3
	Screenshots	.3
Us	sers manual	
	What is OpenID?	.4
	What OpenID provider should I choose?	.4
	How do I enable myself for oneclicklogin?	.4

How do I log in using oneclicklogin?	4
Administration	
Installation	
A word on security	
Configuration	6
Extension Manager Options	6
Forge	7
About	



Introduction

What does it do?


Starting position

 Using OpenID has some advantages in terms of security, maintainability and convenience but it can be quite unhandy for BE users to fill in their OpenID identifier every time.

How to make the login even faster and more convenient

- Oneclicklogin gives you the possibility to show you user's names below the login form. With a single click on a name you
 will be logged in using the OpenID identifier of that user. So if you're already logged in at the OpenID provider you'll be in
 the Backend with a single click
- Of course you can limit which users will be shown in the login form and also use devIPmask to hide the functionality from the public.

Screenshots





Users manual

What is OpenID?

OpenID is a Single Signon technique which can give you access to different websites and applications with just one OpenID Account. Example: You register an OpenID Account at a certain OpenID Provider. Your identifier will be an URL and might look like http://yourname.youropenidprovider.org.

Now you register yourself on website which has OpenID Support. Instead of giving a login name and password you just provide your OpenID identifier. The identifier itself is not a secret, so you don't have to share a private thing like a password with the website you want to register at.

When you want to log in, into the page you just give your identifier. If you're already logged in at your OpenID Provider everything will happen in the background and you will jut be logged in. Otherwise you'll have to sign in to your Provider once. For more technical details see http://en.wikipedia.org/wiki/OpenID

For TYPO3 that means that you as a User can store your OpenID identifier in the database instead of a password (if the admin enabled this option). At the login you just fill in your Identifier and no password. For details on OpenID usage with TYPO3 consult the manual of the openid System Extension.


What OpenID provider should I choose?

Technically it doesn't matter which one you choose but it's crucial that you can trust that provider. I don't have a complete overview, but I made good experiences with https://www.myopenid.com/ but I'm sure there are also other good providers. In doubt: Google is your friend.

There's also the possibility to set up your own OpenID server (for you as a single user or for a company or organisation with multiple users).

How do I enable myself for oneclicklogin?

You need to provide your OpenID identifier in your user record. If you still don't appear on the login screen, check if the "Enable 1-Click-Login via OpenID" option is set. If you don't have that option, ask your admin to set it for you.



How do I log in using oneclicklogin?

- 1. Open the TYPO3 Login Form
- 2. Search for your name
- 3. Click on it

Easy huh?

EXT: 1 Click Login - oneclicklogin

Administration

Installation

oneclicklogin depends on the system extension "openid", which is available since TYPO3 4.3. Install both extensions via the Extension Manager as usual.

A word on security

When you use this Extension without a devIPmask limitation you will disclose the names and OpenID identifiers of your BE users to the public. This should not be a real security problem, but it might give potential attackers a few more ways to try to attack your site. (He can try to hack each of the OpenID Accounts to gain access to your site.)

This is why you are encouraged to use the devIPmask feature if you have the possbility.



Configuration

Extension Manager Options

EXT: 1 Click Login - oneclicklogin

While you install oneclicklogin (and afterwards when you click on it in the Extension Manager list) you'll get to the Extension Manager Options of oneclicklogin:

Option	Data type:	Description:	Default:
use_devIPmask	boolean	If enabled there will be a check if a visitor matches \$TYPO3_CONF_VARS[SYS][devIPmask] before showing the oneclicklogin. You can use this if you have a certain IP Pool for your BE Users.	off
text_date	string	oneclicklogin uses the Login News feature of TYPO3. That requires each element to have a headline consisting of a date and a text. This option configures the "date" (which doesn't need to be an actual date).	"Extension"
text_headline	string	See above. This options configures the text of the headline.	"1 Click Login"



Forge

Please use the forge page for feature requests and bug reports: http://forge.typo3.org/projects/extension-oneclicklogin



About

Who is this Sebastian Gebhard guy, Kasper is talking with in the podcast?

The guy in the podcast (http://castor.t3o.punkt.de/files/oneclicklogin.mp4) initially developed this extension.

Ah ok, and who is Sebastian Michaelsen?

It's the same guy ;) Shortly before the Developer Days 2010 I married and changed my name. Unfortunatelly I did not tell it to the organziers in time so I was Sebastian Gebhard at that event and Kasper put my old name into the video.