77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54 VEADO	55-64	65-74	75-84	85+ VEADO
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ICD-7 Nos. E963-E979 Suicid	de											
BOTH SEXES												
1967	10.8			0.3	6.9	12.3	16.6	19.7	22.2	19.2	21.5	22.5
1966	10.9			0.3	6.4	12.3	15.8	20.2	22.7	20.8	24.8	23.7
1965	11.1			0.3	6.2	12.2	16.7	20.9	23.7	21.2	24.7	24.2
1964	10.8			0.2	6.0	11.8	15.6	20.7	22.6	21.4	24.3	25.2
1963	11.0			0.3	6.0	11.8	16.0	21.2	23.5	21.8	25.7	24.5
1962	10.9			0.3	5.7	11.3	15.0	21.1	23.7	21.9	27.5	26.7
1961	10.4			0.2	5.1	10.3	14.4	20.3	23.1	21.8	26.1	25.0
1960	10.6			0.3	5.2	10.0	14.2	20.7	23.7	23.0	27.9	26.0
MALE												
1967	15.8			0.5	10.5	17.2	22.8	27.7	34.1	31.9	42.7	53.3
1966	16.1	•••		0.5	9.7	17.2	21.5	28.7	36.0	35.6	49.7	58.2
1965	16.3			0.4	9.4	17.2	22.6	29.4	37.1	36.2	48.2	54.5
1964	16.1			0.4	9.2	16.9	21.3	30.1	36.0	36.0	48.7	61.0
1963	16.5			0.4	9.0	16.6	22.4	30.9	37.2	37.4	50.3	57.0
1962	16.5			0.5	8.5	15.9	21.6	31.0	38.0	38.2	54.2	58.3
1961	16.1			0.3	7.9	14.9	21.2	31.0	37.5	37.4	50.7	56.8
1960	16.5			0.4	8.2	14.7	21.0	31.6	38.1	39.6	52.5	57.4
FEMALE												
1967	6.1			0.1	3.5	7.6	10.6	12.2	11.4	9.0	6.7	5.3
1966	5.9	•••	•••	0.1	3.1	7.5	10.3	12.1	10.6	8.9	7.2	4.0
1965	6.1			*	3.0	7.4	11.1	12.8	11.3	9.1	7.7	6.6
1964	5.6			*	2.8	6.9	10.1	11.7	10.2	9.5	6.5	4.0
1963	5.8			*	3.0	7.2	9.9	12.0	10.8	8.9	7.5	4.9
1962	5.4			*	2.9	6.8	8.8	11.6	10.4	8.1	7.3	7.2
1961	4.9			*	2.3	5.8	7.8	10.0	9.7	8.5	7.2	4.9
1960	4.9			*	2.2	5.5	7.7	10.2	10.2	8.4	8.9	6.0
	0	•••	•••		<b>_</b>	2.0	• • • •			<b>.</b>	3.3	2.0

<sup>...</sup> Not applicable.

<sup>\*</sup> Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
	1-										. —	
ICD-7 Nos. E963-E979 Suicid	ie											
WHITE, BOTH SEXES 1967	11.6			0.2	7.1	10.5	17 5	24.0	22.6	20.4	22.6	22.0
1966	11.6	•••		0.3 0.3	7.1 6.5	12.5 12.4	17.5 16.9	21.0 21.5	23.6 24.2	20.4 22.1	26.0	23.9 24.4
1965	11.7	•••	•••	0.3	6.2	12.4	17.6	22.2	24.2 25.2	22.1	25.8	2 <del>4.4</del> 25.6
1964	11.9	•••	•••	0.3	6.2	12.0	16.5	22.2	24.0	22.8	25.6 25.6	25.0 27.1
1963	11.0	• • • •	•••	0.3	6.1	12.1	17.1	22.2	25.3	23.0	25.6 27.1	25.6
1962	11.8	• • • •	•••	0.3	5.8	11.8	16.1	22.8	25.3 25.2	23.4	29.0	28.2
		• • • •	•••	0.3								
1961 1960	11.1 11.4	•••		0.2	5.1 5.4	10.4 10.3	15.2 14.9	21.6 22.1	24.5 25.0	23.1 24.2	27.4 29.4	26.3 27.4
1960	11.4	•••		0.3	5.4	10.3	14.9	22.1	25.0	24.2	29.4	21.4
WHITE, MALE												
1967	16.9			0.5	10.8	17.2	23.8	29.4	36.2	34.1	45.1	57.6
1966	17.2			0.5	9.9	17.2	22.8	30.3	38.2	38.0	52.4	60.9
1965	17.5			0.5	9.5	17.7	23.5	31.1	39.5	38.5	50.8	59.0
1964	17.3			0.5	9.3	17.0	22.3	32.1	38.4	38.3	51.6	66.2
1963	17.8			0.5	9.2	16.9	23.6	33.2	40.2	39.6	53.4	60.4
1962	17.9			0.5	8.7	16.5	22.9	33.5	40.5	40.9	57.7	62.3
1961	17.1			0.4	7.9	14.7	22.4	32.8	39.7	39.7	53.5	60.8
1960	17.6	•••		0.5	8.6	14.9	21.9	33.7	40.2	42.0	55.7	61.3
WHITE, FEMALE												
1967	6.5			0.1	3.4	7.9	11.5	13.1	12.2	9.6	7.0	5.4
1966	6.3			*	3.1	7.8	11.3	13.1	11.4	9.5	7.5	4.1
1965	6.6			*	2.9	7.6	12.0	13.8	12.2	9.8	8.0	6.5
1964	6.1			*	2.9	7.3	10.9	12.7	10.8	10.1	6.8	4.3
1963	6.3			*	3.1	7.5	10.9	13.0	11.6	9.3	7.8	5.0
1962	5.9			*	2.9	7.2	9.5	12.4	11.1	8.6	7.6	7.5
1961	5.3			*	2.3	6.1	8.3	10.8	10.4	9.0	7.6	4.9
1960	5.3			*	2.3	5.8	8.1	10.9	10.9	8.8	9.2	6.1

<sup>...</sup> Not applicable.

<sup>\*</sup> Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
			,	,	,	,	,	,	,	,	,	,
ICD-7 Nos. E963-E979 Suicio	de											
ALL OTHER, BOTH SEXES												
1967	5.1			*	6.1	11.0	8.9	7.4	7.9	6.2	7.5	*
1966	5.0			*	5.8	11.3	6.8	8.5	8.6	7.1	9.0	*
1965	5.1			*	5.8	9.5	9.1	8.6	8.2	7.2	9.8	*
1964	4.6			*	5.0	9.8	8.1	7.4	8.0	6.9	7.7	*
1963	5.0			*	5.0	9.9	9.0	8.0	7.3	10.0	10.1	*
1962	4.7			*	5.2	8.3	8.1	7.7	9.1	8.3	8.4	*
1961	4.7	•••	•••	*	4.7	9.3	7.5	8.2	8.9	7.0	8.8	*
1960	4.5	•••		*	3.4	7.9	8.3	7.9	10.0	8.0	7.6	*
ALL OTHER, MALE												
1967	7.7			*	8.4	17.3	14.4	11.6	13.0	10.3	13.6	*
1966	7.9			*	8.8	17.5	11.2	14.1	14.2	11.9	16.8	*
1965	7.8			*	8.7	13.9	14.9	13.5	14.1	13.2	17.0	*
1964	7.3			*	8.1	15.8	12.7	11.8	12.3	11.8	13.4	*
1963	8.0			*	7.5	15.7	14.8	13.6	12.7	16.4	20.0	*
1962	7.2			*	7.6	12.6	12.8	12.4	14.7	15.7	14.3	*
1961	7.6			*	7.6	16.2	11.5	14.0	15.0	12.8	17.0	*
1960	7.2			*	5.3	12.9	13.5	12.8	16.9	12.6	*	*
ALL OTHER, FEMALE												
1967	2.7			*	4.0	5.6	4.2	3.6	3.2	*	*	*
1966	2.4			*	2.9	6.0	3.0	3.6	3.5	*	*	*
1965	2.5			*	3.1	5.8	4.2	4.2	2.7	*	*	*
1964	2.2			*	2.0	4.5	4.1	3.4	3.9	*	*	*
1963	2.2			*	2.5	4.9	4.0	2.7	*	4.5	*	*
1962	2.2			*	3.0	4.5	3.9	3.3	3.8	*	*	*
1961	1.9			*	2.0	3.5	3.9	2.7	3.2	*	*	*
1960	2.0			*	1.5	3.5	3.7	3.2	3.4	*	*	*

<sup>...</sup> Not applicable.

<sup>\*</sup> Figure does not meet standards of reliability or precision, see Technical notes.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
ICD-7 Nos. E963-E979 Suicio	le											
BLACK, BOTH SEXES												
1967	4.5			*	5.4	10.2	8.6	6.8	6.3	5.8	5.3	*
1966	4.5			*	5.0	10.8	6.3	8.1	7.1	5.9	5.7	*
1965	4.6			*	5.4	8.9	8.3	8.3	7.1	5.7	7.0	*
1964	4.3			*	4.6	9.0	7.8	7.1	7.3	6.1	*	*
1963												
1962												
1961	4.0			*	4.1	8.1	6.5	7.8	7.7	5.3	*	*
1960	3.9			*	2.7	7.4	7.6	6.8	9.4	6.5	*	*
BLACK, MALE												
1967	6.9			*	7.1	16.2	13.9	10.9	10.6	10.5	*	*
1966	7.1			*	7.8	17.1	10.7	13.6	12.0	10.3	*	*
1965	7.3			*	8.1	13.4	14.4	13.0	12.8	11.4	13.4	*
1964	6.7			*	7.5	14.7	12.3	11.4	11.5	10.9	*	*
1963												
1962												
1961	6.7			*	6.8	14.1	10.2	13.6	13.2	9.5	*	*
1960	6.4			*	4.1	12.4	12.8	10.8	16.2	11.3	*	*
BLACK, FEMALE												
1967	2.4			*	3.8	5.1	4.1	3.2	2.6	*	*	*
1966	2.0			*	2.3	5.4	2.6	3.3	2.8	*	*	*
1965	2.1			*	2.7	5.1	3.1	4.2	*	*	*	*
1964	2.0			*	1.9	4.1	4.0	3.3	3.5	*	*	*
1963												
1962												
1961	1.6			*	1.6	3.0	3.3	2.5	*	*	*	*
1960	1.6			*	*	3.0	3.0	3.1	3.0	*	*	*

<sup>...</sup> Not applicable.

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

<sup>- - -</sup> Data not available

<sup>\*</sup> Figure does not meet standards of reliability or precision, see Technical notes.

Deaths for suicides by age and sex for black population: United States, 1960-61, 1964-67

77/09/02 TABLE 290. DEATH RATES FOR 60 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1960-67

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS
TO COL, OLX, AND TEAT		1 1 1 1 1 1 1 1	1 L7 (1 CO	12/11/0	12/11/0	12/11/0	1 L/ (I CO	12/11/0	12/11/0	12/11/0	12/110	12/110
ICD-7 Nos. E964-E985 Homic	cide											
BOTH SEXES												
1967	6.8	6.6	1.2	0.7	9.0	14.5	12.1	8.3	5.5	4.1	3.3	3.8
1966	5.9	5.9	1.2	0.6	7.6	12.2	10.5	7.7	5.3	3.3	2.9	3.1
1965	5.5	5.6	1.2	0.6	6.8	11.8	9.9	7.0	5.0	3.2	2.8	2.4
1964	5.1	5.5	1.2	0.6	6.3	10.5	9.2	6.7	4.6	2.8	2.5	3.1
1963	4.9	5.1	1.1	0.6	5.8	10.2	8.8	6.2	4.5	2.9	2.8	2.4
1962	4.9	5.2	0.9	0.6	5.9	9.9	8.6	6.4	4.5	3.0	2.6	3.4
1961	4.7	4.6	1.0	0.5	5.7	9.6	8.3	6.3	4.0	2.8	2.9	2.8
1960	4.7	4.8	0.7	0.5	5.9	9.7	8.1	6.2	4.2	2.8	2.4	2.4
MALE												
1967	10.6	6.9	1.1	0.7	14.3	23.6	19.1	13.2	9.3	6.9	4.8	4.9
1966	9.1	6.5	1.2	0.7	12.0	19.0	16.8	12.3	8.6	5.4	3.9	5.1
1965	8.6	6.4	1.2	0.7	10.7	18.7	15.5	11.2	8.1	5.5	4.7	*
1964	7.9	5.6	1.3	0.7	9.9	16.3	14.5	10.8	7.4	4.2	4.0	*
1963	7.5	5.1	1.2	0.6	9.0	16.1	13.8	9.8	7.4	4.4	4.0	*
1962	7.3	5.6	0.9	0.5	9.0	15.4	13.0	10.4	7.4	4.7	3.8	*
1961	7.0	4.9	1.0	0.6	8.8	14.7	12.5	9.9	6.4	4.8	3.8	*
1960	7.1	4.7	0.7	0.5	9.1	14.9	12.3	9.6	6.6	4.6	3.7	*
FEMALE												
1967	3.2	6.1	1.2	0.7	3.9	5.8	5.5	3.7	2.2	1.8	2.2	3.2
1966	2.9	5.3	1.2	0.6	3.4	5.6	4.7	3.5	2.4	1.7	2.2	*
1965	2.6	4.9	1.1	0.5	3.0	5.2	4.5	3.1	2.1	1.4	1.4	*
1964	2.5	5.5	1.2	0.5	2.7	4.9	4.3	2.8	2.0	1.6	1.4	*
1963	2.4	5.0	1.1	0.5	2.6	4.5	4.1	2.8	1.8	1.6	1.9	*
1962	2.4	4.9	0.9	0.6	2.8	4.5	4.4	2.5	1.8	1.6	1.7	3.5
1961	2.4	4.4	1.0	0.0	2.7	4.7	4.3	2.8	1.6	1.2	2.1	*
1960	2.4	4.9	0.7	0.4	2.8	4.6	4.1	2.9	2.0	1.3	1.3	*
1000	۷.٦	<del>-</del> .ਹ	0.1	0.4	2.0	₹.0	7.1	2.3	2.0	1.0	1.5	

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

77/09/02 TABLE 290. DEATH	RATES FO	OR 60 SELE	CTED CAUS	SES, BY 10	-YEAR AGE	GROUPS,	RACE, AND	SEX: UNIT	ED STATES,	1960-67		
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ICD-7 Nos. E964-E985 Homic	cide											
WHITE, BOTH SEXES												
1967	3.6	5.2	0.9	0.5	4.2	6.6	5.9	4.6	3.5	3.0	3.0	3.5
1966	3.1	5.1	0.9	0.5	3.5	5.5	4.9	4.3	3.5	2.4	2.2	3.0
1965	3.0	4.5	0.9	0.5	3.3	5.1	4.8	4.0	3.3	2.3	2.2	*
1964	2.7	4.3	1.0	0.5	3.0	4.8	4.2	3.8	3.0	2.1	2.1	2.8
1963	2.7	4.2	1.0	0.5	2.8	4.8	4.3	3.5	2.8	2.2	2.4	2.2
1962	2.7	4.3	0.8	0.5	2.8	4.5	4.2	3.7	2.9	2.3	2.3	3.2
1961	2.6	3.7	0.8	0.4	2.7	4.4	4.1	3.7	2.6	2.1	2.4	*
1960	2.5	3.7	0.6	0.4	3.0	4.1	3.8	3.5	2.9	2.2	1.8	*
WHITE, MALE												
1967	5.3	5.6	0.9	0.5	6.2	10.4	8.8	6.9	5.7	4.9	4.0	*
1966	4.5	5.4	0.9	0.5	5.0	8.2	7.6	6.3	5.3	3.6	2.8	*
1965	4.4	5.4	1.0	0.5	4.9	7.8	7.3	6.1	5.2	3.5	3.6	*
1964	3.9	4.6	1.1	0.6	4.4	6.9	6.1	5.8	4.7	2.8	3.1	*
1963	3.9	4.2	1.1	0.5	4.2	7.3	6.4	5.1	4.4	3.3	3.2	*
1962	3.8	4.4	8.0	0.5	3.8	6.8	6.0	5.7	4.6	3.3	3.1	*
1961	3.6	4.0	8.0	0.5	3.9	6.4	5.8	5.4	4.1	3.3	2.9	*
1960	3.6	3.8	0.6	0.4	4.4	6.2	5.5	5.0	4.3	3.4	2.7	*
WHITE, FEMALE												
1967	1.9	4.7	0.9	0.5	2.2	2.8	3.2	2.3	1.5	1.4	2.3	3.0
1966	1.8	4.8	0.9	0.4	2.0	2.9	2.4	2.4	1.9	1.5	1.8	*
1965	1.6	3.7	0.8	0.4	1.8	2.5	2.3	2.0	1.6	1.3	1.3	*
1964	1.6	4.0	0.9	0.4	1.6	2.7	2.4	1.9	1.5	1.5	1.4	*
1963	1.5	4.2	0.9	0.4	1.4	2.3	2.2	2.0	1.4	1.3	1.8	*
1962	1.6	4.2	0.9	0.5	1.7	2.2	2.5	1.8	1.4	1.5	1.6	*
1961	1.5	3.3	0.8	0.4	1.5	2.4	2.5	2.1	1.2	1.1	2.0	*
1960	1.4	3.5	0.5	0.3	1.5	2.0	2.2	1.9	1.5	1.1	1.2	*
		5.0	0.0	0.0		0		1.5	1.5			

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.

77/09/02 TABLE 290. DEATH	RATES FO	OR 60 SELE	CTED CAUS	SES, BY 10	-YEAR AGE	GROUPS,	RACE, AND	SEX: UNIT	ED STATES,	1960-67		
CAUSE OF DEATH CODE,	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+
RACE, SEX, AND YEAR		1 YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
ICD-7 Nos. E964-E985 Homio	cide											
ALL OTHER, BOTH SEXES												
1967	30.2	14.0	2.5	2.0	42.4	70.9	60.7	42.0	25.7	15.3	7.2	*
1966	26.5	10.4	3.1	1.6	36.6	59.6	55.1	39.2	23.1	12.4	12.0	*
1965	24.6	11.8	2.6	1.6	31.5	59.6	51.0	34.7	21.2	13.6	10.0	*
1964	23.0	12.3	2.3	1.4	30.1	51.4	50.5	33.4	20.2	10.7	7.7	*
1963	22.0	9.6	1.9	1.4	27.7	50.7	48.2	31.8	21.1	10.4	8.1	*
1962	21.8	10.1	1.5	1.0	29.1	50.2	46.3	31.4	20.6	10.8	8.1	*
1961	20.9	10.2	2.2	1.2	26.9	48.2	43.5	29.7	17.5	11.3	9.7	*
1960	21.9	11.6	1.7	1.2	27.0	51.6	44.6	31.4	17.7	10.5	9.4	*
ALL OTHER, MALE												
1967	49.9	14.1	2.2	2.4	70.9	123.7	105.3	71.7	44.1	26.9	14.7	*
1966	43.7	12.6	3.0	1.8	62.3	101.6	93.8	67.8	40.1	23.3	16.8	*
1965	40.4	12.2	2.6	2.2	52.7	101.7	85.5	58.9	36.5	26.4	17.6	*
1964	37.6	10.9	2.1	1.3	50.2	87.8	86.2	58.2	34.6	18.8	15.7	*
1963	35.8	10.1	1.9	1.5	45.7	86.2	80.8	54.7	37.6	16.2	13.3	*
1962	35.6	11.3	1.7	1.2	48.4	84.0	76.1	56.0	36.1	19.6	12.4	*
1961	33.6	10.0	2.1	1.5	44.3	80.7	70.9	51.1	30.0	21.1	15.7	*
1960	34.5	10.1	*	1.4	43.7	84.7	72.3	51.5	29.1	18.6	16.7	*
ALL OTHER, FEMALE												
1967	11.9	13.8	2.7	1.5	15.9	25.8	22.6	15.4	8.9	5.6	*	*
1966	10.5	8.2	3.1	1.4	12.5	23.6	21.8	13.4	7.6	*	*	*
1965	10.0	11.3	2.6	1.0	11.5	23.2	21.1	12.7	6.9	*	*	*
1964	9.2	13.7	2.6	1.4	11.0	19.9	19.3	10.7	6.7	3.6	*	*
1963	9.0	9.1	2.0	1.3	10.8	19.9	19.6	10.6	5.5	5.4	*	*
1962	8.9	9.0	*	0.8	11.0	20.9	20.0	8.5	5.9	*	*	*
1961	8.8	10.5	2.4	0.8	10.6	20.2	19.1	9.5	5.6	*	*	*
1960	9.9	13.0	1.7	1.0	11.3	22.9	19.6	12.3	6.6	*	*	*
1000	5.5	10.0	1.7	1.0	11.0	22.5	10.0	12.0	0.0			

Note: Figures by race exclude data for residents of New Jersey for 1962 and 1963.

\* Figure does not meet standards of reliability or precision, see Technical notes.

Source: CDC/NCHS, National Vital Statistics System, Mortality, Unpublished trend table 290A for 1960-67 and separate unpublished tables for the black population and Accidents.