第一次解剖+胚胎整合考

1. D	2. C	3. C	4. A	5. B	6. C	7. C	8. C	9. D	10. A
11. B	12. D	13. D	14. B	15. B	16. B	17. D	18. C	19. A	20. C
21. C	22. D	23. A	24. A	25. A	26. B	27. C	28. C	29. C	30. C
31. A	32. A	33. D	34. C	35. D	36. B	37. D	38. C	39. A	

填充題:僅只有答案

40.caudal

41.nasal

42.coronoid process

43.abductor digiti minimi

44.conoid ligament

45.obturator externus

46.subtrochanteric

47.umbilical cord

48.notochord

胚胎學	授課老師		醫一 中醫二甲			

（本試題共頁）

1. Which descripition does not apply to the anatomical position?
   (A) subject is standing erect with feet facing forward
   (B) arms are at the side
   (C) palms are facing forward
   (D) feet are three feet apart

2. The aArmpit is anatomically known as what region?
   (A) cervical (B) brachial (C) axillary (D) cubital

3. The significance of the **Pterion** is that it marks the position of the:
   (A) Superficial temporal artery (B) Auriculotemporal nerve
   (C) Middle meningeal artery (D) Temporal lobe of the brain

4. The dens process structure is located ? :
   (A) C2 (B) T7 (C) L3 (D) S2

5. Which of the following vertebrae has long, slope and posteroinferiorly spinous process?
   (A) Cervical (B) Thoracic (C) Lumbar (D) Sacrum

6. Which structure will be fused to lateral crests of sacrum?
   (A) Spinous process (B) Articular process
   (C)Transverse process (D) Vertebral body

7. Which set includes prominent foramina found in the sphenoid bones?
   (A) Stylomastoid foramen (B) Jugular foramen
   (C) Spinosum foramen (D) Hypoglossal foramen

8. Which of the following bones does **NOT** form the roof of the cranial cavity.
   (A) Frontal (B) Parietal (C) Temporal (D) Occipital

9. In life, the pituitary gland sits in the which bone?
   (A) Frontal bone (B) Temporal bone (C) Ethmoid bone (D) Sphenoid bone

10. Which of the following structure does not pass the "jugular foramen" ?
   (A) Facial nerve (B) Vagus nerve
   (C) Internal jugular vein (D) Spinal accessory nerve

11. When compared to unmyelinated axons, myelinated axons:
   1. are electrically insulated 2. are gray in color 3. have a faster speed of impulse conduction 4. are more numerous
   (A) 1, 2, 4 (B) 1, 3, 4 (C) 2, 3, 4 (D) 1, 2, 3, 4

12. The meninges are layers of connective tissue that:
   (A) surround the brain and spinal cord
   (B) cover the spinal nerves up to where they exit through the intervertebral foramina
   (C) are called, in order from external to infernal: dura mater, arachnoid, and pia mater
   (D) all of the above

13. Which of the following statements is correct?
   (A)The basic structure of the synovial joint is the articular cartilage and the joint cavity.
   (B) The hinge joint can be rotated.
   (C)Joint fluid in the joint cavity is secreted by the fibrous layer of the joint capsule.
   (D)The joint space of the TM joint and the SC joint has an articular disc

14. Which of the following statements is correct?
(A) The wrist joint belongs to the condylar joint.
(B) The sternal-clavicle joint belongs to the saddle joint.
(C)The joint between the vertebral body and the vertebral body belongs to the fibeous joint.
(D)The knee joint has a semilunar cartilage, so it belongs to the cartilage joint.

15 Which of the following statements is incorrect?
(A)Joints formed by adjacent articular processes on adjacent vertebrae, which are nonaxial motions.
(B) Distal tibia-fibula joint is the synovial joint
(C) There are two types of cartilage between the vertebral body and the vertebral body.
(D) The joint between the first rib and the sternum is an immovable joint.

16 Which of the following describes the correct order of the distal row of carpals from lateral to medial?
(A) trapezium,triquetrum,capitate, hamate
(B) trapezium, trapezoid, capitate, hamate
(C) trapezoid, trapezium, capitate, hamate
(D) trapezoid, capitate, trapezium, hamate

17 The triceps brachii attaches to which of following regions?
(A) ulnar tuberosity (B) coronoid process
(C) conoid tubercle (D) olecranon

18 A patient exhibits wing scapula. Which of one muscle may be injury?
(A) rhomboid major (B) rhomboid minor
(C) serratus anterior (D) subscapularis

19 Which of the following is **NOT** true regarding the quadrangular space?
(A) latissimus dorsi (B) teres major
(C) trees minor (D) subscapularis

20 Which of the following muscle **can** be adduction **and** medial rotation of arm?
(A) subscapularis (B) supraspinatus
(C) teres major (D) trees minor

21 Which of following does not take an origin from the medial epicondyle of the humerus?
(A) Flexor digitorum superficialis (B) Palmaris longus
(C) Pronator quadratus (D) Flexor carpi ulnaris

22 Which of the following muscles attaches to the base of 1 st metacarpal bone?
(A) Extensor pollicis brevis (B) Flexor pollicis longus
(C) Extensor pollicis longus (D) Abductor pollicis longus

23 Which structure intersects with anterior tibial artery and deep fibular nerve at ankle joint?
(A) Extensor hallucis longus tendon (B) Extensor digitorum longus tendon
(C) Fibularis tertius tendon (D) Tibialis anterior tendon

24 Which is **not** the content of adductor canal?
(A) Femoral nerve main trunk (B) Saphenous nerve
(C) Saphenous nerve (D) Femoral vein

25 How many muscles enlisted below are innervated by deep fibular nerve?
(1)Fibularis tertius (2)Extensor hallucis longus (3)3rd dorsal interosseous muscle (4)1st lumbrical
(A) 2 (B) 3 (C) 4 (D) 5

26 How many muscles enlisted below belong to the plantar 1st layer muscle of foot?
(1)Abductor hallucis brevis (2)Flexor digitorum brevis (3)Adductor digiti minimi
(A) 0 (B) 1 (C) 2 (D) 3

27 How many nerves enlisted below belong to the lumbar plexus?

(1) Femoral nerve (2) Obturator nerve (3) Tibial nerve (4) Common fibular nerve

(A) 0 (B) 1 (C) 2 (D) 3

28 How many structures enlisted below pierce through adductor hiatus?

(1)Femoral artery (2)Femoral vein (3)Femoral nerve (4)Saphenous nerve

(A) 0 (B) 1 (C) 2 (D) 3

29 How many statements are true concerning the bones of the foot ? (C)

(1)The trochlea of talus is broad anteriorly and narrow posteriorly.

(2) Sustentaculum tali is the prominence of calcaneus with middle talar articular surface superiorly and groove for flexor hallucis longus inferiorly.

(3)The cuboid bone is the insertion site for the tibialis anterior and tibialis posterior muscles.

(A) 0 (B) 1 (C) 2 (D) 3

****

胎學考題:

30. Concerning the second week of development, which of statements is NOT CORRECT?

(A) amnioblasts separate from the epiblast and form the amnion

(B) forms the primary villi

(C) inner cell mass differentiate into two layer: ectoderm and endoderm layer

(D) formation of extrambryonic mesoderm

31. Concerning the third week of development, which of statements is NOT CORRECT?

(A) gastrulation, formation of the primitive streak on the surface of the ectoderm

(B) formation of the secondary villi

(C) neurenteric canal connects the amniotic and yolk sac cavities

(D) prenotochordal cells differentiates into the definitive notochord

32. Concerning the the fertilization, which of statements is NOT CORRECT?

(A) spermatogensis and oogenesis occurs

(B) the results of fertilization are determination of chromosomal sex

(C) restoration of the diploid number of chromosomes

(D) occurs in the ampullary region of the uterine tube

33. Which of the following is NOT true of cytotrophoblast cells?

(A) an layer of monouncleated cells

(B) their progenitors are trophoblast

(C) they are critical for implantation of the embryo

(D) they secrete HCG

34. Formation the chorion, which of statements is CORRECT?

(A) intraembryonic somatopleuric mesoderm

(B) intraembryonic coelom

(C) syncytiotrophoblast

(D) epiblast

35 Which of the following bone is **not** formed by intramembranous ossification?

(A) Lacrimal bone (B) Parietal bone

(C) Frontal bone (D) Sphenoid bone

36. When did somite first appear in embryonic development?

(A) 17 (B) 20 (C)28 (D)40

37 Which of the following two structures will be derived from somites?

① dermatome ②scleotome ③ myotome④肌皮節 dermomyotome:

(A) ①③ (B) ②④ (C) ①② (D) ②③

38 The key factors used to regulate the development of the anterior-posterior axis of the limb are:

(A) WNT signals from the neural tube.

(B) FGFs from the **Apical Ectodermal Ridge** (AER) of the limb buds.

(C) SHH from the **Zone of Polarizing Activity** (ZPA) of the limb buds.

(D) BMPs in the **Ventral Ectoderm** of the limb buds.

39 The erector spinae muscles muscles derived from?

(A) Epimere (B) Scleotome (C) Hypomere (D) Dermatom

第二次解剖+胚胎整合考

1. B	2. A	3. A	4. C	5. C	6. C	7. C	8. B	9. D	10. B
11. A	12. D	13. D	14. B	15. C	16. A	17. A	18. A	19. C	20. D
21. A	22. B	23. A	24. B	25. C	26. C	27. A	28. B	29. D	30. B
31. C	32. C	33. C	34.送分	35. B	36. B	37. A	38. B	39. A	40. C
41. B	42. D	43. D	44. A	45. A	46. A	47. C	48. A	49. D	50. C
51. C	52. D	53. C	54. B						

55. Superior orbital fissure

56. Juxtaglomerular complex/ apparatus

57. chyle

58. Cremaster

59. Aortic arch

60.The fifth intercostal space on the left, the sternum midline to the left nine centimeters.(這題隨便指人體照片一個地方問你怎麼講，所以我猜沒人會)

61. 2nd

62. neural crest

63. 4th

64. 5th (63and64 都拿一張人體沒穿衣服照片問你那第幾 rib)

65. umbilical vein

66. Subcardinal vein

1. Which of the following cranial nerves innervate the masticatory muscles?
(A) Facial nerve (B) Trigeminal nerve (C) Vagus nerve (D) Accessory nerve

2. Which of the following is the correct combination of cranial nerve containing preganglionic parasympathetic fibers, parasympathetic ganglion and target structure innervated?
(A) CN VII → pterygopalatine ganglion → lacrimal gland
(B) CN VII → submandibular ganglion → parotid gland
(C) CN IX → pterygopalatine ganglion → lacrimal gland
(D) CN X → otic ganglion → submandibular and sublingual glands

3. Which nerves are involved in general sensation and taste?
(A) CN V (B) CN VII (C) CN IX (D) CN X

4. A specific region of the body surface monitored by a pair of spinal nerves is a:
(A) White ramus (B) Dorsal ramus
(C) Dermatome (D) Gray commissure

5. The cervical sympathetic chain ganglia receive their preganglionic innervation by mean of:
(A) Splanchnic nerve (B) Gray rami
(C) Ventral root (D) Dorsal root

6. Which of the following descriptions about large intestine is **INCORRECT**?
(A)Areas superior to pectinate line are innervated by visceral sensory fibers, therefore are relatively insensitive to pain.
(B) Haustration is similar to segmentation.
(C) There is a lack of goblet cells.
(D) Beneficial bacteria inhabit in appendix.

7. Which of the followings is **NOT** supplied by the celiac trunk?
(A) Liver (B) Stomach (C) Transverse colon (D) Pancreas

8. Structure modifications of small intestine include the followings **EXCEPT?**
(A) Villi (B) Goblet cells (C) Plicae circularis (D) Microvilli

9 Which of the following descriptions is **INCORRECT**?
(A)A child's mouth contains 20 deciduous teeth, which are eventually replaced by 32 permanent teeth.
(B) The lingual frenulum can limit the posterior movement of the tongue.
(C) The inner most part of a tooth is called the pulp, which contains blood vessel and nerve tissue.
(D) Submandibular glands are the largest of the salivary glands, locating on either side of the mouth and in front of both ears.

10 Which of the following descriptions is **WRONG**?
(A) The renal corpuscle is the site of the filtration of blood plasma
(B) Macula densa cells sense changes in blood pressure level
(C) The Bowman's capsule also called the glomerular capsule, surrounds the glomerulus. It is composed of a visceral inner layer formed by specialized cells called podocytes.
(D) Granular cells are mechanoreceptors that release renin to regulate blood pressure.

11. Which of the following statements is **CORRECT**?
(A) Trigone is a triangular region of the internal urinary bladder formed by the two ureteric orifices and the internal urethral orifice.
(B) The membranous urethra runs along the length of the penis
(C) Renal sinus is a cavity that is occupied by the renal pyramids and columns
(D) When ADH (antidiuretic hormone) is present, the collecting duct becomes not permeable to water.

12. Which of the following descriptions about filtration membrane is **INCORRECT**?
(A) Capillary pores stop cells and platelets.
(B) Filtration slits are the space between the foot processes of podocytes.
(C) Filtration slits are covered by a thin slit diaphragm.
(D) Basement membrane stops medium-sized proteins.

13. The thyroid cartilage is directly connected to the following laryngeal cartilage, except:
(A) Epiglottis (B) Hyoid (C) Cricoids (D) Corniculate

14. Which of the following is not part of the elastic cone conus elasticus?
(A) Vocal ligament (B) Quadrangular membrane
(C) lat. cricothyroid ligament (D) Mucous membrane

15. Which of the following nerves innervated the lat cricoarytenoid muscle of the throat?
(A) External laryngeal n. (B) Internal laryngeal n.
(C) Inferior laryngeal n. (D) Pharyngeal branch of the vagus nerve

16 All of the following structures provide boundaries for the pelvic inlet **EXCEPT**
(A) Inferior ramus of the pubis (B) Sacral promontory
(C) Arcuate line of the ilium (D) Pecten pubis

17 All of the following statements concerning the **ductus deferens** are correct **EXCEPT**
(A) It begins in the head of the epididymis.
(B) It ascends in the spermatic cord.
(C) It passes through the inguinal canal.
(D) It joins the duct of the seminal vesicle to form the ejaculatory duct.

18 Which of the following is the structure of the urethral crest?
(A) Seminal colliculus (B) Opening of the duct of seminal vesicle
(C) Opening of prostatic duct (D) Membranous urethra

19 All of the following statements concerning the female reproductive system are correct **EXCEPT**?
(A) The round ligament of uterus maintains the uterus anteflexion and attaches to the labia majora.
(B) The mesometrium is part of the broad ligament.
(C) The infundibulum of the oviduct is the longest part of the oviduct.
(D) The rectouterine pouch separates the rectum and the uterus

20 The ovarian ligament:
(A) is attached to the posterior border of the ovary
(B) conducts blood vessels to the ovary from the lateral pelvic wall
(C) is attached to the isthmus of the uterus
(D) is the remains of the upper part of the gubernaculum

21 In anatomy position, Please arrange the following constructs in order from anterior to posterior:
1.Superior vena cava 2.Plumary trunk 3. Right pulmonary vein 4.Ascending aorta).
(A)2413 (B)2431 (C)4231 (D)4312

22 When you open the left ventricle of the heart, which of the following structure can not be observed?

(A) Interventricular septum membrane part (B) Modular band

(C) Oriffice of right coronary artery (D) Muscular elevation

23 The following , which one is not correct ?

(A) S-A node, located anterolaterally at the junction of the IVC and right atrium

(B) A-V node, located at the posteroinferior region of the interatrial septum near the opening of the coronary sinus

(C) AV bundle, connects the atria to the ventricles

(D) Bundle branches, conduct the impulses through the inter-ventricular septum.

24 In anatomy postion, which of the following structures can not be observe from posterior view ?

(A) Right pulmonary vein (B) Greater cardiac vein

(C) Coronary sinus (D) Terminal groove

****

學考題:

25 Which of the following bones will be derived from Parachordal cartilage?

(A) Ethmoid (B) Frontal (C) Occipital (D) Sphenoid

26 Which of the following structures is homologous to the thymus?

(A) Thyroid gland (B) Trachea

(C) Inferior parathyroid gland (D) Tongue

27 Which of the following embryos origin differs from the other three?

(A) Epiglottis (B) Hyoid bone (C) Facial nerve (D) Stapes

28 Which of the following cartilage development are not related to the 4th and 6th pharyngeal arches?

(A) Thyroid cartilage (B) Meckel's cartilage

(C) Epiglottis (D) Cricoid cartilage

29 Which of the following structures will form a uvula?

(A) Palatine bones (B) Intermaxillary segments

(C) Palatine arches (D) Palatine shelves

30 Which of the following is the least likely to develop from the neuroectoderm?

(A) Oligodendrocytes (B) Microglia

(D) Astrocytes (D) Schwann cell

31 The development of the cerebellum is derived from:

(A) Neuroblasts of alar plates of Myelencephalon

(B) Neuroblasts of basal plates of Myelencephalon

(C) Neuroblasts of alar plates of Metencephalon

(D) Neuroblasts of basal plates of Metencephalon

32 During the development of the brain, which of the following is not derived from the alar plate?

(A) Olivary nucleus (B) Cuneate nucleus

(C) Red nucleus (D) Inferior colliculus

33 When does myelin form during embryonic development?

(A) 4 weeks (B) 8 weeks (C) 4 mons (D) 9 mons

34 Which of the following statement about the development of the spinal cord is ***correct***?

(A) The roof plate portion of the neural tube contain neuroblast

(B) A zone around the neuroepithelial layer is called the marginal layer

(D) The alar plate forms the ventral horn of the spinal cord

35 When did respiratory bronchioles first appear in the maturation of the lungs?

(A) Pseudoglandular period (B) Canalicular period

(C) Terminal sac period (D) Alveolar period

36 The primary intestinal loop rotate around an axis formed by:

(A) Celiac trunk (B) Superior mesentery artery

(C) Inferior mesentery artery (D) Longitudinal axis

37 Choose the incorrect correlation:

(A) Accessory pancreatic duct --- Ventral bud

(B) Hepatocyte ---- Endodermal of the foregut

(C) Gallbladder ---- Foregut

(D) Ileum ---- Midgut

38 Which of the following statements about gastric development is correct?

(A) The dorsal lateral margin forms a small curvature of the stomach

(B) Greater curvature turns to the left

(C) The left side of the original turned to the back side

(D) The dorsal mesogastrium forms a lesser omentum

39 Which of the following is not a derivative of the primitive hindgut?

① Bladder ② Descending colon ③ Rectum ④ Urethra⑤ Cecum

(A)①④ ⑤ (B) ②③④ (C) ①②④ (D) ②③⑤

40 The excretory portion of the urinary system is derived from:

(A) Mesonephric duct (B) Primitive urogenital sinus

(C) Metanephric blastema (D) Ureteric bud

41 In the male, the pelvic part of the urogeital sinus give rise to the:

(A) Urinary bladder (B) Prostatic urethra

(C) Urethral gland (D) Ductus deferens

42 Which of the following is derived from the paramesonephric duct?

(A) Ductus deferens (B) Seminiferous tubule

(C) Ureter (D) Uterus

43 The follicular cells of the ovary are derived from:

(A) Sertoli cells (B) Primodial germ cells

(C) Tunica albuginea (D) Coelomic epithelium

44 Urogenital sinus participates in the formation of:

(A) vagina (B) epididymis (C) Ureter (D) Uterus

45 Which of the following is derived from the secondary heart field?

(A) Truncus arteriosus (B) Primitive atria

(C) most of the Primitive right ventricle (D) Primitive left ventricle

46 Which of the following will be obliterated during embryonic development?

(A) Right umbilical vein (B) Right vitelline vein

(C) Coronary sinus (D) Right common cardinal vein

47 Which of the following is neural crest origin?

(A) Superior endocardial cushion of atrioventricular canal

(B) Septum primum of interatrial Septum

(C) Bulbus swelling

(D) Muscular part of interventricular septum

48 The hepatic vein is developed from:

(A) vitelline vein (B) umbilical vein

(C) Supracardinal vein (D) sacrocardinal vein

49 The left atrium smooth wall is derived from:

(A) Right sinus venarum (B) Left sinus venarum

(C) Septum primum (D) Primitive pulmonary veins

50 Which of the following fusion cause the closure of the foramen primum?

(A) Septum primum and septum secundum (B) Septum spurium

(C) Fused endocardial cushions (D) Sinoatrial valves

51 The common carotid artery is derived from:

(A) First aortic arch (B) Second aortic arch

(C) Third aortic arch (D) Fourth aortic arch

52 During ___ days of embryonic development, the cardiac septa is formed completely.

(A) day 21 (B)day27 (C) day 28 (D) day37

53 The inferior mesenteric arteries are derived from:

(A) Vetelline artery (B) Renal arteries

(C) Umbilical arteries (D) Fifth lumbar intersegmental artery

54 In the fetal circulation, which of the following blood vessels has a higher oxygen content?

(A) Umbilical arteries (B) Ductus venosus

(C) Inferior vena cava (D) Pulmonary trunk

第三次解剖整合考

1. A	2. E	3. A	4. C	5. A	6. D	7. C	8. C	9. C	10. C
11. D	12. B	13. A	14. C	15. D	16. C	17. B	18. D	19. A	20. C
21. D	22. B	23. D	24. B	25. B	26. C	27. D	28. C	29. A	30. A
31. B	32. D	33. B	34. A						

35. teres major

36. suprascapular nerve

37. Arch of the azygos vein

38. Musculo-phrenic a.

39. Vetebral a./Thyrocervical a./Internal thoracic a.

（這一份有填充題的題目）

中國醫藥大學 107 學年度第 2 學期 第 3 次 考試試卷

■電腦卡作答 · 試題：□收回 ■不收回

科目	命題教師	考試時間	系級	學號	姓名	評分
系統解剖學 胚胎學	授課老師		醫二 中醫二甲			

（本試題共頁）

(一) Multiple choice: 1~6

In the following statements:

A. if (1) (2) are correct

B. if (1) (3) are correct

C. if (2) (3) (4) are correct

D. if (3) (4) are correct

E. if (1) (2) (3) (4) are correct

1. Concerning the the muscles of the back:
   (1) extrinsic muscle group consisting of the trapezius, rhomboids, and serratus posterior superior etc
   (2) intermediate layer of intrinsic muscle group consisting of the iliocostalis, longissimus, and spinalis
   (3) the main action of interspinalis is aid control limb movements
   (4) levator scapulae muscle are supplied by superficial branch of transverse cervical artery
2. Concerning the suboccipital region:
   (1) the floor of suboccipital region is posterior atlanto-occipital membrane
   (2) the nerve supply of the all four muscles in this region is from the C1 nerve
   (3) the superolaterally of suboccipital region is obliquus capitis superior m. muscle
   (4) obliquus capitis inferior m. has no attachment to the cranium
3. Concerning the the nerve supply of the back muscles:
   (1) serratus posterior ~~anterior~~ is innervated by intercostal n.
   (2) latissimus dorsi is innervated by thoracodorsal nerve
   (3) levator scapular is innervated by accessory nerve
   (4) multifidus is innervated by ventral rami of spinal nerves
4. Concerning the joints of the vertebral column:
   (1) tectorial membrane is continuation of the posterior atlanto-occipital membrane
   (2) posterior longitudinal ligament runs within the vertebral canal
   (3) anulus fibrosus is an outer fibrous part of the IV disc
   (4) flexion of upper trunk primarily occurs in lumbar vertebral column
5. Concerning the contents of the vertebral canal:
   (1) epidural space contain venous plexus
   (2) denticulate ligament lateral extend and attached the dural sac
   (3) subdural space is naturally occurring space between arachnoid and pia mater
   (4) the arachnoid mater is a fibrous meninges
6. Concerning the intervertebral disc
   (1) the nucleus pulposus is most likely to herniated in an anterolateral direction
   (2) no disc between the L5 and S1
   (3) the disc play a major role in development of the curvatures of the vertebral column
   (4) no discs between S3 and S4

(二) Single choice: Select the best one answer

7. Herniation of the IV disc between the fifth and sixth cervical vertebrae will compress the:
   (A) 4th cervical nerve root
   (B) 5th cervical nerve root

(C) 6th cervical nerve root (D) 7th cervical nerve root

8. Which of the following joint permit permit nodding of the head "YES"?
(A) costorvertebral joint (B) atlanto-axial joint
(C) atlanto-occipital joint (D) zygapophysial joints

9. The medullary cone ends inferiorly in the adult at the level of:
(A) T1 to 3 (B) S1 to 3 (C) L1 to 3 (D) the coccyx

10. Which of the following structure were found in the subocciptial triangle?
(A) lesser occipital n. (B) occiptial a.. (C) suboccipital n (D) greater occipital n.

11. Which of the following muscles are innerved by C2 of spinal nerve?
(A) obliquus capitis superior m (B) serratus posterior inferior
(C) rotatores m. (D) semispinalis m.

12. Which one enclose with throacolumbar fascia of the back?
(A) serratus posterior superior m. (B) levatores costorum m.
(C) levator scapulae m. (D) latissimus dorsi m.

13. Which of following is true in respect to ulnar nerve injuries?
(A) The injury often occurs where the nerve passes posterior to the medial epicondyle of the humerus.
(B) The patient experiences numbness and tingling on the lateral part of palm and the thumb.
(C) The patient may exhibit Wrist drop"
(D)All of the above is right

14. The axillary nerve is damaged. What is the likely result?
(A) The teres major atrophies.
(B) The rhomboid major atrophies.
(C) The teres minor atrophies.
(D) A loss of sensation may occur in the lateral forearm.

15. The median nerve innervates which of following?
(A) medial half of the flexor digitorum profundus muscle.
(B) hypothenar muscle.
(C) palmar interossei:. 1st and 2nd
(D) Lumbricals 1st and 2nd

16. The flexor pollicis longus is innervated by_____
(A) radial nerve (B) posterior interosseous nerve.
(C) anterior interosseous nerve (D) ulnar nerve

17. Which of the following is the first part branch of the axillary artery?
(A) inferior thoracic artery (B) superior thoracic artery
(C) thoracoacromial artery (D)lateral thoracic artery

18. Which one nerve originate from the anterior rami of C5 to C7?
(A) dorsal scapular nerve (B) medial pectrol nerve
(C) inferior subscapular nerve (D) long thoracic nerve

19. Brachioradialis is innervated by_____
(A) radial nerve. (B)median nerve.
(C) anterior interosseous nerve (D) ulnar nerve

20. Radial collateral artery is _____ branch
(A)radial recurrent artery (B) radial artery.
(C) profunda brachii artery (D) ulnar artery

21. Which of the following nerves supply NO branches to arm?
(A) radial and ulnar (B) musculocutaneous and radial
(C) median and axillary (D) median and ulnar

22. Which of the following will accompany theaxillary nerve?
(A) anterior circumflex humeral artery (B) posterior circumflex humeral artery

(C) median nerve (D) profunda brachii artery

23. The following structures can be found in the clavipectoral triangle.)
(A) subclacicle vein (B) medial pectoral nerve)
(C) basilic vein (D) thoracoacromial artery

24. Which of the following is the most appropriate description of the left recurrent laryngeal nerve?
(A) Contral all muscles in the throat
(B) Walking between the tracheal and the esophagus
(C) Control part of the esophagus (esophagus).
(D) A branch of the left vagus nerve located under the subclavian artery.

25. Which of the following constructs is the *inspiratory* muscle?)
(A) Sternal-costal muscle
(B) Internal intercostal muscle interchondral part)
(C) Subcostal muscle)
(D) Innermost intercostal muscle

26. The second intercostal posterior intercostal artery comes from?
(A) Internal thoracic artery (B) Muscular-phrenic artery
(C) Superior intercostal artery (D) Descending aorta

27. The height of the superior sternal notch of an adult is equivalent to the lower edge of the vertebral body?
(A) The first cervical vertebra (B) The third thoracic vertebra
(C) Tthe seventh cervical vertebra (D)The second thoracic vertebra

28. Seventy-five-year-old males went to the Department of Chect Medicine for treatment. The patient complained of difficulty in breathing. The radiology department colleagues used radiography to photograph the right side of the cross-section with "contradictory movements". Please speculate that the following structures may be damaged?
(A) Left vagus nerve (B) Left long thoracic nerve
(C) Left phrenic nerve (D) Left internal thoracic nerve) ◦

29. What space does the aortic arch exist in the mediastinum?
(A) Superior mediastinum (B) Middle mediastinum
(C)Aanterior mediastinum (D) Posterior mediastinum

30. Which of the following statements is correct?
(A) The vagus n. passes through the diaphragm at the level of the T9 vertebral body.
(B) The inferior vena cava passes through the diaphragm at the level of the T12 vertebral body.
(C) The descending aorta begins at the level of the T6 vertebral body.
(D) In the natural case, the lowest costal margin is the tenth rib and the transverse level is the tenth vertebral body.

31. Which of the following statements is incorrect?
(A) The head of the first rib has a complete articular surface.
(B) The fourth rib will be associated with the inferior costal facet of the fourth vertebral body.
(C) There is no articular surface on the vertebra body of the twelfth thoracic vertebra.
(D) The perforation artery of the internal thoracic artery will supply to the mammary gland.

32. What is the right vagus nerve through the following structure?
(A) Medial arcuate ligament (B) Aortic hiatus
(C) Lateral arcuate ligament (D) Esophageal hiatus

33. In anatomy position, please arrange the following structure from posterior to anterior.
① Left vagus trunk ②Pericardiaco-phrenic artery ③Esophagus ④ Azygos vein
(A) ②①④③ (B) ④③①② (C) ②③①④ (D) ①③④②

34. In anatomy position, please arrange the following structure from anterior to posterior.
①.Aorta arch ②Left recurrent laryngeal nerve ③ Right branchiocephalic vein ④Thoracic duct
(A) ③① ②④ (B) ②④③① (C) ①④②③ (D) ④①③②

填充！

35. The axillary vein begins at the lower margin of the _____ muscle.

36. Branch of trunk of brachial plexus : nerve to subclavius muscle and _____

37.The height of the Azygos vein at the sternal angle is injected directly into the superior vena cava (SVC) by the _____

38.Anterior intercostal artery of the 7th to 9th arise from _____

39. Please write the three branches of the first segment of the subclavian artery (inside the anterior scalene muscle)。

_____