

SublimeText2 快捷键一览表

(/archive/2013/06/14/sublime-text-2-all-default-Shortcuts-table-on-windows-translated-with-chinese.aspx)

快捷键	功能
ctrl+shift+n	打开新Sublime
ctrl+shift+w	关闭Sublime , 关闭所有打开文件
ctrl+shift+t	重新打开最近关闭文件
ctrl+n	新建文件
ctrl+s	保存
ctrl+shift+s	另存为
ctrl+f4	关闭文件
ctrl+w	关闭
ctrl+k, ctrl+b	切换侧边栏显示状态
f11	切换全屏状态
shift+f11	免打扰模式状态切换
backspace	删除左侧
shift+backspace	左侧删除
ctrl+shift+backspace	左侧全部删除
delete	右侧删除
enter	插入
shift+enter	插入
ctrl+z	撤消
ctrl+shift+z	重做
ctrl+y	重做或重复

ctrl+u	软撤销
ctrl+shift+u	软重做
ctrl+shift+v	粘贴并格式化
shift+delete	剪切
ctrl+insert	拷贝
shift+insert	粘贴
ctrl+x	剪切
ctrl+c	拷贝
ctrl+v	粘贴
left	移动
right	移动
up	移动
down	移动
shift+left	移动并选择
shift+right	移动并选择
shift+up	移动并选择
shift+down	移动并选择
ctrl+left	按\w规则移动（跳跃）
ctrl+right	按\w规则移动（跳跃）
ctrl+shift+left	按\w规则移动并选择（跳跃）
ctrl+shift+right	按\w规则移动并选择（跳跃）
alt+left	按单词移动
alt+right	按单词移动
alt+shift+left	按单词移动并选择
alt+shift+right	按单词移动并选择
ctrl+alt+up	选择多行进行编辑
ctrl+alt+down	选择多行进行编辑

pageup	移动
pagedown	移动
shift+pageup	移动+选择
shift+pagedown	移动+选择
home	移动到行首
end	移动到行尾
shift+home	选择到行首
shift+end	选择到行尾
ctrl+home	移动到页首行头
ctrl+end	移动到页尾行尾
ctrl+shift+home	选择到页首行头
ctrl+shift+end	选择到页尾行尾
ctrl+up	滚动行
ctrl+down	滚动行
ctrl+pagedown	下一视图（视觉位置）
ctrl+pageup	前一视图
ctrl+tab	栈中下一视图（打开顺序）
ctrl+shift+tab	栈中前一视图
ctrl+a	全选
ctrl+shift+l	选择多行编辑
escape	单个选择
escape	清除字段
escape	清除字段
escape	隐藏面板
escape	hide overlay
escape	hide auto complete
tab	insert best completion

tab	insert best completion
tab	replace completion with next completion
tab	reindent
tab	indent
tab	next field
tab	commit completion
shift+tab	insert
shift+tab	unindent
shift+tab	unindent
shift+tab	unindent
shift+tab	prev field
ctrl+]	缩进
ctrl+[不缩进
insert	toggle overwrite
ctrl+l	选择行，重复可依次增加选择下一行
ctrl+d	选择单词，重复可增加选择下一个相同的单词
ctrl+k, ctrl+d	find under expand skip
ctrl+shift+space	expand selection
ctrl+shift+m	expand selection
ctrl+m	跳转到对应括号
ctrl+shift+j	expand selection
ctrl+shift+a	expand selection
alt+.	close tag
ctrl+q	toggle record macro
ctrl+shift+q	run macro
ctrl+enter	run macro file
ctrl+shift+enter	在当前行前插入新行

enter	commit completion
ctrl+p	搜索项目中的文件
ctrl+shift+p	打开命令面板
ctrl+alt+p	prompt select project
ctrl+r	前往Method
ctrl+g	跳转到第几行
ctrl+;	show overlay
ctrl+i	show panel
ctrl+shift+i	show panel
ctrl+f	查找
ctrl+h	查找替换
ctrl+shift+h	查找替换下一个
f3	下一个匹配项
shift+f3	上一个匹配项
ctrl+f3	下一个匹配项
ctrl+shift+f3	find under prev
alt+f3	find all under
ctrl+e	slurp find string
ctrl+shift+e	slurp replace string
ctrl+shift+f	show panel
f4	next result
shift+f4	prev result
f6	toggle setting
ctrl+f6	next misspelling
ctrl+shift+f6	prev misspelling
ctrl+shift+up	swap line up
ctrl+shift+down	swap line down

ctrl+backspace	delete word
ctrl+shift+backspace	run macro file
ctrl+delete	delete word
ctrl+shift+delete	run macro file
ctrl+/ 	当前行注释状态切换
ctrl+shift+/ 	当前位置注释状态切换
ctrl+j	选择标签内容，将后继行附加到行尾
ctrl+shift+d	duplicate line
ctrl+`	show panel
ctrl+space	auto complete
ctrl+space	replace completion with auto complete
ctrl+alt+shift+p	show scope name
f7	build
ctrl+b	build
ctrl+shift+b	build
ctrl+break	exec
ctrl+t	transpose
f9	行排序
ctrl+f9	行排序
// Auto-pair quotes	
\	insert snippet
\	insert snippet
\	move
backspace	run macro file
// Auto-pair single quotes	
'	insert snippet
'	insert snippet

,	move
backspace	run macro file
// Auto-pair brackets	
(insert snippet
(insert snippet
)	move
backspace	run macro file
// Auto-pair square brackets	
[insert snippet
[insert snippet
]	move
backspace	run macro file
// Auto-pair curly brackets	
{	insert snippet
{	insert snippet
}	move
backspace	run macro file
enter	run macro file
shift+enter	run macro file
ctrl+1	focus group
ctrl+2	focus group
ctrl+3	focus group
ctrl+4	focus group
ctrl+shift+1	move to group
ctrl+shift+2	move to group
ctrl+shift+3	move to group
ctrl+shift+4	move to group

ctrl+0	focus side bar
alt+1	select by index
alt+2	select by index
alt+3	select by index
alt+4	select by index
alt+5	select by index
alt+6	select by index
alt+7	select by index
alt+8	select by index
alt+9	select by index
alt+0	select by index
f2	next bookmark
shift+f2	prev bookmark
ctrl+f2	标记状态切换
ctrl+shift+f2	clear bookmarks
alt+f2	select all bookmarks
ctrl+shift+k	run macro file
alt+q	wrap lines
ctrl+k, ctrl+u	upper case
ctrl+k, ctrl+l	lower case
ctrl+k, ctrl+space	set mark
ctrl+k, ctrl+a	select to mark
ctrl+k, ctrl+w	delete to mark
ctrl+k, ctrl+x	swap with mark
ctrl+k, ctrl+y	yank
ctrl+k, ctrl+k	run macro file
ctrl+k, ctrl+backspace	run macro file

ctrl+k, ctrl+g	clear bookmarks
ctrl+k, ctrl+c	show at center
ctrl++	increase font size
ctrl+=	increase font size
ctrl+keypad plus	increase font size
ctrl+-	decrease font size
ctrl+keypad minus	decrease font size
alt+shift+w	insert snippet
ctrl+shift+[折叠(代码)
ctrl+shift+]	不折叠
ctrl+k, ctrl+1	按层级折叠(代码) , 数字是层级数
ctrl+k, ctrl+2	按层级折叠(代码) , 数字是层级数
ctrl+k, ctrl+3	按层级折叠(代码) , 数字是层级数
ctrl+k, ctrl+4	按层级折叠(代码) , 数字是层级数
ctrl+k, ctrl+5	按层级折叠(代码) , 数字是层级数
ctrl+k, ctrl+6	按层级折叠(代码) , 数字是层级数
ctrl+k, ctrl+7	按层级折叠(代码) , 数字是层级数
ctrl+k, ctrl+8	按层级折叠(代码) , 数字是层级数
ctrl+k, ctrl+9	按层级折叠(代码) , 数字是层级数
ctrl+k, ctrl+0	unfold all
ctrl+k, ctrl+j	unfold all
ctrl+k, ctrl+t	fold tag attributes
context menu	context menu
alt+c	toggle case sensitive
alt+r	toggle regex
alt+w	toggle whole word
alt+a	toggle preserve case

// 查找面板的按键绑定

enter	向后查找
shift+enter	向前查找
alt+enter	查找全部

// 替换面板的按键绑定

enter	查找下一个
shift+enter	查找前一个
alt+enter	查找全部
ctrl+alt+enter	替换全部

// Incremental find panel key bindings

enter	hide panel
shift+enter	find prev
alt+enter	find all