

city		
id	serial	
name	varchar(100)	NN
country	varchar(100)	NN


airport		
id	serial	
code	char(3)	NN
name	varchar(150)	NN
city_id	integer	NN

passenger		
id	serial	
full_name	varchar(150)	NN
passport	varchar(20)	NN
email	varchar(100)	NN
phone	varchar(20)	
birth_date	date	NN

flight		
id	serial	
flight_number	varchar(10)	NN
aircraft_id	integer	NN
departure_airport_id	integer	NN
arrival_airport_id	integer	NN
departure_time	timestamp	NN
arrival_time	timestamp	NN
base_price	numeric(10,2)	NN

booking		
id	serial	
passenger_id	integer	NN
flight_id	integer	NN
seat_number	varchar(5)	NN
booking_class	varchar(20)	NN
status	varchar(10)	NN
booking_date	timestamp	NN
price_paid	numeric(10,2)	NN

aircraft		
id	serial	
tail_number	varchar(10)	NN
model	varchar(50)	NN
capacity	integer	NN



city		
id	serial	1
name	varchar(100)	NN
country	varchar(100)	NN

flight		
id	serial	1
flight_number	varchar(10)	NN
aircraft_id	integer	NN
departure_airport_id	integer	NN
arrival_airport_id	integer	NN
departure_time	timestamp	NN
arrival_time	timestamp	NN
base_price	numeric(10,2)	NN

airport		
id	serial	1
code	char(3)	NN
name	varchar(150)	NN
city_id	integer	NN

passenger		
id	serial	1
full_name	varchar(150)	NN
passport	varchar(20)	NN
email	varchar(100)	NN
phone	varchar(20)	
birth_date	date	NN

aircraft		
id	serial	1
tail_number	varchar(10)	NN
model	varchar(50)	NN
capacity	integer	NN

booking		
id	serial	1
passenger_id	integer	NN
flight_id	integer	NN
seat_number	varchar(5)	NN
booking_class	varchar(20)	NN
status	varchar(10)	NN
booking_date	timestamp	NN
price_paid	numeric(10,2)	NN

