Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
Q1	CR1	Have you ever tried or experimented with cigarette smoking, even one or two puffs? . Missing 1 Yes 2 No	38 584 901	40.0% 60.0%
Q2	CR2	How old were you when you first tried a cigarette? . Missing 1 I have never smoked cigarettes 2 Age 10 or younger 3 Age 11-15 4 Age 16-17 5 Age 18-19 6 Age 20-24 7 Age 25-29 8 Age 30 or older	7 940 93 100 87 139 136 21	61.3% 6.5% 6.8% 5.9% 8.7% 9.3% 1.5% 0.0%
Q3	CR3	During the past 30 days (one month), on how many days did you smoke cigarettes? . Missing 1 0 days 2 1 or 2 days 3 3 to 5 days 4 6 to 9 days 5 10 to 19 days 6 20 to 29 days 7 All 30 days	47 1,282 45 37 32 36 22 22	86.6% 2.9% 2.6% 2.3% 2.5% 1.6% 1.4%
Q4	INR4	Have you smoked cigarettes on College premises/property during the past year? 1 I have never smoked cigarettes 2 Yes 3 No	935 199 389	60.5% 13.3% 26.2%
Q5	INR5	Have you smoked cigarettes in College buildings during the past year? . Missing 1 I have never smoked cigarettes 2 Yes 3 No	26 937 89 471	62.0% 5.7% 32.3%
Q6	INR6	Have you ever tried or experimented with bidi smoking, even one or two puffs? . Missing 1 Yes 2 No	10 249 1,264	16.3% 83.7%
Q7	INR7	How old were you when you first tried a bidi? . Missing 1 I have never smoked bidi 2 Age 10 or younger 3 Age 11-15 4 Age 16-17 5 Age 18-19 6 Age 20-24 7 Age 25-29 8 Age 30 or older	5 1,261 74 58 70 26 29	82.5% 4.9% 4.0% 5.0% 1.7% 1.8% 0.0%
Q8	INR8	During the past 30 days (one month), on how many days did you smoke bidi? 1 0 days	1,468	96.1%

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		<pre>2 1 or 2 days 3 3 to 5 days 4 6 to 9 days 5 10 to 19 days 6 20 to 29 days 7 All 30 days</pre>	29 11 6 2 3 4	2.1% 0.8% 0.4% 0.1% 0.2% 0.3%
Q9	INR9	Have you smoked bidi on College premises/property during the past year? . Missing 1 I have never smoked cigarettes 2 Yes 3 No	3 1,180 39 301	77.8% 2.8% 19.5%
Q10	INR10	Have you smoked bidi in College buildings during the past year? . Missing 1 I have never smoked cigarettes 2 Yes 3 No	4 1,180 59 280	77.7% 4.2% 18.0%
Q11	INR11	Have you ever tried or experimented with any chewing or applying tobacco products or snuff (this includes chewing tobacco such as tobacco leaf, tobacco leaf and lime-khaini/surti/sada, Gutka, Panmasala with zarda or pan with zarda; applying tobacco such a . Missing 1 Yes 2 No	6 540 977	35.2% 64.8%
Q12	INR12	How old were you when you first tried a chewing or applying tobacco product or snuff? (This includes chewing tobacco such as tobacco leaf, tobacco leaf and lime-khaini/surti/sada, Gutka, Panmasala with zarda or pan with zarda; applying tobacco such as Gul. Missing I have never tried a chewing or applying tobacco products or snuff Age 10 or younger Age 11-15 Age 16-17 Age 18-19 Age 20-24 Age 25-29 Age 30 or older	4 968 70 143 127 114 85 12	63.9% 4.4% 9.4% 8.2% 7.5% 5.7% 0.9% 0.0%
Q13	INR13	During the past 30 days (one month), on how many days did you use chewing or applying tobacco products or snuff? (This includes chewing tobacco such as tobacco leaf, tobacco leaf and lime-khaini/surti/sada, Gutka, Panmasala with zarda or pan with zarda; a . Missing 1 0 days 2 1 or 2 days 3 3 to 5 days 4 6 to 9 days 5 10 to 19 days 6 20 to 29 days 7 All 30 days	4 1,368 54 44 35 5 4	89.7% 3.8% 2.9% 2.4% 0.3% 0.3% 0.6%
Q14	INR14	Have you used chewing or applying tobacco products or snuff on College premises/property during the past year? (This includes chewing tobacco such as tobacco leaf, tobacco leaf and lime-khaini/surti/sada, Gutka, Panmasala with zarda or pan with zarda; app . Missing	7	

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		1 I have never used chewing or applying tobacco products or snuff 2 Yes 3 No	1,064 132 320	69.5% 8.9% 21.6%
Q15	INR15	During the past 7 days, on how many days have people smoked cigarettes where you live, in your presence? . Missing 1 0 days 2 1 to 2 days 3 3 to 4 days 4 5 to 6 days 5 All 7 days	5 825 217 170 75 231	53.7% 14.1% 11.7% 4.9% 15.6%
Q16	INR16	During the past 7 days, on how many days have people smoked cigarettes in your presence, in places other than where you live? 1 0 days 2 1 to 2 days 3 3 to 4 days 4 5 to 6 days 5 All 7 days	487 397 270 81 288	32.1% 25.7% 18.0% 5.3% 18.9%
Q17	INR17	During the past 7 days, on how many days have people smoked bidis where you live, in your presence? 1 0 days 2 1 to 2 days 3 3 to 4 days 4 5 to 6 days 5 All 7 days	1,084 217 104 40 78	69.9% 15.1% 6.8% 2.6% 5.5%
Q18	INR18	During the past 7 days, on how many days have people smoked bidis in your presence, in places other than where you live? . Missing 1 0 days 2 1 to 2 days 3 3 to 4 days 4 5 to 6 days 5 All 7 days	7 865 270 178 59 144	56.7% 17.5% 12.0% 4.1% 9.7%
Q19	CR16	Should smoking be banned in restaurants? . Missing 1 Yes 2 No	11 1,352 160	89.1% 10.9%
Q20	CR17	Should smoking be banned in discos/bars/pubs? . Missing 1 Yes 2 No	4 949 570	62.7% 37.3%
Q21	CR18	Should smoking in all enclosed public places be banned? . Missing 1 Yes 2 No	8 1,390 125	91.6% 8.4%
Q22	INR22	Does your College have an official policy banning smoking in College buildings and clinics? . Missing	4	

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		1 Yes, for College buildings only 2 Yes, for clinics only 3 Yes, for both College buildings and clinics 4 No official policy 5 Do not know	112 165 744 496 2	7.5% 10.5% 47.9% 33.9% 0.2%
Q23	INR23	Is your College's official smoking ban for College buildings and clinics enforced? . Missing 1 Yes, policy is enforced 2 No, policy is not enforced 3 College has no official policy 4 5 Do not know	7 519 512 479 6	33.5% 33.6% 32.4% 0.5% 0.0%
Q24	CR14	Should tobacco sales to adolescents (persons younger than 18 years old) be banned? . Missing 1 Yes 2 No	5 1,370 148	90.2% 9.8%
Q25	CR15	Should there be a complete ban of the advertising of tobacco products? . Missing 1 Yes 2 No	7 1,245 271	81.7% 18.3%
Q26	CR25	How soon after you awake do you smoke your first cigarette? . Missing 1 I have never smoked cigarettes 2 I do not currently smoke cigarettes 3 Less than 10 minutes 4 10-30 minutes 5 31-60 minutes 6 After 60 minutes	39 955 368 54 42 20 45	. 63.8% 25.0% 3.6% 3.0% 1.4% 3.2%
Q27	CR26	Do you want to stop smoking cigarettes now? . Missing 1 I have never smoked cigarettes 2 I do not smoke now 3 Yes 4 No	4 938 288 238 55	61.0% 19.5% 15.6% 3.9%
Q28	CR27	During the past year, have you ever tried to stop smoking cigarettes? . Missing 1 I have never smoked cigarettes 2 I did not smoke during the past year 3 Yes 4 No	5 937 243 250 88	61.0% 16.2% 16.4% 6.3%
Q29	CR28	How long ago did you stop smoking cigarettes? . Missing 1 I have never smoked cigarettes 2 I have not stopped smoking cigarettes 3 Less than 1 month 4 1-5 months 5 6-11 months 6 One year	4 937 190 60 78 108 63	60.9% 12.7% 4.3% 5.0% 7.1% 4.2%

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		7 2 years 8 3 years or longer	27 56	1.9% 3.7%
Q30	CR29	Have you ever received help or advice to help you stop smoking cigarettes? . Missing 1 I have never smoked cigarettes 2 Yes 3 No	8 1,009 297 209	65.4% 20.3% 14.3%
Q31	INR31	Do you want to stop smoking bidis now? . Missing 1 I have never smoked bidis 2 I do not smoke bidi now 3 Yes 4 No	5 1,250 207 43 18	82.2% 13.5% 2.9% 1.4%
Q32	INR32	Do you want to stop using chewing or applying or snuff tobacco now? . Missing 1 I have never used chewing or applying or snuff tobacco 2 I do not use chewing or applying or snuff tobacco 3 Yes 4 No	2 994 393 84 50	65.2% 25.8% 5.7% 3.3%
Q33	CR19	Should health professionals get specific training on cessation techniques? . Missing 1 Yes 2 No	8 1,381 134	90.8% 9.2%
Q34	CR20	Do health professionals serve as "role models" for their patients and the public? . Missing 1 Yes 2 No	2 1,056 465	69.7% 30.3%
Q35	INR35	Should health professionals routinely advise their patients who smoke cigarettes to quit smoking? 1 Yes 2 No	1,341 182	87.4% 12.6%
Q36	INR36	Should health professionals routinely advise their patients who smoke bidi to quit smoking? . Missing 1 Yes 2 No	3 1,354 166	88.5% 11.5%
Q37	INR37	Should health professionals routinely advise their patients who use chewing or applying or snuff tobacco to quit using these products? 1 Yes 2 No	1,362 161	88.6% 11.4%
Q38	CR23	Do health professionals have a role in giving advice or information about smoking cessation to patients? . Missing 1 Yes 2 No	3 1,344 176	87.9% 12.1%
Q39	INR39	Are a patient's chances of quitting tobacco increased if a health professional advises him or		

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		her to quit? . Missing 1 Yes 2 No	3 1,256 264	81.3% 18.7%
Q40	INR40	Are health professionals who smoke cigarettes less likely to advise patients to stop smoking? . Missing 1 Yes 2 No	2 1,042 479	68.1% 31.9%
Q41	INR41	Are health professionals who smoke bidi less likely to advise patients to stop smoking? . Missing 1 Yes 2 No	2 1,042 479	68.4% 31.6%
Q42	INR42	Are health professionals who use chewing or applying or snuff tobacco less likely to advise patients to stop smoking? . Missing 1 Yes 2 No	1 1,079 443	70.9% 29.1%
Q43	CR33	During your (medical, dental, nursing, or pharmacy) school training, were you taught in any of your classes about the dangers of smoking? . Missing 1 Yes 2 No	2 1,120 401	73.5% 26.5%
Q44	CR34	During your (medical, dental, nursing, or pharmacy) school training, did you discuss in any of your classes the reasons why people smoke? . Missing 1 Yes 2 No	1 784 738	51.6% 48.4%
Q45	CR35	During your (medical, dental, nursing, or pharmacy) school training, did you learn that it is important to record tobacco use history as part of a patient's general medical history? . Missing 1 Yes 2 No	2 1,278 243	83.9% 16.1%
Q46	CR36	During your (medical, dental, nursing, or pharmacy) school training, have you ever received any formal training in smoking cessation approaches to use with patients? . Missing 1 Yes 2 No	2 427 1,094	29.1% 70.9%
Q47	CR37	During your (medical, dental, nursing, or pharmacy) school training, did you learn that it is important to provide educational materials to support smoking cessation to patients who want to quit smoking? . Missing 1 Yes 2 No	5 896 622	58.9% 41.1%
Q48	CR38	Have you ever heard of nicotine replacement product therapies in tobacco cessation programs (such as nicotine patch or gum)? . Missing	6	

Original Question	Analysis Variable	Question Code and Label	Unweighted Frequency	Weighted Percent
		1 Yes 2 No	883 634	60.0% 40.0%
Q49	CR39	Have you ever heard of using antidepressants in tobacco cessation programs (such as bupropion or Zyban)? . Missing 1 Yes 2 No	3 672 848	44.9% 55.1%
Q50	CR40	How old are you? . Missing 1 14 years or younger 2 15 to 18 years 3 19 to 24 years 4 25 to 29 years 5 30 years or older	1 1,513 9	0.0% 0.0% 99.6% 0.4% 0.0%
Q51	CR41	What is your gender? 1 Female 2 Male	516 1,007	33.0% 67.0%
Q52	CR42	What is your year in school? First year Second year Third year Fourth year Sixth year Seventh year	1,523	0.0% 0.0% 100.0% 0.0% 0.0% 0.0%