

**TO SUPPLY LEFTOVER FOOD TO POOR**

**College name: Bharathithasan college  
of Arts and science  
College code:bru3d**

**TEAM ID:NM2025TMID24693**

**TEAM MEMBERS:4**

**TEAM LEADER NAME:**

**LOGESH WARI.R**

**EMAIL ID:**

**logeshwari797@gmail.com**

**Team Meber1:**

**MAHANISHA.S**

**EMAIL ID:**

**mahanisha3048@gmail.com**

**Team Meber2:**

**JEEVITHA.S**

**EMAIL ID:**

**jeevithaselva2006@gmail.com**

**Team Meber3:**

**HARIPRIYA.T**

**EMAIL ID:**

**nn9596419@gmail.com**



Edit Custom Object Tab

Help for this Page

## Venues

Fill in the fields below to define the custom tab

### Custom Tab Definition Edit

#### Custom Object Tab Information

Required Information

Tab Label Venues

Object Venue

Tab Style Alarm clock

(Optional) Choose a Home Page Custom Link to show as a splash page the first time your users click on this tab.

Splash Page Custom Link -None-

Enter a short description.

Description

Save Cancel

+ Reports

+ Dashboards

+ Sharing Rules

+ Home Page

Conclusion



1. Select Object(Venue)  
>> Select the tab style  
>> Next (Add to profiles page)  
keep it as default >> Next (Add to Custom App)  
uncheck the include tab .
2. Make sure that the Append tab to users'

- Relationships
- Layouts
- Record Pages
- Links, and Actions
- Layouts
- Fields
- Limits
- Types
- Lookup Filters
- Layouts
- Button Layout
- Flow Rules
- Rules
- Access
- Triggers
- Flow Rules
- Field Formatting

Edit Custom Object

Help for this Page

## Task

Custom Object Definition Edit Save Save &amp; New Cancel

## Custom Object Information

Required Information

The singular and plural labels are used in tabs, page layouts, and reports. **Be careful when changing the name or label as it may affect existing integrations and merge templates.**

Label  Example: Account  
 Plural Label  Example: Accounts  
 Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name  Example: Account

## Description

Context-Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window  
☐ Open a window using a Visualforce page  
 Content Name

## Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name  Example: Account Name

Data Type  Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

## Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing

## Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

## Deployment Status

What is this?

- ☐ In Development
- ☒ Deployed

## Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)

- ☒ Allow Search

Save Save &amp; New Cancel

+ Dashboards

+ Sharing Rules

+ Home Page

Conclusion

## Create Venue Object

To create an object:

1. From the setup page >> Click on Object Manager >> Click on Create >> Click on Custom Object.
  1. Enter the label name >> Venue
  2. Plural label name >> Venues
  3. Enter Record Name Label and Format
    - Record Name >> Venue Name
    - Data Type >> Text
2. Click on Allow reports and Track Field History, Allow Activities.
3. Allow search >> Save.



Create Volunteer Object

Create Execution Details  
Object

+ Tabs

- The Lightning App

Create A Lightning App

## Create Drop-Off Point Object

To create an object:

1. From the setup page >> Click on Object Manager >> Click on Create >> Click on Custom Object.
  1. Enter the label name >> Drop-Off Point
  2. Plural label name>> Drop-Off Points
  3. Enter Record Name Label and Format
    - Record Name >> Drop-Off point Name
    - Data Type >> Text

2. Click on Allow reports and Track Field

Create A Lightning App



Fields



Flows



Trigger

Profiles



Creation Of Users

## Create Task Object

To create an object:

1. From the setup page >> Click on Object Manager >> Click on Create >> Click on Custom Object.
  1. Enter the label name>> Task
  2. Plural label name>> Tasks
  3. Enter Record Name Label and Format
    - Record Name >> Task Name
    - Data Type >> Text
2. Click on Allow reports and Track Field History Allow Activities

## Execution Detail

## Details

Fields &amp; Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

Triggers

Flow Triggers

Validation Rules

Conditional Field Formatting

Edit Custom Object

## Execution Detail

[Help for this Page](#)

## Custom Object Definition Edit

[Save](#)[Save & New](#)[Cancel](#)

## Custom Object Information

[Required Information](#)

The singular and plural labels are used in tabs, page layouts, and reports. **Be careful when changing the name or label as it may affect existing integrations and merge templates.**

Label  Example: Account  
Plural Label  Example: Accounts  
Starts with lower letter ☐

The Object Name is used when referencing the object via the API.

Object Name  Example: Account

## Description

## Context

Standard

Help

Settings

Custom

Name

- ☒ Open the standard Salesforce.com Help & Training window
- ☐ Open a window using a Visualforce page

## Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name  Example: Account Name

## Data Type

**Warning:** If you plan to insert a high volume of records in this object via the API for example, use the Text data type.

## Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- [Enable Licensing](#)

## Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

## Deployment Status

[What is this?](#)

- ☐ In Development
- ☒ Deployed

## Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)

- ☒ Allow Search

[Save](#) [Save & New](#) [Cancel](#)



+ Reports

+ Dashboards

+ Sharing Rules

+ Home Page

Conclusion

## Create Volunteer Object

To create an object:

1. From the setup page >> Click on Object Manager>> Click on Create >> Click on Custom Object.
  1. Enter the label name>> Volunteer
  2. Plural label name>> Volunteers
  3. Enter Record Name Label and Format
    - Record Name >> Volunteer Name
    - Data Type >> Text
2. Click on Allow reports and Track Field History, Allow Activities
3. Allow search >> Save.

## Venue

Relationships

2

Record Pages

Fields and Actions

Routes

1

1

Setup Filters

Fields

Custom Layout

Rules

12

12

1

Rules

Field Formatting

Custom Object Definition Edit Save Save &amp; New Cancel

## Custom Object Information

Required Information

The singular and plural labels are used in tabs, page layouts, and reports. **Be careful when changing the name or label as it may affect existing integrations and merge templates.**

Label  Example: Account  
Plural Label  Example: Accounts  
Starts with vowel sound ☐

The Object Name is used when referencing the object via the API.

Object Name  Example: Account

Description

Content-Sensitive Help Setting ☒ Open the standard Salesforce.com Help & Training window  
☐ Open a window using a Visualforce page  
Content Name

## Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name  Example: Account Name

Date Type  Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

## Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing [+](#)

## Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

## Deployment Status

[What is this?](#)

- ☐ In Development
- ☒ Deployed

## Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)

- ☒ Allow Search

Save Save &amp; New Cancel

- + Reports
- + Dashboards
- + Sharing Rules
- + Home Page
- Conclusion

## Create Execution Details Object

To create an object:

1. From the setup page >> Click on Object Manager >> Click on Create >> Click on Custom Object.
  1. Enter the label name >> Execution Detail
  2. Plural label name >> Execution Details
  3. Enter Record Name Label and Format
    - Record Name >> Execution Detail Name
    - Data Type >> Text
2. Click on Allow reports and Track Field History/ Allow Activities

## Volunteer

## Details

Fields &amp; Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

Triggers

Flow Triggers

Validation Rules

Conditional Field Formatting

Edit Custom Object

## Volunteer

Help for this Page

## Custom Object Definition Edit

Save Save &amp; New Cancel

## Custom Object Information

Request Information

The singular and plural labels are used in tabs, page layouts, and reports. **Be careful when changing the name or label as it may affect existing integrations and merge templates.**

Label  Example: Account  
Plural Label  Example: Accounts  
Starts with word ☐

The Object Name is used when referencing the object via the API.

Object Name  Example: Account

Description

Current-Sensitive help setting ☒ Open the standard Salesforce.com Help & Training window  
☐ Open a window using a Visualforce page  
Current Name

## Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name  Example: Account Name

Data Type  Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type

## Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing

## Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

## Deployment Status

What is this?

- ☐ In Development
- ☒ Deployed

## Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)

- ☒ Allow Search

Save Save &amp; New Cancel



## Drop-Off Point

## Details

Fields &amp; Relationships

Page Layouts

Lightning Record Pages

Buttons, Links, and Actions

Compact Layouts

Field Sets

Object Limits

Record Types

Related Lookup Filters

Search Layouts

List View Button Layout

Restriction Rules

Scoping Rules

Object Access

Triggers

Flow Triggers

Validation Rules

Conditional Field Formatting

Edit Custom Object

## Drop-Off Point

Help for this Page

## Custom Object Definition Edit

Save

Save &amp; New

Cancel

## Custom Object Information

1 required information

The singular and plural labels are used in tabs, page layouts, and reports. **Be careful when changing the name or label as it may affect existing integrations and merge templates.**

Label  Example: Account  
Plural Label  Example: Accounts  
Starts with record label ☐

The Object Name is used when referencing the object via the API.

Object Name  Example: Account

## Description

Custom-Generated Help Setting ☒ Open the standard Salesforce.com Help & Training window  
☐ Open a window using a Visualforce page  
Content Name:

## Enter Record Name Label and Format

The Record Name appears in page layouts, key lists, related lists, lookups, and search results. For example, the Record Name for Account is "Account Name" and for Case it is "Case Number". Note that the Record Name field is always called "Name" when referenced via the API.

Record Name  Example: Account Name

Field Type  Warning: If you plan to insert a high volume of records in this object, via the API for example, use the Text data type.

## Optional Features

- ☒ Allow Reports
- ☒ Allow Activities
- ☒ Track Field History
- ☐ Allow in Chatter Groups
- ☐ Enable Licensing [s](#)

## Object Classification

When these settings are enabled, this object is classified as an Enterprise Application object. When these settings are disabled, this object is classified as a Light Application object. [Learn more.](#)

- ☒ Allow Sharing
- ☒ Allow Bulk API Access
- ☒ Allow Streaming API Access

## Deployment Status

[What is this?](#)

- ☐ In Development
- ☒ Deployed

## Search Status

When this setting is enabled, your users can find records of this object type when they search. [Learn more.](#)

- ☒ Allow Search

Save

Save &amp; New

Cancel