




1) Copy [\\CIIFile\File](#) Server\Engineering\Src\CRC-25R\CRC-25R\_Calib\_Amulet\_3.00a to the C drive




2) Copy \\CIIFile\File Server\Engineering\Src\CRC-25R\CRCHtml\_3.00a to the C drive




3) Open Eclipse and switch workspace to CRC-25R\_Calib\_Amulet\_3.00a




#### 4) Create New C Project




5) Enter Project name: CRC-25R\_Calib and click on Next button




6) Click on Finish button



7) Close the Welcome Screen by click on the X in the Welcome Tab




8) Click on CRC-25R\_Calib folder to expand the tree







## 9) Open RevData\_R.c to change the Rev Number and Save All




## 10) Click on Open Project Builder




11) Choose def\_calib\_r.gpj from the CRC-25R\_Calib\_Amulet\_3.00a\CRC-25R\_Calib folder




12) Click on “Rebuild def\_calib\_r.gpj” from the Build sub menu




### 13) Wait for the build to complete




14) Open crc\_25r.map and copy the .text segment size to the clipboard



15) Paste the .text segment size into the memdata.txt file




16) Open Build.ini in the CRCHtml\_3.00a folder to change the Amulet file version and Save to Disk







## 17) Open the GEMcompiler




18) Open Index.htm from the CRCHtml\_3.00a folder




19) Click on “Save Index.gem” button



20) Open Touch.AmuletOS from the CRCHtml\_3.00a folder



21) Click on “Save .pdb” menu item from the File sub menu



## 22) Copy Touch.pdb to /common/test folder

```
wlam@stretch: /common/test
-rwxr-xr-x 1 wlam wlam 9787 Sep 23 2013 PDBConverter
-rwxr-xr-x 1 wlam wlam 8871 Dec 9 2012 PDBConverter.32
-rw-r--r-- 1 wlam wlam 5656 Dec 9 2012 PDBConverter.c
-r-xr-s--T 1 wlam wlam 2468959 May 21 11:02 Touch.Amu
-rw-r--r-- 1 wlam wlam 2470359 May 21 11:01 Touch.pdb
wlam@stretch:/common/test$ chmod 644 Touch.Amu
wlam@stretch:/common/test$ ls
0Index.md5sum 1003.dat 4157.dat 90.dat CRC_25P_1.04a GEM Compiler Setup 009.exe New.pdb PDBConve
rter.32 Touch.Amu
1002.dat 4146.dat 494.dat 96.dat CRC_25R_1.04n New.gem PDBConverter PDBConve
rter.c Touch.pdb
wlam@stretch:/common/test$ rm Touch.Amu
rm: remove regular file 'Touch.Amu'? y
wlam@stretch:/common/test$ rm Touch.pdb
rm: remove regular file 'Touch.pdb'? y
wlam@stretch:/common/test$ ls
0Index.md5sum 1003.dat 4157.dat 90.dat CRC_25P_1.04a GEM Compiler Setup 009.exe New.pdb PDBConve
rter.32
1002.dat 4146.dat 494.dat 96.dat CRC_25R_1.04n New.gem PDBConverter PDBConve
rter.c
wlam@stretch:/common/test$ cp /home/wlam/temp/Touch.pdb .
wlam@stretch:/common/test$ ls
0Index.md5sum 1003.dat 4157.dat 90.dat CRC_25P_1.04a GEM Compiler Setup 009.exe New.pdb PDBConve
rter.32 Touch.pdb
1002.dat 4146.dat 494.dat 96.dat CRC_25R_1.04n New.gem PDBConverter PDBConve
rter.c
wlam@stretch:/common/test$ ls
0Index.md5sum 4146.dat 90.dat CRC_25R_1.04n New.pdb PDBConverter.c
1002.dat 4157.dat 96.dat GEM Compiler Setup 009.exe PDBConverter Touch.pdb
1003.dat 494.dat CRC_25P_1.04a New.gem PDBConverter.32
wlam@stretch:/common/test$
```

## 23) Run PDBConverter

```
wlam@stretch: /common/test
-rw-r--r-- 1 wlam wlam 2470359 May 21 11:01 Touch.pdb
wlam@stretch:/common/test$ chmod 644 Touch.Amu
wlam@stretch:/common/test$ ls
0Index.md5sum 1003.dat 4157.dat 90.dat CRC_25P_1.04a GEM Compiler Setup 009.exe New.pdb PDBConve
rter.32 Touch.Amu
1002.dat 4146.dat 494.dat 96.dat CRC_25R_1.04n New.gem PDBConverter PDBConve
rter.c Touch.pdb
wlam@stretch:/common/test$ rm Touch.Amu
rm: remove regular file 'Touch.Amu'? y
wlam@stretch:/common/test$ rm Touch.pdb
rm: remove regular file 'Touch.pdb'? y
wlam@stretch:/common/test$ ls
0Index.md5sum 1003.dat 4157.dat 90.dat CRC_25P_1.04a GEM Compiler Setup 009.exe New.pdb PDBConve
rter.32 Touch.pdb
1002.dat 4146.dat 494.dat 96.dat CRC_25R_1.04n New.gem PDBConverter PDBConve
rter.c
wlam@stretch:/common/test$ cp /home/wlam/temp/Touch.pdb .
wlam@stretch:/common/test$ ls
0Index.md5sum 1003.dat 4157.dat 90.dat CRC_25P_1.04a GEM Compiler Setup 009.exe New.pdb PDBConve
rter.32 Touch.pdb
1002.dat 4146.dat 494.dat 96.dat CRC_25R_1.04n New.gem PDBConverter PDBConve
rter.c
wlam@stretch:/common/test$ ls
0Index.md5sum 4146.dat 90.dat CRC_25R_1.04n New.pdb PDBConverter.c
1002.dat 4157.dat 96.dat GEM Compiler Setup 009.exe PDBConverter Touch.pdb
1003.dat 494.dat CRC_25P_1.04a New.gem PDBConverter.32
wlam@stretch:/common/test$ ls
0Index.md5sum 4146.dat 90.dat CRC_25R_1.04n New.pdb PDBConverter.c
1002.dat 4157.dat 96.dat GEM Compiler Setup 009.exe PDBConverter Touch.pdb
1003.dat 494.dat CRC_25P_1.04a New.gem PDBConverter.32
wlam@stretch:/common/test$ ./PDBConverter
```

24) chmod 644 for Touch.Amu

```
wlam@stretch: /common/test
26
1F32
26
2E2E
26
56
612
612
43A
29A
29A
43A
26
56
46
26
46
76
76
42
26
4E
25E
100
2156
Checksum: B
wlam@stretch:/common/test$ ls
0Index.md5sum  4146.dat  90.dat      CRC_25R_1.04n  New.pdb      PDBConverter.c
1002.dat       4157.dat  96.dat      GEM Compiler Setup 009.exe PDBConverter Touch.Amu
1003.dat       494.dat   CRC_25P_1.04a New.gem        PDBConverter.32 Touch.pdb
wlam@stretch:/common/test$ chmod 644 Touch.Amu
```



25) Rename Touch.Amu to the Amulet version (Step 16) with a .dat extension

```
wlam@stretch: /common/test
56
612
612
43A
29A
29A
43A
26
56
46
26
46
76
76
42
26
4E
25E
100
2156
Checksum: B
wlam@stretch:/common/test$ ls
0Index.md5sum 4146.dat 90.dat CRC_25R_1.04n New.pdb PDBConverter.c
1002.dat 4157.dat 96.dat GEM Compiler Setup 009.exe PDBConverter Touch.Amu
1003.dat 494.dat CRC_25P_1.04a New.gem PDBConverter.32 Touch.pdb
wlam@stretch:/common/test$ chmod 644 Touch.Amu
wlam@stretch:/common/test$ ls
0Index.md5sum 4146.dat 90.dat CRC_25R_1.04n New.pdb PDBConverter.c
1002.dat 4157.dat 96.dat GEM Compiler Setup 009.exe PDBConverter Touch.Amu
1003.dat 494.dat CRC_25P_1.04a New.gem PDBConverter.32 Touch.pdb
wlam@stretch:/common/test$ mv Touch.Amu 4179.dat
```

26) Copy crc\_25r.mem and memdata.txt from CRC-25R\_Calib\_Amulet\_3.00a\CRC-25R\_Calib folder to /common/UpdateAppender\_Workspace/UpdateAppender folder. Copy the .dat file from Step 25 to the same folder. Update the file name “manifest” to change the Rev Number and the name of the .dat file.

[illegible]

## 27) Run UpdateAppender

```
wlam@stretch: /common/UpdateAppender_Workspace/UpdateAppender
```

|          |                  |                                   |                       |
|----------|------------------|-----------------------------------|-----------------------|
| 4172.dat | files_3.11c.zip  | UpdateTouch_3.01a.zip             | UpdateTouch_a228.zip  |
| 4173.dat | files_3.11d.zip  | UpdateTouch_3.01b.exe             | UpdateTouch_a243.exe  |
| 4177.dat | files_3.11.zip   | UpdateTouch_3.01b.zip             | UpdateTouch_a299.exe  |
| 4178.dat | files_3.12       | UpdateTouch_3.01.exe              | UpdateTouch_a300.exe  |
| 4179.dat | files_3.12e.zip  | UpdateTouch_3.01.zip              | UpdateTouch_a301.exe  |
| 441.dat  | files_3.12f.zip  | UpdateTouch_3.02a.exe             | UpdateTouch_a302.exe  |
| 466.dat  | files_3.12.zip   | UpdateTouch_3.02a.zip             | UpdateTouch_a303.exe  |
| 469.dat  | files_3.13.zip   | UpdateTouch_3.02.exe              | UpdateTouch_a304.exe  |
| 470.dat  | files_4.00a.zip  | UpdateTouch_3.02.zip              | UpdateTouch_a316.exe  |
| 472.dat  | files_4.00.zip   | UpdateTouch_3.03a.exe             | UpdateTouch_a327.exe  |
| 484.dat  | files_4.01       | UpdateTouch_3.03a.zip             | UpdateTouch_a331.exe  |
| 485.dat  | files_4.01.zip   | UpdateTouch_3.03.exe              | UpdateTouch_a331.zip  |
| 486.dat  | files_70.zip     | UpdateTouch_3.03.zip              | UpdateTouch_a4121.exe |
| 487.dat  | files_71.zip     | UpdateTouch_3.04a.exe             | UpdateTouch_a4131.exe |
| 488.dat  | files_72.zip     | UpdateTouch_3.04a.zip             | UpdateTouch_a4139.exe |
| 489.dat  | files_73.zip     | UpdateTouch_3.04b.exe             | UpdateTouch_a4142.exe |
| 490.dat  | files_74.zip     | UpdateTouch_3.04b_NoCorr_100s.exe | UpdateTouch_a435.exe  |
| 491.dat  | files_75.zip     | UpdateTouch_3.04b_NoCorr_100s.zip | UpdateTouch_a435.zip  |
| 492.dat  | files_76.zip     | UpdateTouch_3.04b_NoCorr.exe      | UpdateTouch_a436.exe  |
| 493.dat  | files_77.zip     | UpdateTouch_3.04b_NoCorr.zip      | UpdateTouch_a439.exe  |
| 494.dat  | files_78.zip     | UpdateTouch_3.04b.zip             | UpdateTouch_a446.exe  |
| 495.dat  | files_79.zip     | UpdateTouch_3.04c.exe             | UpdateTouch_a447.exe  |
| 496.dat  | files_80.zip     | UpdateTouch_3.04c.zip             | UpdateTouch_a448.exe  |
| 497.dat  | files_81.zip     | UpdateTouch_3.04d.exe             | UpdateTouch_a449.exe  |
| 498.dat  | files_82.zip.old | UpdateTouch_3.04d.zip             | UpdateTouch_a450.exe  |
| 67.dat   | files_83.zip     | UpdateTouch_3.04.exe              | UpdateTouch_a474.exe  |
| 68.dat   | files_a219.zip   | UpdateTouch_3.04.zip              | UpdateTouch_NoAv2.exe |
| 69.dat   | files_a225.zip   | UpdateTouch_3.05a.exe             | UpdateTouch_NoAvg.exe |
| 70.dat   | files_a228.zip   | UpdateTouch_3.05.exe              |                       |
| 71.dat   | files_a243.zip   | UpdateTouch_3.05x.exe             |                       |

```
wlam@stretch:/common/UpdateAppender_Workspace/UpdateAppender$ ./UpdateAppender
```

28) Rename UpdateCRC55t.exe.append to UpdateTouch\_X.XXx.exe to create update file.

```
wlam@stretch: /common/UpdateAppender_Workspace/UpdateAppender
470.dat      files_4.00a.zip      UpdateTouch_3.02.zip      UpdateTouch_a316.exe
472.dat      files_4.00.zip       UpdateTouch_3.03a.exe     UpdateTouch_a327.exe
484.dat      files_4.01           UpdateTouch_3.03a.zip     UpdateTouch_a331.exe
485.dat      files_4.01.zip       UpdateTouch_3.03.exe      UpdateTouch_a331.zip
486.dat      files_70.zip         UpdateTouch_3.03.zip      UpdateTouch_a4121.exe
487.dat      files_71.zip         UpdateTouch_3.04a.exe     UpdateTouch_a4131.exe
488.dat      files_72.zip         UpdateTouch_3.04a.zip     UpdateTouch_a4139.exe
489.dat      files_73.zip         UpdateTouch_3.04b.exe     UpdateTouch_a4142.exe
490.dat      files_74.zip         UpdateTouch_3.04b_NoCorr_100s.exe UpdateTouch_a435.exe
491.dat      files_75.zip         UpdateTouch_3.04b_NoCorr_100s.zip UpdateTouch_a435.zip
492.dat      files_76.zip         UpdateTouch_3.04b_NoCorr.exe UpdateTouch_a436.exe
493.dat      files_77.zip         UpdateTouch_3.04b_NoCorr.zip UpdateTouch_a439.exe
494.dat      files_78.zip         UpdateTouch_3.04b.zip     UpdateTouch_a446.exe
495.dat      files_79.zip         UpdateTouch_3.04c.exe     UpdateTouch_a447.exe
496.dat      files_80.zip         UpdateTouch_3.04c.zip     UpdateTouch_a448.exe
497.dat      files_81.zip         UpdateTouch_3.04d.exe     UpdateTouch_a449.exe
498.dat      files_82.zip.old     UpdateTouch_3.04d.zip     UpdateTouch_a450.exe
67.dat      files_83.zip         UpdateTouch_3.04.exe      UpdateTouch_a474.exe
68.dat      files_a219.zip       UpdateTouch_3.04.zip      UpdateTouch_NoAv2.exe
69.dat      files_a225.zip       UpdateTouch_3.05a.exe     UpdateTouch_NoAvg.exe
70.dat      files_a228.zip       UpdateTouch_3.05.exe
71.dat      files_a243.zip       UpdateTouch_3.05x.exe
wlam@stretch:/common/UpdateAppender_Workspace/UpdateAppender$ ./UpdateAppender
Open: /common/UpdateAppender_Workspace/UpdateAppender/4179.dat
Open: /common/UpdateAppender_Workspace/UpdateAppender/crc_25r.mem
Open: /common/UpdateAppender_Workspace/UpdateAppender/flash.mem
Open: /common/UpdateAppender_Workspace/UpdateAppender/progname.txt
Open: /common/UpdateAppender_Workspace/UpdateAppender/memdata.txt
Checksum: D2
Packet Size: 4735177
wlam@stretch:/common/UpdateAppender_Workspace/UpdateAppender$ mv UpdateCRC55t.exe.append UpdateTouch_4.01a.exe
```

29) Copy the update file to a USB flash drive

30) Plug the USB flash drive into a 55 unit

31) Touch the UTIL button on the main screen

32) Touch the “Update Software” button

33) Touch the Yes button, wait for transfer to complete and restart the 55 unit

34) Wait for the screen to finish flashing

35) Touch UTIL button

36) Touch Diagnostics button

37) Copy the checksum from the screen to memdata.txt and redo Steps 27 - 34