

304 Client Server Architecture (VB)

કુલ સમય :- : ૬૦ મીનીટ

કુલ પ્રશ્નો : ૫૦

વિદ્યાર્થીએ ટીક કરવાના પ્રશ્નો : ૩૫

નોંધ : વિદ્યાર્થીએ માત્ર ૩૫ પ્રશ્નો જ ટીક કરવાના રહેશે. જો વધારે ટીક કરેલ હશે તો પ્રથમ ૩૫ પ્રશ્નો જ ગણતરીમાં લેવામાં આવશે.

1. VB Variable name cannot be more than \_\_\_\_\_ characters.  
(A) 255 (B) 300 (C) 355 (D) 400
2. \_\_\_\_\_ Function is used to return copy of a without leading spaces.  
(A) RTRIM (B) LTRIM (C) TRIM (D) ALL ABOVE
3. The variables that does not change the value during Execution of Program is \_\_\_\_\_  
(A) NUMERIC (B) STRING (C) CONSENT (D) NONE OF ABOVE
4. \_\_\_\_\_ is a method which moves the focus to the specified control or form.  
(A) SET FOCUS (B) LOST FOCUS (C) GUEST FOCUS (D) NONE OF ABOVE
5. The function procedures are \_\_\_\_\_ by default.  
(A) PUBLIC (B) PRIVATE (C) PROTECTED (D) NONE OF ABOVE
6. VB short key F3 is use for \_\_\_\_\_  
(A) MODIFY TEXT (B) NEXT TEXT (C) PREVIOUS TEXT (D) NON OF ABOVE
7. Ctrl + H is use for \_\_\_\_\_  
(A) FIND (B) REPLACE (C) MODIFY (D) NONE OF ABOVE
8. Ctrl + J is use for \_\_\_\_\_  
(A) BRING TO FRONT (B) BRING TO BACK (C) BOTH A & B (D) NONE OF ABOVE
9. VB Group Project Contain extension \_\_\_\_\_  
(A) .VBP (B) .VBG (C) .FRM (D) NONE OF ABOVE
10. What is MDI \_\_\_\_\_  
(A) Modify Document interface (B) Modify Document Integrated  
(C) Multiple Document Interface (D) None of above
11. Extension for Active-X control File \_\_\_\_\_  
(A) .VBP (B) .ACX (C) .CTL (D) None of above
12. CTRL + T is Use for \_\_\_\_\_  
(A) Open Component Dialog Box (B) Close Component Dialog Box  
(C) Active Component Dialog Box (D) None of above
13. MWOSA indicates \_\_\_\_\_  
(A) Microsoft windows open system Architecture (B) Micro windows open system Architecture  
(C) Microsoft windows close system Architecture (D) None of above
14. API Indicates \_\_\_\_\_  
(A) Application Program interface (B) Application Product interface  
(C) Application Programming interface (D) Application Product Integrate
15. ODBC indicate \_\_\_\_\_  
(A) Open Data Base Connection (B) Open Data Base Connectivity  
(C) Object Data Base Connection (D) None of above
16. DLL Means \_\_\_\_\_  
(A) Data Link Library (B) Dynamic Link Library (C) Dictionary Link Library (D) None of above
17. COM indicates \_\_\_\_\_  
(A) Component Object Mode (B) Component Object Model (C) Component Oriented Mode (D) None of Above
18. ASP indicates \_\_\_\_\_  
(A) Active Server Pages (B) Active server Page (C) Both (D) None of above
19. IIS Means \_\_\_\_\_  
(A) Internet Integrated Service (B) Internet Information Server  
(C) Integrated Information server (D) None of Above
20. DAO indicate \_\_\_\_\_  
(A) Data Access Oriented (B) Dictionary Access Oriented (C) Data Access Oriented (D) None of above
21. RDO Indicate \_\_\_\_\_  
(A) Remote Data Oriented (B) Remote Data Object (C) Remote Dictionary Object (D) None of above
22. ASP Objects are \_\_\_\_\_  
(A) Session (B) Response (C) Request (D) All Above
23. \_\_\_\_\_ Data type contain maximum to million character  
(A) Date (B) Ulong (C) Numeric (D) String
24. The value of variable does not change during the Program \_\_\_\_\_  
(A) Debug (B) Design (C) Execution (D) All of Above
25. VB \_\_\_\_\_ Extension to Project File  
(A) .frm (B) .vbp (C) .vb (D) .cls

26. Default property of Text Box Control is \_\_\_\_\_.  
(A) Text (B) Enable (C) Multiple (D) Non of Above
27. \_\_\_\_\_ is a collection of files.  
(A) Class (B) Group (C) Project (D) All of above
28. \_\_\_\_\_ Array size can be changed at run time.  
(A) Fixed (B) Preserve (C) Dynamic array (D) Multidimensional
29. \_\_\_\_\_ is the process of finding and Removing the Error,  
(A) Checking (B) Compiling (C) Debugging (D) None of above
30. \_\_\_\_\_ loop repeats a group of statements for each item in a collection of objects OR for each element of an array  
(A) While loop (B) Do until loop (C) Do While loop (D) For Each loop
31. Visual Basic is a tool that allows you to develop application IN \_\_\_\_\_.  
(A) REAL TIME (B) GRAPHICAL USERINTERFACE  
(C) CHARACTER USER INTERFACE (D) NONE OF THESE
32. \_\_\_\_\_ VARIABLE DECLARED INSIDE a Procedure  
(A) GLOBAL (B) LOCAL (C) EXTERNAL (D) NONE OF THE ABOVE
33. \_\_\_\_\_ Method removes a dialog box from view.  
(A) DISPLAY (B) DISABLE (C) HIDE (D) ENABLED
34. \_\_\_\_\_ is used for finding out about objects, properties and methods.  
(A) FORM LAYOUT (B) CODE EDITOR WINDOW (C) OBJECT BROWSER (D) NONE OF THE ABOVE
35. \_\_\_\_\_ cannot be declared in a form or class module  
(A) PUBLIC CONSTANTS (B) PRIVATE CONSTANTS  
(C) STATIC CONSTANTS (D) NON OF THESE
36. \_\_\_\_\_ Function is used to return a copy of a string without leading spaces.  
(A) LTRIM (B) RTRIM (C) TRIM (D) NONE OF THESE
37. \_\_\_\_\_ is a method which moves the focus to the specified control or form  
(A) SETFOCUS (B) GOT FOCUS (C) LOST FOCUS (D) NONE OF THESE
38. The default property for a text box control is \_\_\_\_\_.  
(A) TEXT (B) PASSWORD CHARACTER (C) MULTIPLE (D) ENABLE
39. The \_\_\_\_\_ is a tool used for both the Input and output purpose.  
(A) COMMOND BUTTON (B) TEXT BOX (C) LABEL (D) COMBO BOX
40. In visual basic the declaration of variables is done by \_\_\_\_\_ key word.  
(A) INT (B) DIM (C) STATIC (D) DECLARE
41. The \_\_\_\_\_ Function Returns a string stored in a variant data type  
(A) CHR. (B) STRING (C) CHAR. (D) NONE OF THESE
42. The \_\_\_\_\_ property IS USED IN VB FOR MAXIMUM FORM AT RUN A TIME  
(A) CAPTION (B) WINDOW RESIZE (C) WINDOW STATUS (D) NONE OF THESE
43. \_\_\_\_\_ METHOD IS USED FOR STORE TEXT FROM CLIPBOARD  
(A) INPUT (B) GET TEXT (C) SET TEXT (D) ADDTEXT
44. \_\_\_\_\_ CONTROL DISPLAY CURRENT DIRECTORY WITH SUB DIRECTORY AND ALLOW TO USER TO CHANGE DIRECTLY  
(A) FILE LIST BOX (B) DRIVE LIST BOX  
(C) DIRECTORY LIST BOX (D) ALL OF THE ABOVE
45. \_\_\_\_\_ CONTROL IS USED TO REPRESENT THE ITEMS IN A HIRECHICAL MANNER  
(A) TREE VIEW (B) GRIDE VIEW (C) PROGRESS BAR (D) NONE OF THESE
46. WHICH IS NOT A PROPERTY OF COMMON CONTROL CLASS  
(A) SHOW (B) FONT (C) BACK COLOUR (D) FORE COLOR
47. WHICH SYMBOLS CREATE ACESS KEY IN THE TEXT OF A MENU BAR ?  
(A) @ (B) & (C) \$ (D) #
48. \_\_\_\_\_ EVENT OCUURS WHEN FORM LOADED IN TO A MEMORY  
(A) LOAD (B) ACTIVATE (C) INTIALIZE (D) NONE OF THESE
49. \_\_\_\_\_ METHOD IS USED TO FORCIBLY SET THE CPU FOCUS TO A PARTICULAR CONTROL  
(A) SET FOCUS (B) GOT FOCUS (C) LOST FOCUS (D) NONE OF THE ABOVE
50. IDE STANDS FOR \_\_\_\_\_  
(A) INTEGRATED DESK TOP ENVIRONMENT (B) INTEGRATED DEVELOPMENT ENVIRONMENT  
(C) INTEGRATED DUAL ENVIRONMENT (D) INTERNET DEVELOPMENT ENVIRONMENT