

FLOOR REFLECTED CEILING PLAN LEGEND

PLASTERBOARD CEILING WITH RESILIENT MOUNT ON CONCEALED FURRING CHANNEL SYSTEM. FLOOR STRUCTURE AND CEILING TO ACHIEVE  $R_w+Ctr$  (AIRBOURNE) NOT LESS THAN 50 AND AN  $L_n,w+cl$  (IMPACT) NOT MORE THAN 62.

(BULKHEAD) PLASTERBOARD CEILING WITH RESILIENT MOUNT ON CONCEALED FURRING CHANNEL SYSTEM. FLOOR STRUCTURE AND CEILING TO ACHIEVE  $R_w+Ctr$  (AIRBOURNE) NOT LESS THAN 50 AND AN  $L_n,w+cl$  (IMPACT) NOT MORE THAN 62.

PLASTERBOARD CEILING WITH RESILIENT MOUNT ON CONCEALED FURRING CHANNEL SYSTEM. FLOOR STRUCTURE AND CEILING TO ACHIEVE  $R_w+Ctr$  (AIRBOURNE) NOT LESS THAN 50 AND AN  $L_n,w+cl$  (IMPACT) NOT MORE THAN 62. CEILING ENCLOSING PIPEWORK TO ACHIEVE  $R_w+Ctr$  (AIRBOURNE) NOT LESS THAN 25.

(BULKHEAD) PLASTERBOARD CEILING WITH RESILIENT MOUNT ON CONCEALED FURRING CHANNEL SYSTEM. FLOOR STRUCTURE AND CEILING TO ACHIEVE  $R_w+Ctr$  (AIRBOURNE) NOT LESS THAN 50 AND AN  $L_n,w+cl$  (IMPACT) NOT MORE THAN 62. CEILING ENCLOSING PIPEWORK TO ACHIEVE  $R_w+Ctr$  (AIRBOURNE) NOT LESS THAN 25.

PLASTERBOARD CEILING WITH RESILIENT MOUNT ON CONCEALED FURRING CHANNEL SYSTEM. FLOOR STRUCTURE AND CEILING TO ACHIEVE  $R_w+Ctr$  (AIRBOURNE) NOT LESS THAN 50 AND AN  $L_n,w+cl$  (IMPACT) NOT MORE THAN 62. CEILING ENCLOSING PIPEWORK TO ACHIEVE  $R_w+Ctr$  (AIRBOURNE) NOT LESS THAN 40.


(BULKHEAD) PLASTERBOARD CEILING WITH RESILIENT MOUNT ON CONCEALED FURRING CHANNEL SYSTEM. FLOOR STRUCTURE AND CEILING TO ACHIEVE  $R_w+Ctr$  (AIRBOURNE) NOT LESS THAN 50 AND AN  $L_n,w+cl$  (IMPACT) NOT MORE THAN 62. CEILING ENCLOSING PIPEWORK TO ACHIEVE  $R_w+Ctr$  (AIRBOURNE) NOT LESS THAN 40.

CONCEALED JOINT FIBRE CEMENT SHEETING WITH RESILIENT MOUNT ON CONCEALED FURRING CHANNEL SYSTEM.

APPLIED FINISH

CONCRETE, PAINTED FINISH

UNFINISHED



01 REFLECTED CEILING PLAN - LEVEL 02  
1 : 100


NOTES

- REFER TO UNIT RCP PLANS FOR UNIT CEILING HEIGHTS AND FINISH.

LEGEND

REVISIONS		
A	COORDINATION ISSUE - DD	17.01.23
B	50 % DD Issue	27.01.23
C	PRE 70% ECI TENDER COORDINATION	22.02.23
D	70% ECI TENDER ISSUE	09.03.23

NORTH



DESIGN  
DRAWN  
VERIFIED  
APPROVED

HC

JC

HC



ARCHITECTURAL COLLABORATIVE PTY LTD  
6 PROSPECT ST FORTITUDE VALLEY QLD 4008  
07 3539 8880 www.archcollab.com.au

PROJECT NO. 21-0109  
ISSUE DATE 09.03.23

CLIENT  
SAINTSUN

PROJECT  
12 AERODROME RD,  
MAROOCHYDORE, QLD 4558

SHEET NAME  
LEVEL 02 REFLECTED  
CEILING PLAN

SCALE @ A1= As indicated  
REVISION SHEET NO.  
D A132

