

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
  <meta charset="UTF-8" />
```

```
  <title>For Soumya  </title>
```

```
<style>
```

```
  body {
```

```
    margin: 0;
```

```
    font-family: Arial, sans-serif;
```

```
    background: linear-gradient(135deg,  
#ff758c, #ffb199);
```

```
    overflow: hidden;
```

```
    display: flex;
```

```
    justify-content: center;
```

```
    align-items: center;
```

```
    height: 100vh;
```

```
    text-align: center;
```

```
    color: #333;
```

```
  }
```

```
.card {  
  background: white;  
  padding: 40px;  
  border-radius: 20px;  
  box-shadow: 0 15px 40px  
  rgba(0,0,0,0.2);  
  position: relative;  
  z-index: 2;  
  width: 300px;  
}
```

```
h1 {  
  font-size: 22px;  
  margin-bottom: 25px;  
}
```

```
button {  
  padding: 12px 22px;  
  margin: 10px;  
  font-size: 16px;  
  border-radius: 10px;
```

```
border: none;  
cursor: pointer;  
transition: 0.2s;  
}
```

```
#yes {  
  background: #ff4d6d;  
  color: white;  
}
```

```
#yes:hover {  
  transform: scale(1.1);  
}
```

```
#no {  
  background: #aaa;  
  color: white;  
  position: absolute;  
}
```

```
.gift {
```

```
display: none;
margin-top: 20px;
font-size: 22px;
color: #ff4d6d;
animation: pop 0.5s ease;
}
```

```
@keyframes pop {
  from { transform: scale(0); }
  to { transform: scale(1); }
}
```

```
/* floating hearts */
.heart {
  position: absolute;
  color: rgba(255,255,255,0.8);
  animation: float 6s linear infinite;
  font-size: 20px;
}
```

```
@keyframes float {
```


```
from {
  transform: translateY(100vh);
  opacity: 1;
}
to {
  transform: translateY(-10vh);
  opacity: 0;
}
}
</style>
</head>

<body>


<!-- 🎵 Music (replace mp3 link if you want
another song) -->
<audio autoplay loop>
  <source src="https://
www.soundhelix.com/examples/mp3/
SoundHelix-Song-1.mp3" type="audio/
mpeg">
```

</audio>

<div class="card">

<h1>Soumya 

Will you be my
Valentine?</h1>

<button id="yes" onclick="showGift()">Yes

</button>

<button id="no">No 
</button>

<div class="gift" id="gift">

 You said YES!

Roses  + Chocolates  + A big hug



You just made my day, Soumya.

</div>

</div>

<script>

```
const noBtn =  
document.getElementById("no");
```

```
// No button runs away  
noBtn.addEventListener("mouseover", ()  
=> {  
    const x = Math.random() *  
(window.innerWidth - 100);  
    const y = Math.random() *  
(window.innerHeight - 50);  
  
    noBtn.style.left = x + "px";  
    noBtn.style.top = y + "px";  
});
```

```
function showGift() {  
  
document.getElementById("gift").style.display = "block";  
}
```

```
// create floating hearts
function createHeart() {
  const heart =
document.createElement("div");
  heart.classList.add("heart");
  heart.innerHTML = "❤️";
  heart.style.left = Math.random() * 100 +
"vw";
  heart.style.fontSize = Math.random() *
20 + 15 + "px";

  document.body.appendChild(heart);

  setTimeout(() => {
    heart.remove();
  }, 6000);
}

setInterval(createHeart, 300);
</script>
```


</body>

</html>