Course

Progress

<u>Dates</u>

Discussion

Resources

Course / Unit 2 Nonlinear Classification, Linear regression, Collaborative Filtering (2 weeks) / Project 2: Digit recognition (Part 1)

7. Classification Using Manually Crafted Features

□ Bookmark this page

The performance of most learning algorithms depends heavily on the representation of the training data. In this section, we will try representing each image using different features in place of the raw pixel values. Subsequently, we will investigate how well our regression model from the previous section performs when fed different representations of the data.

Dimensionality Reduction via PCA

Principal Components Analysis (PCA) is the most popular method for linear dimension reduction of data and is widely used in data analysis. For an in-depth exposition see:

http://snobear.colorado.edu/Markw/BioMath/Otis/PCA/principal components.ps.

Briefly, this method finds (orthogonal) directions of maximal variation in the data. By projecting an $n \times d$ dataset X onto $k \leq d$ of these directions, we get a new dataset of lower dimension that reflects more variation in the original data than any other k-dimensional linear projection of X. By going through some linear algebra, it can be proven that these directions are equal to the k eigenvectors corresponding to the k largest eigenvalues of the covariance matrix $\widetilde{X}^T\widetilde{X}$, where \widetilde{X} is a centered version of our original data.

Remark: The best implementations of PCA actually use the Singular Value Decomposition of \widetilde{X} rather than the more straightforward approach outlined here, but these concepts are beyond the scope of this course.

Cubic Features

In this section, we will also work with a **cubic feature** mapping which maps an input vector $x=[x_1,\ldots,x_d]$ into a new feature vector $\phi(x)$, defined so that for any $x,x'\in\mathbb{R}^d$:

$$\phi(x)^T\phi\left(x'\right) = \left(x^Tx' + 1\right)^3$$

Discussion

Hide Discussion

Topic: Unit 2 Nonlinear Classification, Linear regression, Collaborative Filtering (2 weeks):Project 2: Digit recognition (Part 1) / 7. Classification Using Manually Crafted Features

Add a Post

Previous

Next >

© All Rights Reserved



edX

About

Affiliates

edX for Business

Open edX

Careers

News

Legal

Terms of Service & Honor Code

Privacy Policy

Accessibility Policy

Trademark Policy

<u>Sitemap</u>

Connect

<u>Blog</u>

Contact Us

Help Center

Media Kit

Donate















© 2020 edX Inc. All rights reserved.

深圳市恒宇博科技有限公司 <u>粤ICP备17044299号-2</u>